



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 19-MAR-22 to 13-MAY-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.

3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.

4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.

5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.

6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	7	7	5	14	5	4	15	9	145	270	161	33	35.9	0.9
Hepatitis C (newly acquired)	2				3		2	1	22	27	30	6	8.5	0.7
Hepatitis C (unspecified)	12	17	15	10	9	5	13	13	254	399	285	40	67.2	0.6
Enteric diseases														
Campylobacteriosis	64	41	57	60	58	57	58	56	1129	1072	996	229	194.9	1.2
Cryptosporidiosis	4	8	11	2	2	9	6	3	141	56	448	20	23.2	0.9
Hepatitis A									2	1	6	0	0.8	0.0
Listeriosis									1	2	1	0	0.3	0.0
Rotavirus	6	4	7	3	8	5	8	8	131	50	85	29	26.6	1.1
STEC/VTEC infection	10	6	3	3	4	5	2	3	77	44	55	14	7.1	2.0
Salmonellosis	26	32	26	19	16	13	15	5	382	487	859	49	164.3	0.3
Shigellosis	4	4	2	2	3	3	2	3	42	30	128	11	15.1	0.7
Typhoid	1								5	1	3	0	0.5	0.0
Vibrio parahaemolyticus							1		3	3	2	1	0.8	1.3
Yersiniosis	2	1				1			8	15	5	1	1.5	0.7
Sexually transmissible infections														
Chlamydia (genital)	193	163	176	158	141	165	194	223	3833	4074	4158	723	842.9	0.9
Gonorrhoea	51	44	53	43	41	58	65	61	1045	1026	1529	225	257.7	0.9
Syphilis (congenital)									2	3	0	0	0.3	0.0
Syphilis - Infectious	13	8	14	13	12	16	23	22	305	317	240	73	43.1	1.7
Syphilis - Non-Infectious	6	6	3	4	3	1	3	6	80	69	75	13	15.9	0.8
Vaccine preventable diseases														
Influenza	1	3	1	1	7	8	18	33	78	12	1154	66	603.9	0.1
Mumps		1							1	1	9	0	1.6	0.0
Pertussis		3		1	1		2		17	11	93	3	48.4	0.1
Pneumococcal infection		4	2	2	1	5	4	5	48	28	37	15	13.1	1.1
Varicella (chicken pox)	4	7	7	2	3	4	7	1	115	151	147	15	37.1	0.4
Varicella (shingles)	60	58	36	36	40	24	17	14	847	1047	883	95	175.1	0.5
Varicella (unspecified)	52	47	46	47	39	38	50	62	938	618	492	189	115.3	1.6
Vector-borne diseases														
Barmah Forest virus						1		1	9	6	10	2	2.9	0.7
Chikungunya						1			2	0	6	1	0.3	3.8
Dengue fever						1	1		4	0	62	2	11.1	0.2
Malaria	1	1		1			1		8	6	24	1	3.2	0.3
Ross River virus	13	13	11	3	4	5	4	2	373	377	144	15	61.4	0.2
Typhus			1		1		1	2	6	6	12	4	1.5	2.7
Zoonotic diseases														
Q Fever									1	1	2	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1				3			1	10	2	1	4	0.5	8.6
COVID-19	85	59	26	36	26	38	102	18	866	145	556	184	38.5	4.8
Creutzfeldt-Jakob disease									1	3	2	0	0.8	0.0
Legionellosis	1			2	4	1		5	23	21	25	10	4.9	2.1
Leprosy									1	0	0	0	0.2	0.0
Melioidosis		1						1	2	3	4	1	0.6	1.7
Meningococcal infection					1			2	7	6	4	3	1.0	3.0
RSV	43	32	16	17	10	6	5	9	918	2	0	30	0.0	0.0
Tuberculosis		3	1	1	3	3		2	32	43	45	8	9.6	0.8
iGAS	5	3	1	5	5	3	5	7	74	0	0	20	0.0	0.0
Grand Total	667	576	520	485	453	480	624	578						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	5	5	3	11	4	3	13	7	114	194	139	27	29.8	0.9
Hepatitis C (newly acquired)	2				1		2	1	17	23	23	4	6.6	0.6
Hepatitis C (unspecified)	8	12	12	10	9	4	11	9	189	285	202	33	48.1	0.7
Enteric diseases														
Campylobacteriosis	49	33	41	48	50	44	42	46	898	836	800	182	153.7	1.2
Cryptosporidiosis	4	6	9	2	2	4	4	3	107	21	393	13	13.3	1.0
Hepatitis A									1	1	5	0	0.6	0.0
Listeriosis									1	1	0	0	0.1	0.0
Rotavirus	5	3	7	2	6	5	7	6	110	45	71	24	15.9	1.5
STEC/VTEC infection	5	3		1	4	4	2	2	52	31	44	12	5.8	2.1
Salmonellosis	17	24	18	15	8	9	11	1	268	340	654	29	122.7	0.2
Shigellosis	1	1	1	1	1	1	1	2	18	7	68	5	6.2	0.8
Typhoid	1								5	0	3	0	0.4	0.0
Vibrio parahaemolyticus							1		3	3	2	1	0.5	1.9
Yersiniosis	1	1				1			7	10	5	1	1.1	0.9
Sexually transmissible infections														
Chlamydia (genital)	159	131	149	132	112	136	147	179	3042	3233	3220	574	660.9	0.9
Gonorrhoea	31	31	35	29	23	38	38	47	668	609	1079	146	174.9	0.8
Syphilis - Infectious	10	6	13	10	8	11	17	15	219	170	148	51	26.4	1.9
Syphilis - Non-Infectious	3	6	2	1	2		2	5	51	53	62	9	11.5	0.8
Vaccine preventable diseases														
Influenza	1	1	1	1	4	6	11	21	51	6	928	42	459.5	0.1
Pertussis		3		1	1		2		14	9	72	3	32.8	0.1
Pneumococcal infection		1	2				3	4	22	15	15	7	7.6	0.9
Varicella (chicken pox)	3	4	5	1	2	3	6		83	109	100	11	26.9	0.4
Varicella (shingles)	40	41	28	27	30	16	13	6	585	740	638	65	122.9	0.5
Varicella (unspecified)	48	44	42	43	37	33	43	56	861	592	472	169	111.1	1.5
Vector-borne diseases														
Barmah Forest virus								1	2	0	2	1	0.7	1.4
Chikungunya						1			2	0	2	1	0.3	3.8
Dengue fever						1	1		4	0	48	2	8.5	0.2
Malaria	1	1		1					7	5	18	0	2.9	0.0
Ross River virus	6	6	5	2	2	3	3	1	249	203	73	9	33.7	0.3
Typhus			1					2	3	0	6	2	0.7	2.7
Other diseases														
Acute post-streptococcal glomerulonephritis					1				1	0	0	1	0.0	0.0
COVID-19	75	50	16	30	24	35	96	18	730	60	373	173	21.2	8.2
Creutzfeldt-Jakob disease									1	3	2	0	0.6	0.0
Legionellosis	1				4			5	16	13	13	9	3.1	2.9
Leprosy									1	0	0	0	0.2	0.0
Meningococcal infection					1			2	7	2	2	3	0.5	6.4
RSV	10	12	8	9	7	4	2	6	442	0	0	19	0.0	0.0
Tuberculosis		3	1		3	3		1	25	40	43	7	8.5	0.8
iGAS	3	2	1	2	1	2	3	1	40	0	0	7	0.0	0.0
Grand Total	489	430	400	379	347	367	481	447						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	3	9 (8)	3.8	3	7 (6)	4.3	1	11 (11)	7.7
Hepatitis C (newly acquired)					1 (1)	0.7	1	3 (2)	1.6
Hepatitis C (unspecified)		4 (7)	3.7	5	15 (11)	11.2	4	14 (27)	11.8
Hepatitis D		(1)	0.1						
Enteric diseases									
Campylobacteriosis	16	58 (49)	41.6	16	64 (45)	45.6	14	60 (58)	38.6
Cryptosporidiosis	2	8 (1)	4.1		(3)	1.9	1	5 (4)	8.7
Hepatitis A						0.1			
Listeriosis			0.1						
Rotavirus	2	8 (6)	4.1		7 (1)	5.1	4	9 (4)	6.2
STEC/VTEC infection	1	2 (1)	1.5		5	2.4	1	5 (4)	3.4
Salmonellosis	1	14 (17)	12.2		7 (20)	10.9		8 (17)	14.2
Shigellosis		1 (1)	0.7	1	1	0.7	1	3	1.1
Typhoid									0.7
Vibrio parahaemolyticus								1	0.4
Yersiniosis		(1)	0.4		1 (1)	0.4		(1)	0.1
Sexually transmissible infections									
Chlamydia (genital)	65	173 (183)	124.3	56	186 (203)	136.8	58	215 (261)	163.5
Gonorrhoea	11	39 (34)	24.0	14	38 (35)	28.9	22	69 (60)	40.2
Syphilis (congenital)									
Syphilis - Infectious	3	14 (6)	8.1	6	9 (13)	7.0	6	28 (17)	15.2
Syphilis - Non-Infectious	3	4	2.0		1 (3)	1.9	2	4 (4)	3.1
Vaccine preventable diseases									
Influenza	7	18	3.0	4	8	1.2	10	16 (1)	2.8
Mumps									
Pertussis		1	0.7		1	0.7		1	0.5
Pneumococcal infection	2	4 (2)	0.9	1	1 (3)	1.2	1	2 (1)	0.9
Varicella (chicken pox)		4 (8)	4.6		4 (6)	4.3		3 (7)	2.7
Varicella (shingles)	2	22 (51)	27.9	2	22 (41)	31.6	2	21 (43)	22.6
Varicella (unspecified)	21	59 (25)	38.3	18	49 (42)	43.8	17	61 (39)	38.5
Vector-borne diseases									
Barmah Forest virus				1	1	0.1			0.1
Chikungunya		1	0.1			0.1			
Dengue fever		2	0.3			0.3			
Malaria		(1)	0.5			0.3		(1)	0.1
Ross River virus		2 (12)	5.8		2 (16)	16.6	1	5 (16)	12.9
Typhus	2	2	0.3			0.1			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	0.1			
COVID-19	4	40 (8)	30.9	7	25 (2)	23.6	7	108 (6)	46.6
Creutzfeldt-Jakob disease						0.1			
Legionellosis	5	6 (4)	1.5		2	0.3		1	0.4
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.3	2	2	0.4		1	0.3
RSV	3	5	17.3	2	9	22.8	1	5	21.8
Tuberculosis		1 (1)	1.1	1	2 (4)	0.6		4 (7)	1.8
iGAS			1.4		3	2.2	1	4	2.0
Grand Total	153	501 (427)		139	474 (456)		155	667 (591)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		1 (1)	4.3	1	1	1.6		1 (1)	4.0
Hepatitis C (newly acquired)			1.6		2	3.3			
Hepatitis C (unspecified)	1	1 (6)	8.2		1 (3)	19.5	1	1 (1)	12.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	16 (21)	50.0	1	9 (3)	71.6	1	5 (6)	29.6
Cryptosporidiosis		1 (5)	2.7		1 (1)	6.5			1.3
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2			3.3		2	5.4
STEC/VTEC infection		(3)	2.7			4.9			6.7
Salmonellosis		4 (3)	19.6		2 (1)	9.8	1	1 (2)	13.5
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis								(1)	1.3
Sexually transmissible infections									
Chlamydia (genital)	6	19 (42)	82.6	3	12 (13)	66.7	2	6 (9)	74.1
Gonorrhoea		2 (6)	12.0		2	9.8		3	16.2
Syphilis (congenital)									
Syphilis - Infectious		(1)	1.1			3.3			2.7
Syphilis - Non-Infectious		1	2.2			1.6			2.7
Vaccine preventable diseases									
Influenza	1	5 (1)	3.3		1 (1)	1.6			
Mumps									
Pertussis									
Pneumococcal infection			0.5		1	3.3		1 (1)	1.3
Varicella (chicken pox)		(4)	7.6		(1)	1.6		1	2.7
Varicella (shingles)	3	16 (30)	69.0	1	2 (10)	45.6		2 (3)	39.0
Varicella (unspecified)				2	10	37.4	3	6 (1)	29.6
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria									
Ross River virus	1	2 (11)	25.6		(6)	37.4		(11)	14.8
Typhus		1	1.1		1	1.6			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	5.4			9.8		1	25.6
Creutzfeldt-Jakob disease									
Legionellosis		(3)	1.6			1.6			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	1	4	40.2			43.9	1	1	20.2
Tuberculosis			1.1						
iGAS			2.7			3.3			1.3
Grand Total	17	74 (137)		8	45 (39)		9	31 (36)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		1 (2)	6.7		1 (1)	5.9	1	1	10.2
Hepatitis C (newly acquired)								(3)	15.2
Hepatitis C (unspecified)	1	2 (7)	10.1	1	2 (1)	11.9			
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	5 (4)	32.0	1	3 (6)	29.7	1	5 (1)	44.0
Cryptosporidiosis			1.7		2 (1)	4.0		1	15.2
Hepatitis A									
Listeriosis									
Rotavirus	1	1	1.7				1	2 (1)	6.8
STEC/VTEC infection		(1)	8.4		1	4.0			5.1
Salmonellosis	1	2 (2)	25.3			5.9	1	5 (7)	33.8
Shigellosis		1	6.7	1	4 (1)	11.9		(2)	6.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	22 (14)	175.1	10	27 (22)	223.6	7	27 (21)	204.7
Gonorrhoea		1 (4)	33.7	3	11 (14)	112.8	3	30 (16)	172.6
Syphilis (congenital)					(1)	2.0			1.7
Syphilis - Infectious		2 (1)	15.2	1	3	17.8	5	11 (11)	52.5
Syphilis - Non-Infectious			8.4		2 (1)	9.9			11.8
Vaccine preventable diseases									
Influenza	3	5	8.4				2	3	5.1
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection			3.4		3	17.8		2 (1)	8.5
Varicella (chicken pox)			8.4	1	1 (1)	7.9		1	8.5
Varicella (shingles)	1	3 (5)	23.6	2	4 (4)	51.4	1	3 (5)	20.3
Varicella (unspecified)		2 (4)	40.4		(1)	2.0			
Vector-borne diseases									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		1 (8)	10.1		1 (3)	4.0		(2)	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	38.7			19.8		6	20.3
Creutzfeldt-Jakob disease									
Legionellosis		1	1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		1	133.0			11.9			162.4
Tuberculosis			1.7			2.0			
iGAS	1	1	6.7		1	5.9	2	4	13.5
Grand Total	15	52 (52)		20	66 (57)		24	101 (70)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (unspecified)		(1)	11.6	9	33 (31)	5.5
Hepatitis C (newly acquired)				1	6 (7)	0.8
Hepatitis C (unspecified)			17.4	13	40 (67)	9.6
Hepatitis D				0	0 (1)	0.0
Enteric diseases						
Campylobacteriosis		1 (2)	20.3	56	229 (195)	42.3
Cryptosporidiosis		1 (4)	29.1	3	20 (20)	5.3
Hepatitis A				0	0 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			17.4	8	29 (12)	4.9
STEC/VTEC infection	1	1	5.8	3	14 (9)	2.9
Salmonellosis	1	4 (8)	55.2	5	49 (79)	14.3
Shigellosis		1 (1)	26.1	3	11 (5)	1.6
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				0	1 (0)	0.1
Yersiniosis				0	1 (4)	0.3
Sexually transmissible infections						
Chlamydia (genital)	9	30 (51)	493.9	223	723 (827)	143.5
Gonorrhoea	8	29 (38)	444.5	61	225 (210)	39.1
Syphilis (congenital)				0	0 (1)	0.1
Syphilis - Infectious	1	6 (8)	87.2	22	73 (57)	11.4
Syphilis - Non-Infectious	1	1	11.6	6	13 (9)	3.0
Vaccine preventable diseases						
Influenza				33	66 (4)	2.9
Mumps				0	0 (0)	0.0
Pertussis				0	3 (0)	0.6
Pneumococcal infection	1	1	14.5	5	15 (8)	1.8
Varicella (chicken pox)				1	15 (29)	4.3
Varicella (shingles)		(4)	55.2	14	95 (196)	31.7
Varicella (unspecified)		1	8.7	62	189 (112)	35.1
Vector-borne diseases						
Barmah Forest virus		1 (1)	11.6	1	2 (2)	0.3
Chikungunya				0	1 (0)	0.1
Dengue fever				0	2 (0)	0.1
Malaria				0	1 (2)	0.3
Ross River virus		2 (4)	69.7	2	15 (90)	14.0
Typhus				2	4 (0)	0.2
Zoonotic diseases						
Q Fever				0	0 (1)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)	1	3 (1)	26.1	1	4 (1)	0.4
COVID-19		1	14.5	18	184 (43)	9141.7
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Legionellosis			2.9	5	10 (7)	0.9
Leprosy				0	0 (0)	0.0
Melioidosis	1	1	5.8	1	1 (0)	0.1
Meningococcal infection				2	3 (1)	0.3
RSV		3	491.0	9	30 (0)	34.4
Tuberculosis				2	8 (12)	0.9
iGAS	2	6	29.1	7	20 (0)	2.8
Grand Total	26	93 (123)		578	2135 (2044)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 19	
	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	2022	2021
	Salmonella Total	26	32	26	19	16	13	15	5	382
Serotype/Phage										
Salmonella Agona									6	3
Salmonella Amsterdam			1						1	0
Salmonella Anatum							1		5	5
Salmonella Anatum var 15+					1				1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II		1							1	0
Salmonella Bovismorbificans			1	1				1	6	4
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester	1	1	1		1	1	1		7	5
Salmonella Choleraesuis bv Australia					1				5	4
Salmonella Choleraesuis bv Decatur	2		1						6	7
Salmonella Corvallis			1						1	2
Salmonella Eastbourne							1		3	2
Salmonella Enteritidis			1				1		3	6
Salmonella Essen									0	0
Salmonella Fremantle subsp II				1					1	3
Salmonella Give									3	4
Salmonella Give var 15+									0	0
Salmonella Havana	1								2	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis				1		1			6	20
Salmonella Irumu									1	1
Salmonella Johannesburg	2								2	2
Salmonella Kentucky								1	1	0
Salmonella Kiambu			1	1		1	1		8	2
Salmonella Litchfield									3	3
Salmonella Mgulani		1							2	0
Salmonella Muenchen	1				1	1			10	9
Salmonella Newport									2	7
Salmonella Ohlstedt									2	0
Salmonella Oranienburg	1			1					13	3
Salmonella Orion				1		1		1	6	3
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java		1				1	1		4	1
Salmonella Poona									0	4
Salmonella Potsdam	1		1						4	7
Salmonella Reading		1							6	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	2	1	1		2	1	1		16	16
Salmonella Schwarzengrund						1			1	0
Salmonella Senftenberg	1				1				2	2
Salmonella Stanley	1						1		11	3
Salmonella Tennessee			1	1					3	2
Salmonella Thompson									1	0
Salmonella Typhimurium	9	23	11	8	7	5	3		163	266

Weekly Report for period 19-MAR-22 to 13-MAY-22

	25/03	01/04	08/04	15/04	22/04	29/04	06/05	13/05	Cumulative Total to end of Week 19		
										2022	2021
Salmonella Total	26	32	26	19	16	13	15	5	382	457	
Serotype/Phage											
Salmonella Virchow			1						3	9	
Salmonella Wandsbek subsp II									0	1	
Salmonella Wandsworth									1	1	
Salmonella Welikade								1	3	0	
Salmonella Weltevreden	1								2	2	
Salmonella species	2	2	3	4	2		4	1	40	27	
Salmonella subsp 1 ser 4,5:d:-	1	1	1						3	0	
Salmonella subsp I ser 16:l,v:-									1	2	
Salmonella subsp IIIb 61:l,v:z35									1	0	