



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 26-MAR-22 to 20-MAY-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	7	5	14	5	4	14	9	16	160	282	167	43	35.5	1.2
Hepatitis C (newly acquired)				3		2	1		22	28	33	3	8.5	0.4
Hepatitis C (unspecified)	17	15	10	9	5	13	13	14	268	414	302	45	66.7	0.7
Hepatitis D								1	2	3	0	1	0.4	2.5
Enteric diseases														
Campylobacteriosis	41	57	61	59	58	59	57	63	1197	1124	1050	237	197.5	1.2
Cryptosporidiosis	8	11	2	2	9	6	4	4	146	60	450	23	19.8	1.2
Hepatitis A								1	3	1	6	1	0.6	1.7
Listeriosis									1	2	1	0	0.4	0.0
Rotavirus	4	7	3	8	5	9	7	5	136	51	92	26	28.1	0.9
STEC/VTEC infection	6	3	3	4	5	2	3	5	82	46	56	15	6.9	2.2
Salmonellosis	33	26	19	16	13	16	6	8	393	509	887	43	157.0	0.3
Shigellosis	4	2	3	3	3	2	2	3	45	36	133	10	14.8	0.7
Typhoid									5	1	3	0	0.5	0.0
Vibrio parahaemolyticus						1			3	3	2	1	0.8	1.3
Yersiniosis	1				1				8	15	5	1	1.5	0.7
Sexually transmissible infections														
Chlamydia (genital)	163	176	158	141	166	198	225	227	4067	4282	4367	816	834.7	1.0
Gonorrhoea	44	53	43	41	58	67	63	56	1105	1071	1583	244	256.0	1.0
Syphilis (congenital)									2	3	0	0	0.3	0.0
Syphilis - Infectious	9	14	14	12	14	18	20	19	316	329	266	71	41.9	1.7
Syphilis - Non-Infectious	5	3	4	3	1	4	6	3	82	77	81	14	16.0	0.9
Vaccine preventable diseases														
Influenza	3	1	1	7	8	18	42	97	184	15	1158	165	778.2	0.2
Mumps	1								1	1	9	0	1.7	0.0
Pertussis	3		1	1		1		1	17	12	96	2	49.7	0.0
Pneumococcal infection	4	2	2	1	5	4	5	1	49	31	41	15	14.1	1.1
Varicella (chicken pox)	7	7	2	3	4	7	2	7	123	158	155	20	38.3	0.5
Varicella (shingles)	58	38	37	40	28	28	30	30	911	1099	924	116	175.5	0.7
Varicella (unspecified)	47	44	46	39	35	43	49	55	967	652	510	182	113.5	1.6
Vector-borne diseases														
Barmah Forest virus					1		1		9	6	13	2	2.5	0.8
Chikungunya					1				2	0	6	1	0.3	3.8
Dengue fever					2			1	5	0	62	3	10.0	0.3
Malaria	1		1			1			8	6	24	1	3.1	0.3
Ross River virus	13	11	3	4	5	4	2	4	377	401	154	15	58.6	0.3
Typhus		1		1		1	1	1	6	8	12	3	1.5	2.0
Zoonotic diseases														
Q Fever									1	2	2	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis				3			1		10	2	1	1	0.5	2.1
COVID-19	27546	22123	19669	22001	21727	23176	32837	34019	278095	158	572	111759	24.3	4605.5
Creutzfeldt-Jakob disease									1	3	2	0	0.7	0.0
Legionellosis			2	4	1		5	1	24	22	28	7	5.1	1.4
Leprosy									1	0	0	0	0.2	0.0
Melioidosis	1			1					2	4	4	0	0.5	0.0
Meningococcal infection				1			2		7	6	4	2	1.0	2.0
RSV	31	16	17	10	6	5	9	2	920	2	0	22	0.0	0.0
Tuberculosis	3	1	1	3	3		2	2	34	46	45	7	9.8	0.7
iGAS	3	1	5	5	3	5	7	2	76	0	0	17	0.0	0.0
Grand Total	28063	22617	20121	22430	22171	23704	33411	34648						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	5	3	11	4	3	12	7	14	127	203	145	36	29.5	1.2
Hepatitis C (newly acquired)				1		2	1		17	24	25	3	6.5	0.5
Hepatitis C (unspecified)	12	12	10	9	4	11	9	10	199	297	214	34	47.3	0.7
Hepatitis D								1	2	3	0	1	0.3	3.0
Enteric diseases														
Campylobacteriosis	33	41	48	50	46	44	46	46	948	875	841	182	156.4	1.2
Cryptosporidiosis	6	9	2	2	4	4	4	3	111	22	394	15	11.1	1.4
Hepatitis A								1	2	1	5	1	0.5	2.1
Listeriosis									1	1	0	0	0.3	0.0
Rotavirus	3	7	2	6	5	7	6	5	115	46	75	23	17.1	1.3
STEC/VTEC infection	3		1	4	4	2	2	3	55	33	45	11	5.6	2.0
Salmonellosis	25	18	15	8	9	12	2	6	277	355	674	29	116.3	0.2
Shigellosis	1	1	1	1	2	1	1		18	7	69	4	6.5	0.6
Typhoid									5	0	3	0	0.4	0.0
Vibrio parahaemolyticus						1			3	3	2	1	0.5	1.9
Yersiniosis	1				1				7	10	5	1	1.2	0.8
Sexually transmissible infections														
Chlamydia (genital)	131	150	132	112	137	150	181	183	3232	3395	3382	651	654.9	1.0
Gonorrhoea	31	35	29	23	38	39	48	39	709	642	1106	164	173.1	0.9
Syphilis - Infectious	7	13	11	8	9	12	14	10	222	178	166	45	26.2	1.7
Syphilis - Non-Infectious	5	2	1	2		3	5	2	52	59	68	10	11.7	0.9
Vaccine preventable diseases														
Influenza	1	1	1	4	6	11	27	67	124	6	930	111	603.9	0.2
Pertussis	3		1	1		1		1	14	10	75	2	33.8	0.1
Pneumococcal infection	1	2				3	4		22	18	16	7	8.3	0.8
Varicella (chicken pox)	4	5	1	2	3	6	1	4	88	115	106	14	28.1	0.5
Varicella (shingles)	41	28	27	30	19	21	21	19	630	777	663	80	123.2	0.6
Varicella (unspecified)	44	42	43	37	31	38	43	45	886	625	490	157	109.3	1.4
Vector-borne diseases														
Barmah Forest virus							1		2	0	3	1	0.7	1.5
Chikungunya					1				2	0	2	1	0.3	3.8
Dengue fever					2			1	5	0	48	3	7.7	0.4
Malaria	1		1						7	5	18	0	2.8	0.0
Ross River virus	6	5	2	2	3	3	1	2	251	214	82	9	33.5	0.3
Typhus		1					1		2	1	6	1	0.8	1.3
Other diseases														
Acute post-streptococcal glomerulonephritis				1					1	0	0	0	0.0	0.0
COVID-19	23489	18734	16749	19162	19061	20714	29196	30476	245278	69	373	99447	10.8	9208.1
Creutzfeldt-Jakob disease									1	3	2	0	0.5	0.0
Legionellosis				4			5		16	13	15	5	3.4	1.5
Leprosy									1	0	0	0	0.2	0.0
Meningococcal infection				1			2		7	2	2	2	0.6	3.3
RSV	12	8	9	7	4	2	6		442	0	0	12	0.0	0.0
Tuberculosis	3	1		3	3		1	1	26	43	43	5	8.7	0.6
iGAS	2	1	2	1	2	3	1	2	42	0	0	8	0.0	0.0
Grand Total	23870	19119	17099	19485	19397	21102	29636	30941						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	2	8 (9)	4.1	4	11 (6)	4.9	8	17 (11)	8.7
Hepatitis C (newly acquired)					1 (1)	0.7		2 (3)	1.6
Hepatitis C (unspecified)	2	5 (7)	3.9	2	13 (13)	11.5	6	16 (22)	12.6
Hepatitis D	1	1 (1)	0.3						
Enteric diseases									
Campylobacteriosis	19	67 (52)	44.3	13	61 (39)	47.7	14	54 (52)	40.8
Cryptosporidiosis	1	9	4.2	2	3 (2)	2.4		3 (4)	8.7
Hepatitis A						0.1	1	1	0.1
Listeriosis			0.1						
Rotavirus	2	9 (6)	4.3		4 (1)	5.1	3	10 (3)	6.6
STEC/VTEC infection	1	3	1.6	1	3 (2)	2.5	1	5 (4)	3.5
Salmonellosis	2	13 (19)	12.6		6 (16)	11.0	4	10 (16)	14.9
Shigellosis		(1)	0.7		1	0.7		3	1.1
Typhoid									0.7
Vibrio parahaemolyticus								1	0.4
Yersiniosis		(1)	0.4		1	0.4		(1)	0.1
Sexually transmissible infections									
Chlamydia (genital)	74	223 (198)	135.0	56	201 (179)	145.3	53	227 (265)	170.8
Gonorrhoea	11	45 (33)	25.5	10	44 (40)	30.9	18	75 (59)	42.5
Syphilis (congenital)									
Syphilis - Infectious	2	12 (6)	8.0	5	13 (15)	7.8	3	20 (15)	15.0
Syphilis - Non-Infectious	1	5 (4)	2.0		1 (4)	1.8	1	4 (5)	3.4
Vaccine preventable diseases									
Influenza	17	34	5.7	22	33	4.9	28	44 (1)	6.6
Mumps									
Pertussis		1 (1)	0.7	1	1	0.7			0.5
Pneumococcal infection		4 (3)	0.9		1 (4)	1.2		2 (2)	0.9
Varicella (chicken pox)		3 (8)	4.6		5 (4)	4.5	4	6 (8)	3.3
Varicella (shingles)	11	33 (47)	30.6	5	24 (45)	33.9	3	23 (42)	24.0
Varicella (unspecified)	15	58 (34)	39.4	15	44 (51)	45.0	15	55 (34)	39.7
Vector-borne diseases									
Barmah Forest virus					1	0.1			0.1
Chikungunya		1	0.1			0.1			
Dengue fever		2	0.3	1	1	0.4			
Malaria		(1)	0.5			0.3		(1)	0.1
Ross River virus	1	2 (13)	6.0		2 (21)	16.6	1	5 (15)	13.0
Typhus		1	0.1		(1)	0.1			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						0.1			
COVID-19	10737	35785 (5)	11941.8	9624	31293 (3)	10611.0	10115	32369 (5)	11641.1
Creutzfeldt-Jakob disease						0.1			
Legionellosis		5 (3)	1.5			0.3			0.4
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.3		2	0.4			0.3
RSV		3	17.3		5	22.8		4	21.8
Tuberculosis		(4)	1.1		2 (2)	0.6	1	3 (4)	1.9
iGAS			1.4	1	3	2.4	1	5	2.2
Grand Total	10899	36332 (456)		9762	31780 (449)		10280	32964 (572)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		1 (2)	4.3		1 (1)	1.6		(1)	4.0
Hepatitis C (newly acquired)			1.6			3.3			
Hepatitis C (unspecified)	3	4 (5)	9.8		1 (1)	19.5		1 (2)	12.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	5	18 (18)	52.7	2	9 (2)	74.8	2	5 (5)	32.3
Cryptosporidiosis	1	2 (6)	3.3		1	6.5			1.3
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2			3.3			5.4
STEC/VTEC infection	2	2 (3)	3.8			4.9			6.7
Salmonellosis		2 (4)	19.6	1	2 (1)	11.4		1 (4)	13.5
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
Sexually transmissible infections									
Chlamydia (genital)	9	23 (50)	87.5	4	13 (14)	73.2	3	9 (10)	78.1
Gonorrhoea		2 (7)	12.5		2	9.8		2	16.2
Syphilis (congenital)									
Syphilis - Infectious		(1)	1.1			3.3	1	1	4.0
Syphilis - Non-Infectious		1	2.2			1.6			2.7
Vaccine preventable diseases									
Influenza	2	6 (3)	4.9		1	1.6	1	1 (1)	1.3
Mumps									
Pertussis									
Pneumococcal infection			0.5		1	3.3			1.3
Varicella (chicken pox)	1	1 (2)	8.2		(1)	1.6	1	2	4.0
Varicella (shingles)	5	15 (27)	71.8	1	4 (9)	53.7	1	2 (5)	43.1
Varicella (unspecified)	4	4	2.2	2	8	34.2	1	6 (1)	28.3
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		2 (12)	25.6		(6)	37.4	1	1 (16)	16.2
Typhus			1.1	1	2	3.3			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1959	6477 (1)	6870.7	322	1056	3737.0	348	1080	3432.0
Creutzfeldt-Jakob disease									
Legionellosis		(4)	1.6			1.6			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	2	5	41.3			43.9		1	20.2
Tuberculosis			1.1	1	1	1.6			
iGAS			2.7			3.3			1.3
Grand Total	1993	6565 (145)		334	1102 (35)		359	1112 (45)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		1 (3)	6.7		1	5.9	1	2	11.8
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		2 (4)	10.1		2 (1)	11.9	1	1 (2)	16.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	8 (5)	38.7	1	4 (6)	31.7	2	6 (3)	47.4
Cryptosporidiosis			1.7		2 (1)	4.0		1	15.2
Hepatitis A									
Listeriosis									
Rotavirus		1	1.7					2	6.8
STEC/VTEC infection		(1)	8.4		1	4.0			5.1
Salmonellosis	1	3 (3)	26.9			5.9		2 (5)	33.8
Shigellosis		1 (1)	6.7		1 (1)	11.9		(2)	6.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	21 (14)	181.9	4	30 (17)	231.5	11	33 (22)	223.4
Gonorrhoea		1	33.7	4	12 (17)	120.7	5	30 (13)	181.1
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious	1	3 (1)	16.8	1	4 (1)	19.8	2	10 (10)	54.1
Syphilis - Non-Infectious		(2)	8.4		1 (1)	9.9			11.8
Vaccine preventable diseases									
Influenza	19	24	40.4	2	3	5.9	1	4 (1)	6.8
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection			3.4		3	17.8		2 (1)	8.5
Varicella (chicken pox)	1	1	10.1		1 (1)	7.9		1 (1)	8.5
Varicella (shingles)	2	7 (5)	30.3		3 (5)	51.4		3 (6)	20.3
Varicella (unspecified)	2	3 (3)	42.1		(1)	2.0		1	1.7
Vector-borne diseases									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		1 (5)	10.1		1 (2)	4.0		(3)	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	278	1027	4107.2	146	527	3709.7	208	761	6059.3
Creutzfeldt-Jakob disease									
Legionellosis		1	1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		1	133.0			11.9			162.4
Tuberculosis			1.7			2.0			
iGAS		1	6.7		1	5.9		4	13.5
Grand Total	311	1107 (47)		158	597 (54)		231	863 (69)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (unspecified)		(1)	11.6	16	43 (34)	6.0
Hepatitis C (newly acquired)				0	3 (8)	0.9
Hepatitis C (unspecified)			17.4	14	45 (57)	10.2
Hepatitis D				1	1 (1)	0.1
Enteric diseases						
Campylobacteriosis	1	1 (2)	23.2	63	237 (184)	44.8
Cryptosporidiosis		1 (5)	29.1	4	23 (18)	5.5
Hepatitis A				1	1 (0)	0.1
Listeriosis				0	0 (0)	0.0
Rotavirus			17.4	5	26 (10)	5.1
STEC/VTEC infection		1	5.8	5	15 (10)	3.1
Salmonellosis		2 (5)	55.2	8	43 (75)	14.7
Shigellosis	2	3 (2)	32.0	3	10 (10)	1.7
Typhoid				0	0 (0)	0.2
Vibrio parahaemolyticus				0	1 (0)	0.1
Yersiniosis				0	1 (2)	0.3
Sexually transmissible infections						
Chlamydia (genital)	7	30 (51)	517.1	227	816 (828)	152.3
Gonorrhoea	7	30 (35)	467.7	56	244 (207)	41.4
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	3	7 (7)	95.9	19	71 (56)	11.8
Syphilis - Non-Infectious	1	2	14.5	3	14 (16)	3.1
Vaccine preventable diseases						
Influenza				97	165 (6)	6.9
Mumps				0	0 (0)	0.0
Pertussis				1	2 (1)	0.6
Pneumococcal infection		1	14.5	1	15 (10)	1.8
Varicella (chicken pox)				7	20 (27)	4.6
Varicella (shingles)	2	2 (6)	61.0	30	116 (198)	34.1
Varicella (unspecified)	1	2	11.6	55	182 (124)	36.2
Vector-borne diseases						
Barmah Forest virus		1	11.6	0	2 (0)	0.3
Chikungunya				0	1 (0)	0.1
Dengue fever				1	3 (0)	0.2
Malaria				0	1 (2)	0.3
Ross River virus	1	1 (5)	72.6	4	15 (99)	14.1
Typhus				1	3 (2)	0.2
Zoonotic diseases						
Q Fever				0	0 (2)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (1)	26.1	0	1 (1)	0.4
COVID-19	128	592	10769.6	34019	111759 (32)	10414.4
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Legionellosis			2.9	1	7 (7)	0.9
Leprosy				0	0 (0)	0.0
Melioidosis		(1)	5.8	0	0 (1)	0.1
Meningococcal infection				0	2 (0)	0.3
RSV		1	491.0	2	22 (0)	34.5
Tuberculosis				2	7 (10)	0.9
iGAS		2	29.1	2	17 (0)	2.8
Grand Total	153	680 (121)		34648	113934 (2039)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 20	
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2022	2021
	Salmonella Total	33	26	19	16	13	16	6	8	393
Serotype/Phage										
Salmonella Agona									6	3
Salmonella Amsterdam		1							1	0
Salmonella Anatum						1			5	5
Salmonella Anatum var 15+				1					1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II	1								1	0
Salmonella Blukwa								1	1	0
Salmonella Bovismorbificans		1	1				1		6	5
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester	1	1		1	1	1			7	6
Salmonella Choleraesuis bv Australia				1					5	4
Salmonella Choleraesuis bv Decatur		1							6	7
Salmonella Corvallis		1							1	2
Salmonella Eastbourne						1			3	2
Salmonella Enteritidis		1				1			3	7
Salmonella Essen									0	0
Salmonella Fremantle subsp II			1						1	3
Salmonella Give									3	4
Salmonella Give var 15+									0	0
Salmonella Havana						1			3	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis			1		1				6	21
Salmonella Irumu									1	1
Salmonella Johannesburg									2	2
Salmonella Kentucky							2		2	0
Salmonella Kiambu		1	1		1	1			8	2
Salmonella Litchfield									3	3
Salmonella Mgulani	1								2	0
Salmonella Muenchen				1	1				10	9
Salmonella Newport									2	7
Salmonella Ohlstedt									2	0
Salmonella Oranienburg			1						13	3
Salmonella Orientalis						1			1	0
Salmonella Orion			1		1		1		6	5
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java	1				1	1			4	1
Salmonella Poona									0	4
Salmonella Potsdam		1							4	7
Salmonella Reading	1								6	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	1	1		2	1	1		1	17	17
Salmonella Schwarzengrund					1				1	0
Salmonella Senftenberg				1					2	2
Salmonella Stanley						1			11	3
Salmonella Tennessee		1	1						3	2

Weekly Report for period 26-MAR-22 to 20-MAY-22

	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	Cumulative Total to end of Week 20	
									2022	2021
Salmonella Total	33	26	19	16	13	16	6	8	393	476
Serotype/Phage										
Salmonella Thompson									1	0
Salmonella Typhimurium	23	11	8	7	5	3			163	278
Salmonella Virchow		1							3	9
Salmonella Wandsbek subsp II									0	1
Salmonella Wandsworth									1	1
Salmonella Welikade							1		3	0
Salmonella Weltevreden									2	2
Salmonella species	3	3	4	2		3	1	6	46	27
Salmonella subsp 1 ser 4,5:d:-	1	1							3	0
Salmonella subsp I ser 16:l,v:-									1	2
Salmonella subsp IIIb 61:l,v:z35									1	0