



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 16-APR-22 to 10-JUN-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 16-APR-22 to 10-JUN-22

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 23			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1			1	6	6	1	1.7	0.6
Hepatitis B (unspecified)	5	4	14	9	16	4	7	4	175	302	200	31	37.3	0.8
Hepatitis C (newly acquired)	3	1	2	1		1	2		26	31	45	3	8.3	0.4
Hepatitis C (unspecified)	9	4	13	13	12	17	12	14	311	461	347	55	66.3	0.8
Hepatitis D					1	1			3	3	0	2	0.4	5.0
Enteric diseases														
Campylobacteriosis	59	58	59	61	68	68	52	67	1397	1259	1162	255	206.5	1.2
Cryptosporidiosis	2	10	7	2	5	2	7	5	161	69	455	19	13.2	1.4
Hepatitis A					1		1		4	1	6	2	0.5	4.3
Listeriosis									1	3	1	0	0.5	0.0
Rotavirus	8	5	9	7	5	4	2	1	144	57	103	12	32.3	0.4
STEC/VTEC infection	4	5	2	4	5	3	4	3	93	50	61	15	5.4	2.8
Salmonellosis	16	13	16	10	8	12	15	7	431	561	994	42	147.4	0.3
Shigellosis	3	3	2	3	3	4	3	2	55	42	146	12	14.6	0.8
Typhoid							1		6	1	3	1	0.3	3.0
Vibrio parahaemolyticus			1						3	3	2	0	0.9	0.0
Yersiniosis		1				2	1		11	17	7	3	1.7	1.8
Sexually transmissible infections														
Chlamydia (genital)	141	165	198	231	239	218	227	159	4700	4925	4977	843	843.6	1.0
Gonorrhoea	41	58	69	68	68	63	54	34	1276	1253	1802	219	256.1	0.9
Syphilis (congenital)									2	3	1	0	0.2	0.0
Syphilis - Infectious	12	15	16	21	12	31	20	14	371	388	318	77	40.8	1.9
Syphilis - Non-Infectious	3	1	4	7	3	9	1	1	97	93	91	14	16.9	0.8
Vaccine preventable diseases														
Influenza	7	8	18	43	101	161	307	439	1097	16	1165	1008	1249.8	0.8
Mumps									1	1	9	0	1.3	0.0
Pertussis	1		1		1				17	15	100	1	51.1	0.0
Pneumococcal infection	1	5	4	6	1	4	8	1	63	43	52	14	18.5	0.8
Varicella (chicken pox)	5	4	7	2	8	8	6		140	180	185	22	39.9	0.6
Varicella (shingles)	40	29	29	36	46	42	27	10	1018	1239	1081	125	171.9	0.7
Varicella (unspecified)	36	34	43	44	51	50	52	65	1122	745	604	218	116.7	1.9
Vector-borne diseases														
Barmah Forest virus		1		1	1		1		12	7	13	2	2.1	0.9
Chikungunya		1							2	0	6	0	0.2	0.0
Dengue fever		2		1		1	1		7	0	62	2	10.1	0.2
Malaria			1				1	1	10	6	25	2	2.7	0.7
Ross River virus	4	5	5	3	5	2	4	2	390	460	166	13	45.4	0.3
Typhus	1		2		2		1		8	9	15	3	1.7	1.8
Zoonotic diseases														
Q Fever			1						2	2	3	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	3			1			1		11	2	1	1	0.4	2.5
COVID-19	22001	21726	23177	32841	34604	25958	18268	15305	338179	163	594	94135	11.7	8068.7
Creutzfeldt-Jakob disease									1	3	2	0	0.5	0.0
Legionellosis	4	1		6	1	2	3		30	31	36	6	4.9	1.2
Leprosy									1	1	0	0	0.1	0.0
Melioidosis	1					1			3	4	4	1	0.5	2.1
Meningococcal infection	1			2		1	1		9	6	5	2	1.2	1.7
RSV	10	6	5	9	2	12	15	14	964	2	0	43	0.0	0.0
Tuberculosis	3	3		2	2		5	2	39	52	52	9	10.5	0.9
iGAS	5	3	5	7	2	1	4	2	83	0	0	9	0.0	0.0
Grand Total	22429	22171	23710	33441	35273	26683	19114	16152						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 23			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)						1			1	5	4	1	1.1	0.9
Hepatitis B (unspecified)	4	3	12	7	14	4	6	3	140	219	173	27	30.9	0.9
Hepatitis C (newly acquired)	1	1	2	1		1	1		20	27	34	2	6.6	0.3
Hepatitis C (unspecified)	9	3	11	9	8	12	8	11	230	329	247	39	47.7	0.8
Hepatitis D					1				2	3	0	1	0.4	2.5
Enteric diseases														
Campylobacteriosis	49	46	45	48	51	57	42	46	1102	980	931	196	163.8	1.2
Cryptosporidiosis	2	5	5	2	4	2	3	4	121	25	397	13	7.6	1.7
Hepatitis A					1		1		3	1	5	2	0.3	6.0
Listeriosis									1	1	0	0	0.3	0.0
Rotavirus	6	5	7	6	5	3	2	1	122	52	84	11	20.5	0.5
STEC/VTEC infection	4	4	2	2	3	1	1	2	59	37	48	7	4.1	1.7
Salmonellosis	8	9	12	5	5	7	10	5	301	392	757	27	110.7	0.2
Shigellosis	1	2	1	2		1	3	1	24	9	75	5	6.3	0.8
Typhoid									5	0	3	0	0.3	0.0
Vibrio parahaemolyticus			1						3	3	2	0	0.6	0.0
Yersiniosis		1				2	1		10	12	6	3	1.4	2.1
Sexually transmissible infections														
Chlamydia (genital)	112	136	150	187	190	180	168	135	3735	3891	3852	673	657.9	1.0
Gonorrhoea	23	38	41	50	45	37	35	29	821	755	1260	146	173.5	0.8
Syphilis - Infectious	8	10	12	14	7	23	15	10	267	212	204	55	26.2	2.1
Syphilis - Non-Infectious	2		2	5	2	3			56	66	78	5	12.2	0.4
Vaccine preventable diseases														
Influenza	4	6	11	28	70	118	197	285	728	7	936	670	1002.5	0.7
Pertussis	1		1		1				14	13	79	1	35.0	0.0
Pneumococcal infection			3	5		2	5	1	32	28	19	8	10.7	0.7
Varicella (chicken pox)	2	3	6	1	4	5	5		98	132	129	14	30.1	0.5
Varicella (shingles)	30	20	21	24	33	24	16	4	693	868	782	77	121.3	0.6
Varicella (unspecified)	36	30	38	40	43	47	51	57	1035	713	580	198	112.5	1.8
Vector-borne diseases														
Barmah Forest virus				1			1		3	0	3	1	0.7	1.5
Chikungunya		1							2	0	2	0	0.2	0.0
Dengue fever		2		1		1			6	0	48	1	7.9	0.1
Malaria							1	1	9	5	19	2	2.3	0.9
Ross River virus	2	3	4	2	3	1	2	1	258	247	91	7	25.9	0.3
Typhus			1		1		1		4	1	8	2	0.9	2.1
Zoonotic diseases														
Q Fever			1						1	1	2	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1								1	0	0	0	0.0	0.0
COVID-19	19163	19061	20714	29199	30843	22904	16193	13689	298403	72	383	83629	5.9	14094.8
Creutzfeldt-Jakob disease									1	3	2	0	0.3	0.0
Legionellosis	4			6		2	3		22	18	21	5	3.3	1.5
Leprosy									1	1	0	0	0.1	0.0
Meningococcal infection	1			2		1	1		9	2	2	2	0.7	2.7
RSV	7	4	2	6		9	8	10	469	0	0	27	0.0	0.0
Tuberculosis	3	3		1	1		5	2	31	49	50	8	9.5	0.8
iGAS	1	2	3	1	2		1	1	44	0	0	4	0.0	0.0
Grand Total	19484	19398	21108	29655	31337	23448	16786	14298						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)								1 (1)	0.1
Hepatitis B (unspecified)	2	7 (5)	4.9		6 (5)	5.2	1	14 (15)	9.3
Hepatitis C (newly acquired)		1 (1)	0.1		1 (1)	1.0		(2)	1.6
Hepatitis C (unspecified)	1	4 (9)	4.2	5	15 (16)	13.3	5	20 (19)	14.9
Hepatitis D		1	0.3						
Enteric diseases									
Campylobacteriosis	21	66 (57)	50.8	8	64 (38)	55.6	17	66 (49)	48.0
Cryptosporidiosis		2 (1)	4.3	3	5 (1)	2.8	1	6 (2)	9.5
Hepatitis A						0.1		2	0.3
Listeriosis			0.1						
Rotavirus		3 (1)	4.5	1	3	5.7		5 (6)	6.9
STEC/VTEC infection		2 (3)	1.8		1 (3)	2.5	2	4	3.9
Salmonellosis	2	8 (16)	13.5	1	7 (15)	12.2	2	12 (21)	16.1
Shigellosis		2 (1)	0.9			0.9	1	3 (1)	1.5
Typhoid									0.7
Vibrio parahaemolyticus									0.4
Yersiniosis		2 (1)	0.7		1	0.6		(1)	0.1
Sexually transmissible infections									
Chlamydia (genital)	30	214 (218)	154.6	41	188 (198)	165.2	64	271 (242)	201.1
Gonorrhoea	6	39 (41)	29.4	2	33 (43)	34.3	21	74 (61)	50.7
Syphilis (congenital)									
Syphilis - Infectious	1	13 (10)	9.6	2	9 (19)	8.4	7	33 (14)	19.0
Syphilis - Non-Infectious		3 (5)	2.4		(2)	1.6		2 (6)	3.7
Vaccine preventable diseases									
Influenza	130	285	42.1	61	158 (1)	25.2	94	227	33.6
Mumps									
Pertussis		(3)	0.7		1	0.7		(1)	0.5
Pneumococcal infection	1	3 (4)	1.4		1 (5)	1.5		4 (4)	1.6
Varicella (chicken pox)		3 (7)	5.0		4 (10)	5.1		7 (6)	3.7
Varicella (shingles)	2	28 (46)	33.0		27 (53)	37.6	2	22 (29)	26.7
Varicella (unspecified)	21	75 (46)	47.4	23	71 (46)	53.1	13	52 (29)	44.6
Vector-borne diseases									
Barmah Forest virus						0.1		1	0.3
Chikungunya			0.1			0.1			
Dengue fever		1	0.4			0.4			
Malaria			0.5		1	0.4	1	1	0.3
Ross River virus	1	1 (8)	6.2		1 (17)	16.7		5 (19)	13.5
Typhus		1	0.1		1 (1)	0.3			0.1
Zoonotic diseases									
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						0.1			
COVID-19	4866	28916 (1)	14401.1	4209	26087 (1)	13066.0	4614	28626 (1)	14147.0
Creutzfeldt-Jakob disease						0.1			
Legionellosis		2 (4)	1.8		1	0.4		2 (1)	0.8
Leprosy								(1)	0.1
Melioidosis									
Meningococcal infection		1	0.4		1	0.6			0.3
RSV	6	13	19.1	2	6	23.7	2	8	22.9
Tuberculosis		(5)	1.1	1	1 (1)	0.6	1	7 (3)	2.6
iGAS			1.4		1	2.4	1	3	2.4
Grand Total	5090	29696 (493)		4359	26695 (476)		4849	29478 (534)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(2)	4.3	1	1 (1)	3.3			4.0
Hepatitis C (newly acquired)			1.6		1	4.9			
Hepatitis C (unspecified)	2	5 (6)	10.9		1 (1)	21.1	2 (2)		14.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis	8	20 (14)	62.0	3	10 (3)	87.9	3	8 (3)	41.7
Cryptosporidiosis		4 (4)	4.9		1 (1)	8.1			1.3
Hepatitis A			0.5						
Listeriosis									
Rotavirus			2.2			3.3			5.4
STEC/VTEC infection	1	5	6.0		2	8.1			6.7
Salmonellosis		1 (5)	20.7		2 (3)	13.0	(4)		13.5
Shigellosis	1	1 (1)	0.5						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
Sexually transmissible infections									
Chlamydia (genital)	3	31 (41)	99.5	3	11 (14)	84.6	2	9 (8)	86.2
Gonorrhoea		(7)	12.5			9.8	1 (2)		17.5
Syphilis (congenital)									
Syphilis - Infectious		(2)	1.1			3.3	2	3 (1)	6.7
Syphilis - Non-Infectious			2.2			1.6	(1)		2.7
Vaccine preventable diseases									
Influenza	17	38 (2)	24.5	4	9	16.3	7	11	14.8
Mumps									
Pertussis									
Pneumococcal infection		2	1.6			3.3			1.3
Varicella (chicken pox)		1 (1)	8.2		2	8.1	2		5.4
Varicella (shingles)	4	27 (17)	85.4	1	4 (14)	61.8	1	5 (10)	48.5
Varicella (unspecified)		4	2.2	1	4	32.5	2	3	31.0
Vector-borne diseases									
Barmah Forest virus		1	1.1						
Chikungunya									
Dengue fever									
Malaria									
Ross River virus	1	3 (10)	27.7		(2)	37.4	2 (12)		17.5
Typhus			1.1		1	3.3			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	698	5169 (1)	8616.4	166	1054 (1)	4931.2	123	923	4208.9
Creutzfeldt-Jakob disease									
Legionellosis		(3)	1.6			1.6			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV	1	6	43.5	1	1	45.6			20.2
Tuberculosis			1.1		1	1.6			
iGAS			2.7			3.3			1.3
Grand Total	736	5318 (116)		180	1105 (40)		140	969 (43)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(2)	6.7			5.9		1 (2)	11.8
Hepatitis C (newly acquired)		6 (3)	20.2	1	1	13.8		1 (1)	16.9
Hepatitis C (unspecified)		1	1.7						
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	9 (7)	48.8		2 (4)	35.6	1	4 (8)	50.8
Cryptosporidiosis			1.7			4.0			15.2
Hepatitis A									
Listeriosis									
Rotavirus		1	3.4						6.8
STEC/VTEC infection			8.4			4.0			5.1
Salmonellosis		1 (3)	26.9			5.9	1	5 (5)	42.3
Shigellosis		(1)	6.7		(2)	11.9		2	10.2
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	15 (29)	198.7	1	16 (25)	257.2	2	37 (35)	272.4
Gonorrhoea		2 (6)	37.0	1	16 (20)	146.4	2	19 (19)	208.1
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious	1	4	18.5		3 (3)	23.7	1	5 (13)	60.9
Syphilis - Non-Infectious		(2)	11.8	1	3 (5)	15.8		2 (2)	15.2
Vaccine preventable diseases									
Influenza	29	80	143.1	20	36	75.2	10	33 (1)	59.2
Mumps						2.0			
Pertussis			3.4			2.0			
Pneumococcal infection			3.4		3	21.8			8.5
Varicella (chicken pox)		1	10.1		(1)	7.9		2 (2)	11.8
Varicella (shingles)		3 (5)	32.0		1 (5)	53.4		3 (4)	27.1
Varicella (unspecified)	1	5 (3)	47.2	1	1	4.0			
Vector-borne diseases									
Barmah Forest virus						2.0			1.7
Chikungunya									
Dengue fever									
Malaria									
Ross River virus		(7)	10.1			4.0		(4)	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	2.0			
COVID-19	249	1104	5499.8	60	470	4348.8	122	756	6986.6
Creutzfeldt-Jakob disease									
Legionellosis		(1)	1.7			2.0			
Leprosy									
Melioidosis									
Meningococcal infection									
RSV		2	136.4	1	1	13.8			164.1
Tuberculosis			1.7			2.0			
iGAS		1	8.4			5.9		2	16.9
Grand Total	287	1235 (69)		86	554 (65)		139	872 (96)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (2)	0.0
Hepatitis B (unspecified)			11.6	4	31 (32)	6.7
Hepatitis C (newly acquired)				0	3 (4)	1.0
Hepatitis C (unspecified)		(5)	17.4	14	55 (62)	11.6
Hepatitis D				0	2 (0)	0.1
Enteric diseases						
Campylobacteriosis	1	3 (2)	29.1	67	255 (187)	52.3
Cryptosporidiosis	1	1 (3)	32.0	5	19 (13)	6.0
Hepatitis A				0	2 (0)	0.1
Listeriosis				0	0 (1)	0.0
Rotavirus			17.4	1	12 (7)	5.4
STEC/VTEC infection			5.8	3	15 (6)	3.5
Salmonellosis		4	66.8	7	42 (74)	16.1
Shigellosis		3 (3)	34.9	2	12 (12)	2.1
Typhoid				0	1 (0)	0.2
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	3 (2)	0.4
Sexually transmissible infections						
Chlamydia (genital)	7	38 (34)	610.1	159	843 (851)	176.0
Gonorrhoea	1	31 (27)	537.5	34	219 (226)	47.8
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious		5 (9)	95.9	14	77 (71)	13.9
Syphilis - Non-Infectious		3 (1)	23.2	1	14 (24)	3.6
Vaccine preventable diseases						
Influenza	61	110	319.6	439	1008 (4)	41.1
Mumps				0	0 (0)	0.0
Pertussis				0	1 (4)	0.6
Pneumococcal infection		(2)	14.5	1	14 (15)	2.4
Varicella (chicken pox)				0	22 (29)	5.2
Varicella (shingles)		3 (6)	66.8	10	125 (192)	38.1
Varicella (unspecified)	1	1 (1)	11.6	65	218 (127)	42.0
Vector-borne diseases						
Barmah Forest virus			11.6	0	2 (1)	0.4
Chikungunya				0	0 (0)	0.1
Dengue fever				0	2 (0)	0.3
Malaria				1	2 (0)	0.4
Ross River virus		(3)	72.6	2	13 (83)	14.6
Typhus				0	3 (3)	0.3
Zoonotic diseases						
Q Fever				0	0 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			26.1	0	1 (0)	0.4
COVID-19	75	467	11754.5	15305	94135 (7)	12664.4
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Legionellosis			2.9	0	6 (10)	1.1
Leprosy				0	0 (1)	0.0
Melioidosis		1 (1)	8.7	0	1 (1)	0.1
Meningococcal infection				0	2 (0)	0.3
RSV		4	508.4	14	43 (0)	36.1
Tuberculosis				2	9 (9)	1.0
iGAS	1	2	34.9	2	9 (0)	3.1
Grand Total	148	676 (97)		16152	97222 (2062)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 23	
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2022	2021
	Salmonella Total	16	13	16	10	8	12	15	7	431
Serotype/Phage										
Salmonella Agona									6	3
Salmonella Amsterdam									1	0
Salmonella Anatum			1		1	1	1		8	7
Salmonella Anatum var 15+	1								1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa					1				1	0
Salmonella Bovismorbificans				1					6	5
Salmonella Braenderup									1	0
Salmonella Cerro									1	2
Salmonella Chester	1	1	1					1	8	8
Salmonella Choleraesuis bv Australia	1					1			6	4
Salmonella Choleraesuis bv Decatur									6	7
Salmonella Corvallis						1			2	2
Salmonella Eastbourne			1						3	2
Salmonella Enteritidis			1				1		4	7
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	3
Salmonella Give						1			4	4
Salmonella Give var 15+									0	0
Salmonella Havana			1						3	1
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss									1	2
Salmonella Infantis		1			1		1		8	23
Salmonella Irumu									1	1
Salmonella Johannesburg									2	2
Salmonella Kentucky				2		1			3	1
Salmonella Kiambu		1	1						8	2
Salmonella Litchfield									3	3
Salmonella Mgulani									2	0
Salmonella Muenchen	1	1							10	10
Salmonella Newport					1				3	8
Salmonella Ohlstedt									2	0
Salmonella Oranienburg						1			14	5
Salmonella Orientalis			1						1	0
Salmonella Orion		1		1			1		7	6
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java		1	1	1			1		6	2
Salmonella Poona							2		2	4
Salmonella Potsdam									4	7
Salmonella Reading									6	6
Salmonella Rissen									1	2
Salmonella Rubislaw									3	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	2	1	1		1	2	2		21	17
Salmonella Schwarzengrund		1							1	0
Salmonella Senftenberg	1								2	2
Salmonella Stanley			1	1			1		13	4
Salmonella Tennessee									3	3

Weekly Report for period 16-APR-22 to 10-JUN-22

	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	Cumulative Total to end of Week 23	
									2022	2021
Salmonella Total	16	13	16	10	8	12	15	7	431	525
Serotype/Phage										
Salmonella Thompson									1	0
Salmonella Typhimurium	7	5	3	1		2			166	308
Salmonella Virchow				1		2	1		7	12
Salmonella Wandsbek subsp II							1		1	1
Salmonella Wandsworth									1	1
Salmonella Welikade				1					3	0
Salmonella Weltevreden									2	2
Salmonella species	2		2	1	3		2	6	50	28
Salmonella subsp 1 ser 4,5:d:-									3	0
Salmonella subsp I ser 16:l,v:-							1		2	2
Salmonella subsp IIIb 61:l,v:z35			1						2	0