



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 25-JUN-22 to 19-AUG-22

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 33			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)							1		2	7	10	1	1.3	0.8
Hepatitis B (unspecified)	10	14	10	9	11	6	9	10	272	378	323	36	40.7	0.9
Hepatitis C (newly acquired)	4		1	2	1				38	43	65	1	8.5	0.1
Hepatitis C (unspecified)	8	26	15	11	21	18	21	20	479	598	507	80	68.9	1.2
Hepatitis D					1				4	5	2	1	0.7	1.5
<b>Enteric diseases</b>														
Campylobacteriosis	91	80	65	83	87	82	68	85	2206	1855	1639	322	258.7	1.2
Cryptosporidiosis	3	4	1	3		3	9	3	202	86	465	15	7.8	1.9
Hepatitis A						1			5	1	6	1	0.4	2.5
Listeriosis	1				1				3	3	3	1	0.6	1.7
Rotavirus	4	4	3	5	6	5	7	3	183	131	129	21	34.3	0.6
STEC/VTEC infection	5	11	3	3	4	4	1	2	133	69	79	11	6.7	1.6
Salmonellosis	14	18	13	10	7	9	12	10	552	665	1258	38	109.0	0.3
Shigellosis	5	5	2	5	3	4	5	4	96	67	171	16	16.3	1.0
Typhoid				1		1			8	2	3	1	0.6	1.7
Vibrio parahaemolyticus									3	3	2	0	0.6	0.0
Yersiniosis	2	1	2		2	2	1	2	25	22	10	7	1.5	4.6
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	213	216	213	201	230	230	221	184	6942	7036	7054	865	860.9	1.0
Gonorrhoea	64	71	57	66	63	74	62	41	1951	1839	2460	240	260.1	0.9
Syphilis (congenital)									2	3	2	0	0.2	0.0
Syphilis - Infectious	18	18	14	14	13	11	11	7	483	530	452	42	43.7	1.0
Syphilis - Non-Infectious	9	5	1	2	2	6	2	2	135	166	145	12	17.6	0.7
<b>Vaccine preventable diseases</b>														
H. influenzae type b			1						1	0	1	0	0.1	0.0
Influenza	1424	2131	1824	1134	842	642	482	371	12073	24	1200	2337	889.5	2.6
Mumps									1	1	9	0	1.2	0.0
Pertussis						1			18	25	111	1	62.5	0.0
Pneumococcal infection	10	8	12	6	6	6	5	3	138	105	101	20	24.8	0.8
Rubella (non-congenital)								1	1	2	0	1	0.2	5.0
Varicella (chicken pox)	5	5	9	7	7	11	9	3	218	260	312	30	56.1	0.5
Varicella (shingles)	48	39	43	28	42	51	32	17	1441	1707	1592	142	174.2	0.8
Varicella (unspecified)	29	27	52	39	63	48	56	69	1572	1060	966	236	118.3	2.0
<b>Vector-borne diseases</b>														
Barmah Forest virus								1	13	10	16	1	1.6	0.6
Chikungunya			1			1			5	0	7	1	0.6	1.7
Dengue fever	2	1		2	2	1	2		20	0	62	5	8.6	0.6
Malaria	1	3							16	11	27	0	3.0	0.0
Murray Valley encephalitis virus		1							1	0	0	0	0.0	0.0
Ross River virus	1		1	1	3	1			395	526	195	4	24.7	0.2
Typhus	2	1			1				9	11	16	1	1.5	0.7
<b>Zoonotic diseases</b>														
Q Fever	1					1			5	2	4	1	0.5	1.9
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									13	5	2	0	0.7	0.0
COVID-19	11248	14491	16048	14385	10819	7863	5564	4307	447634	225	654	28553	8.9	3196.2
Creutzfeldt-Jakob disease									2	3	4	0	0.3	0.0
Legionellosis	3	2	2	1	1	1	1		41	40	48	3	3.0	1.0
Leprosy									1	3	1	0	0.1	0.0
Melioidosis									3	5	5	0	0.4	0.0
Meningococcal infection		1							11	6	7	0	2.2	0.0
Monkeypox virus					1		3		4	0	0	4	0.0	0.0
RSV	65	107	186	225	297	366	454	566	3576	2	0	1683	0.0	0.0
Tuberculosis	3	1	2	1	1	1		4	55	85	79	6	11.3	0.5
iGAS	6	6	7	3	3	4	3	2	121	0	0	12	0.3	45.0
<b>Grand Total</b>	<b>13299</b>	<b>17297</b>	<b>18588</b>	<b>16247</b>	<b>12540</b>	<b>9454</b>	<b>7041</b>	<b>5717</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 33			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	2022	2021	2020			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)							1		2	6	6	1	0.8	1.3
Hepatitis B (unspecified)	9	12	8	9	10	6	9	8	225	280	273	33	34.2	1.0
Hepatitis C (newly acquired)	3		1	2	1				30	38	49	1	6.5	0.2
Hepatitis C (unspecified)	5	19	11	9	15	16	15	15	352	439	359	61	50.5	1.2
Hepatitis D					1				3	5	1	1	0.6	1.7
<b>Enteric diseases</b>														
Campylobacteriosis	75	61	45	68	66	65	55	63	1730	1430	1312	249	203.5	1.2
Cryptosporidiosis	3	2	1	2		2	8	1	150	32	406	11	5.4	2.0
Hepatitis A						1			4	1	5	1	0.3	3.8
Listeriosis	1				1				3	1	2	1	0.5	1.9
Rotavirus	4	3	3	2	4	5	5	3	155	119	102	17	24.3	0.7
STEC/VTEC infection	3	6	2	2		2	1	1	79	54	60	4	5.5	0.7
Salmonellosis	9	13	10	7	6	5	9	5	385	465	957	25	84.4	0.3
Shigellosis	4	2	2	2	2	4	2	3	50	20	82	11	9.3	1.2
Typhoid				1					6	1	3	0	0.5	0.0
Vibrio parahaemolyticus									3	3	2	0	0.5	0.0
Yersiniosis	2	1	2		2	2	1	2	24	17	9	7	1.5	4.6
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	163	156	167	165	187	180	165	153	5466	5547	5470	685	669.2	1.0
Gonorrhoea	45	49	35	44	35	47	43	30	1251	1156	1696	155	175.5	0.9
Syphilis - Infectious	7	11	10	6	7	6	8	6	316	295	296	28	27.6	1.0
Syphilis - Non-Infectious	5	4		1	2	3		2	77	115	119	7	12.7	0.6
<b>Vaccine preventable diseases</b>														
Influenza	933	1657	1412	913	705	554	402	322	8854	13	960	1983	704.3	2.8
Pertussis						1			15	20	89	1	42.6	0.0
Pneumococcal infection	5	4	7	2	3	4	3	2	71	62	33	12	14.2	0.8
Rubella (non-congenital)								1	1	2	0	1	0.1	7.5
Varicella (chicken pox)	4	3	9	5	7	11	6	2	165	191	226	26	40.4	0.6
Varicella (shingles)	29	30	34	19	31	32	20	9	998	1204	1149	92	123.8	0.7
Varicella (unspecified)	24	25	46	38	60	42	50	62	1451	1017	928	214	114.1	1.9
<b>Vector-borne diseases</b>														
Barmah Forest virus								1	4	1	3	1	0.2	5.0
Chikungunya							1		4	0	3	1	0.5	2.1
Dengue fever	1	1		2	2	1	2		17	0	48	5	6.9	0.7
Malaria	1	3							15	9	21	0	2.5	0.0
Ross River virus	1		1	1	2				263	270	111	2	14.6	0.1
Typhus		1							2	3	8	0	0.8	0.0
<b>Zoonotic diseases</b>														
Q Fever	1								3	1	2	0	0.5	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									3	0	0	0	0.0	0.0
COVID-19	10011	12920	14165	12668	9467	6910	4890	3777	395211	92	426	25044	4.2	5962.9
Creutzfeldt-Jakob disease									2	3	4	0	0.3	0.0
Legionellosis	1	2	2	1	1	1	1		32	24	31	3	2.3	1.3
Leprosy									1	2	1	0	0.1	0.0
Meningococcal infection		1							11	2	3	0	1.4	0.0
Monkeypox virus					1		3		4	0	0	4	0.0	0.0
RSV	41	87	157	201	271	324	414	505	2782	0	0	1514	0.0	0.0
Tuberculosis	3	1	2	1		1			44	79	76	5	10.5	0.5
iGAS	3	3	4	1	2	2	1		58	0	0	5	0.2	25.0
<b>Grand Total</b>	<b>11396</b>	<b>15077</b>	<b>16136</b>	<b>14172</b>	<b>10891</b>	<b>8228</b>	<b>6114</b>	<b>4977</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)					1 (1)	0.1			0.1
Hepatitis B (unspecified)	4	11 (8)	8.3	2	8 (5)	8.4	2	14 (13)	14.6
Hepatitis C (newly acquired)		(1)	0.5		1 (1)	1.8		(3)	1.9
Hepatitis C (unspecified)	3	15 (8)	8.1	6	27 (23)	20.4	6	19 (23)	21.0
Hepatitis D			0.3		1	0.1			
<b>Enteric diseases</b>									
Campylobacteriosis	17	93 (57)	80.7	20	67 (40)	85.0	26	89 (73)	76.4
Cryptosporidiosis	1	6 (2)	6.0			4.3		5 (1)	10.4
Hepatitis A						0.1		1	0.4
Listeriosis		1	0.4						
Rotavirus	2	5 (10)	6.0		4 (6)	7.0	1	8 (8)	8.7
STEC/VTEC infection		1 (2)	2.4		1 (2)	3.6	1	2 (5)	5.0
Salmonellosis	1	9 (6)	17.3	2	13 (10)	17.3	2	3 (15)	19.1
Shigellosis	1	1 (3)	2.2	1	4 (3)	1.8	1	6 (1)	3.0
Typhoid						0.1			0.7
Vibrio parahaemolyticus									0.4
Yersiniosis		1 (2)	1.2	2	3 (2)	1.5		3	0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	42	230 (215)	225.9	35	178 (221)	240.0	75	277 (282)	296.2
Gonorrhoea	11	40 (49)	44.3	5	37 (41)	49.8	14	78 (85)	79.9
Syphilis (congenital)									
Syphilis - Infectious	1	5 (6)	11.4	4	9 (13)	10.7	2	14 (17)	21.7
Syphilis - Non-Infectious	1	3 (6)	3.1		1 (3)	2.5	1	3 (9)	5.0
<b>Vaccine preventable diseases</b>									
Influenza	118	643	422.3	75	571	380.2	129	769	431.6
Mumps									
Pertussis			0.7		(2)	0.7		1 (2)	0.7
Pneumococcal infection	1	4 (2)	2.6		1 (5)	3.6	1	7 (4)	3.8
Rubella (non-congenital)							1	1	0.1
Varicella (chicken pox)		7 (7)	8.4		9 (9)	8.7	2	10 (8)	6.1
Varicella (shingles)	2	34 (54)	47.9	3	30 (43)	51.5	4	28 (48)	40.5
Varicella (unspecified)	26	89 (53)	70.0	16	57 (57)	70.8	20	68 (34)	62.2
<b>Vector-borne diseases</b>									
Barmah Forest virus				1	1	0.3			0.3
Chikungunya			0.3			0.1		1	0.1
Dengue fever		3	0.9		2	1.0			0.4
Malaria		(1)	0.9			0.7		(1)	0.4
Murray Valley encephalitis virus									
Ross River virus		1 (1)	6.2		1 (2)	17.2		(2)	13.8
Typhus						0.1			0.1
<b>Zoonotic diseases</b>									
Q Fever						0.1			0.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1			0.1
COVID-19	1414	9268	19199.5	1070	7183 (1)	17308.4	1293	8593 (2)	18606.9
Creutzfeldt-Jakob disease						0.1			0.1
Legionellosis		2 (1)	2.6			0.7		1 (3)	1.1
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.5			0.7			0.3
Monkeypox virus								4	0.5
RSV	169	498	127.6	159	510	140.9	177	506	121.2
Tuberculosis	3	4 (6)	2.3	1	1 (1)	0.7		(1)	3.0
iGAS		2	2.3		1	2.4		2	3.4
<b>Grand Total</b>	<b>1817</b>	<b>10976 (500)</b>		<b>1402</b>	<b>8722 (491)</b>		<b>1758</b>	<b>10513 (640)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(2)	4.9		(1)	3.3			5.4
Hepatitis C (newly acquired)			1.6			6.5			
Hepatitis C (unspecified)		2 (3)	17.9	2	4	29.3		(2)	16.2
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	8	25 (32)	93.0		3 (13)	109.0	5	13 (5)	86.2
Cryptosporidiosis		1	5.4		(1)	9.8		(1)	2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus		1 (2)	3.8			3.3			5.4
STEC/VTEC infection		1	8.7			9.8	1	1	12.1
Salmonellosis	1	3 (3)	23.4		2 (1)	19.5		1	18.8
Shigellosis			1.1	1	1	1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	15	48 (38)	158.7	1	8 (13)	118.8		13 (11)	141.4
Gonorrhoea		3 (3)	17.4		1	13.0	1	2 (1)	26.9
Syphilis (congenital)									
Syphilis - Infectious			1.1		(1)	3.3			6.7
Syphilis - Non-Infectious		1	3.3			1.6		1	6.7
<b>Vaccine preventable diseases</b>									
Influenza	6	83	274.0	23	119	486.4	8	31	188.5
Mumps									
Pertussis									
Pneumococcal infection		(1)	2.7		(1)	3.3			4.0
Rubella (non-congenital)									
Varicella (chicken pox)	1	3 (3)	12.0			8.1			6.7
Varicella (shingles)	3	28 (21)	119.6		3 (10)	84.6		5 (7)	61.9
Varicella (unspecified)	2	2	3.3	2	4	45.6	1	3 (1)	32.3
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.1						
Chikungunya			0.5						
Dengue fever									1.3
Malaria									
Murray Valley encephalitis virus									
Ross River virus			27.2		(1)	34.2			18.8
Typhus		1	2.2			4.9			
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	257	1638	11611.4	62	284	6351.5	49	278	5552.6
Creutzfeldt-Jakob disease									
Legionellosis		(1)	2.2						
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	18	46	76.1	7	26	109.0	4	13	49.8
Tuberculosis		1	1.6			3.3			
iGAS			3.8		1	4.9			4.0
<b>Grand Total</b>	<b>311</b>	<b>1887 (109)</b>		<b>98</b>	<b>456 (42)</b>		<b>69</b>	<b>361 (28)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1 (1)	11.8		(1)	9.9		(2)	13.5
Hepatitis C (newly acquired)									1.7
Hepatitis C (unspecified)	1	4 (2)	38.7	2	2 (1)	21.8		2 (1)	23.7
Hepatitis D			1.7						
<b>Enteric diseases</b>									
Campylobacteriosis	4	12 (3)	97.7	2	6 (5)	67.3		5 (4)	72.8
Cryptosporidiosis	1	1 (1)	5.1		1	11.9			16.9
Hepatitis A									
Listeriosis									
Rotavirus			3.4			5.9			6.8
STEC/VTEC infection		3	16.8			4.0			5.1
Salmonellosis	1	1 (2)	33.7			5.9	2	2 (4)	50.8
Shigellosis			6.7			15.8		2 (1)	18.6
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	4	17 (19)	276.2	3	21 (22)	362.1	3	22 (27)	401.0
Gonorrhoea	3	8 (2)	64.0	1	11 (17)	213.7	2	12 (17)	270.7
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious		3 (1)	30.3		1 (1)	27.7	1	6 (16)	93.1
Syphilis - Non-Infectious			13.5		1	19.8		2 (4)	27.1
<b>Vaccine preventable diseases</b>									
Influenza	3	24	665.2	1	24	591.6	2	35	979.7
Mumps						2.0			
Pertussis		(1)	3.4			2.0			
Pneumococcal infection		(1)	11.8	1	4 (3)	39.6		3 (2)	20.3
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	10.1		(3)	7.9		1	15.2
Varicella (shingles)		1 (2)	35.4	1	3 (6)	77.2		2	32.1
Varicella (unspecified)		7 (7)	74.1	1	1	5.9			
<b>Vector-borne diseases</b>									
Barmah Forest virus						4.0			
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		1 (4)	11.8		(1)	4.0		(1)	15.2
Typhus									
<b>Zoonotic diseases</b>									
Q Fever			1.7		1	2.0			
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)						2.0			
COVID-19	62	291	7523.9	18	131	5282.6	29	365	9932.5
Creutzfeldt-Jakob disease									
Legionellosis			1.7			2.0			1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	1	7	166.7	24	52	180.0	1	11	201.4
Tuberculosis			1.7			2.0			
iGAS		1	13.5			9.9	2	4	30.5
<b>Grand Total</b>	<b>81</b>	<b>382 (47)</b>		<b>54</b>	<b>259 (60)</b>		<b>42</b>	<b>474 (79)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	1 (1)	0.1
Hepatitis B (unspecified)	1	2	23.2	10	36 (34)	10.1
Hepatitis C (newly acquired)				0	1 (6)	1.4
Hepatitis C (unspecified)		3 (1)	29.1	20	80 (64)	18.1
Hepatitis D				0	1 (0)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis	1	6 (1)	61.0	85	322 (235)	82.6
Cryptosporidiosis		(2)	34.9	3	15 (8)	7.6
Hepatitis A				0	1 (0)	0.2
Listeriosis				0	1 (0)	0.1
Rotavirus		3	17.4	3	21 (26)	6.9
STEC/VTEC infection		2	17.4	2	11 (9)	5.0
Salmonellosis		2 (3)	93.0	10	38 (46)	20.7
Shigellosis		1 (5)	49.4	4	16 (13)	3.6
Typhoid				0	1 (0)	0.3
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				2	7 (4)	0.9
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	2	38 (37)	1019.7	183	865 (903)	260.0
Gonorrhoea	3	45 (28)	912.2	41	240 (248)	73.1
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious		5 (11)	194.6	8	43 (66)	18.1
Syphilis - Non-Infectious			29.1	2	12 (22)	4.9
<b>Vaccine preventable diseases</b>						
Influenza	3	20	2486.9	371	2337 (0)	452.1
Mumps				0	0 (0)	0.0
Pertussis				0	1 (6)	0.7
Pneumococcal infection		1 (3)	40.7	3	20 (22)	5.2
Rubella (non-congenital)				1	1 (0)	0.0
Varicella (chicken pox)				3	30 (32)	8.2
Varicella (shingles)	4	8 (4)	98.8	17	142 (196)	54.0
Varicella (unspecified)		2	11.6	69	236 (152)	58.9
<b>Vector-borne diseases</b>						
Barmah Forest virus			11.6	1	1 (1)	0.5
Chikungunya				0	1 (0)	0.2
Dengue fever				0	5 (0)	0.7
Malaria				0	0 (2)	0.6
Murray Valley encephalitis virus			2.9	0	0 (0)	0.0
Ross River virus		1 (2)	75.5	0	4 (14)	14.8
Typhus				0	1 (1)	0.3
<b>Zoonotic diseases</b>						
Q Fever				0	1 (0)	0.2
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		(1)	26.1	0	0 (1)	0.5
COVID-19	20	177	13657.4	4307	28553 (28)	16762.9
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	3 (5)	1.5
Leprosy				0	0 (1)	0.0
Melioidosis			8.7	0	0 (1)	0.1
Meningococcal infection				0	0 (0)	0.4
Monkeypox virus				0	4 (0)	0.1
RSV	2	4	540.4	566	1683 (0)	133.9
Tuberculosis				4	6 (8)	1.5
iGAS		1	46.5	3	13 (0)	4.6
<b>Grand Total</b>	<b>36</b>	<b>321 (98)</b>		<b>5718</b>	<b>34754 (2155)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 33	
	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	2022	2021
	<b>Salmonella Total</b>	<b>14</b>	<b>18</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>9</b>	<b>12</b>	<b>10</b>	<b>552</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen	1								1	2
Salmonella Agona		1				1			8	3
Salmonella Amsterdam									1	0
Salmonella Anatum									8	8
Salmonella Anatum var 15+									1	0
Salmonella Bareilly									0	3
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans	1								7	5
Salmonella Braenderup									1	0
Salmonella Brandenburg	1								1	0
Salmonella Bredeney	1								1	1
Salmonella Cerro									1	2
Salmonella Chester	1		1		1			1	13	9
Salmonella Choleraesuis bv Australia									6	4
Salmonella Choleraesuis bv Decatur									6	7
Salmonella Corvallis							1		4	2
Salmonella Eastbourne									3	3
Salmonella Enteritidis	1		3	2			2		14	9
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	3
Salmonella Give	1						1		6	4
Salmonella Give var 15+									0	0
Salmonella Havana									3	1
Salmonella Hessarek			1						1	1
Salmonella Houten subsp IV									1	3
Salmonella Hvittingfoss		1		1					5	3
Salmonella Infantis									9	24
Salmonella Irumu									1	1
Salmonella Javiana		1	1					1	3	0
Salmonella Johannesburg									3	2
Salmonella Kentucky									3	1
Salmonella Kiambu									9	4
Salmonella Litchfield									3	4
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo							1		2	1
Salmonella Muenchen									12	13
Salmonella Newport		3							6	11
Salmonella Ohlstedt									2	0
Salmonella Oranienburg			1						16	7
Salmonella Orientalis									1	0
Salmonella Orion									7	6
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java		4	1	1					15	6
Salmonella Poona								1	3	5
Salmonella Potsdam									4	7
Salmonella Reading									7	6
Salmonella Rissen	1	1							3	3



# Weekly Report for period 25-JUN-22 to 19-AUG-22

	01/07	08/07	15/07	22/07	29/07	05/08	12/08	19/08	Cumulative Total to end of Week 33	
									2022	2021
<b>Salmonella Total</b>	<b>14</b>	<b>18</b>	<b>13</b>	<b>10</b>	<b>7</b>	<b>9</b>	<b>12</b>	<b>10</b>	<b>552</b>	<b>631</b>
<b>Serotype/Phage</b>										
Salmonella Rubislaw									4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	1		1	1				1	29	23
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg									3	2
Salmonella Stanley						1			15	5
Salmonella Tennessee									3	3
Salmonella Thompson									1	0
Salmonella Typhimurium	3	3	2		2	3	5		192	359
Salmonella Virchow	1			2	1	2	1		15	19
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth									1	1
Salmonella Welikade									3	0
Salmonella Weltevreden					1	1			5	2
Salmonella Zanzibar									1	3
Salmonella species	1	4	2	3	1	1	1	6	56	34
Salmonella subsp 1 ser 4,5:d:-					1				4	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									2	0
Salmonella subsp IIIb ser									1	0