



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 16-JUL-22 to 09-SEP-22

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 36			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/07	29/07	05/08	12/08	19/08	26/08	02/09	09/09	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	9	11	6	10	10	7	13	15	307	409	354	45	39.5	1.1
Hepatitis C (newly acquired)	2	1							38	49	76	0	8.8	0.0
Hepatitis C (unspecified)	11	21	18	21	20	20	27	21	547	650	551	88	68.1	1.3
Hepatitis D		1					2		6	7	2	2	0.8	2.5
Enteric diseases														
Campylobacteriosis	84	90	87	75	88	83	87	88	2485	2001	1814	346	265.9	1.3
Cryptosporidiosis	3		3	9	3	1	2	11	217	91	467	17	8.1	2.1
Hepatitis A			1		1				6	1	6	1	0.5	1.9
Listeriosis		1							3	3	4	0	0.7	0.0
Rotavirus	5	6	5	9	5	4	3	3	197	180	137	15	37.5	0.4
STEC/VTEC infection	3	4	6	2	2	2	2	1	140	72	85	7	6.8	1.0
Salmonellosis	10	8	10	10	14	13	19	12	601	692	1326	58	107.1	0.5
Shigellosis	6	3	4	6	9	3	4	1	111	72	179	17	16.3	1.0
Typhoid	1		1		2				10	2	3	2	0.5	3.8
Vibrio parahaemolyticus								1	4	3	2	1	1.1	0.9
Yersiniosis		1	1		4	2			20	22	10	6	1.8	3.3
Sexually transmissible infections														
Chlamydia (genital)	203	234	232	230	217	209	179	204	7598	7672	7694	809	844.9	1.0
Gonorrhoea	67	65	77	63	55	74	87	53	2193	2016	2673	269	256.1	1.1
Syphilis (congenital)									2	4	3	0	0.1	0.0
Syphilis - Infectious	14	16	12	12	8	24	12	8	536	574	499	52	45.3	1.1
Syphilis - Non-Infectious	2	3	6	2	3	2	3	2	147	182	156	10	17.3	0.6
Vaccine preventable diseases														
H. influenzae type b									1	0	2	0	0.1	0.0
Influenza	1139	847	635	475	374	255	177	154	12667	24	1203	960	604.5	1.6
Mumps									1	1	9	0	1.2	0.0
Pertussis			1			2		1	21	32	112	3	65.3	0.0
Pneumococcal infection	6	6	6	5	4	4	4	7	154	121	113	19	22.2	0.9
Rubella (non-congenital)					1				1	3	0	1	0.1	7.5
Varicella (chicken pox)	7	7	11	10	4	5	4	2	231	301	364	15	58.5	0.3
Varicella (shingles)	28	44	53	38	35	27	18	8	1523	1840	1730	88	183.4	0.5
Varicella (unspecified)	39	63	47	54	56	58	93	85	1791	1143	1078	292	121.6	2.4
Vector-borne diseases														
Barmah Forest virus					1	1			14	11	16	2	1.5	1.3
Chikungunya			1					1	6	0	7	1	0.7	1.5
Dengue fever	2	3		3	3	3	3		31	0	62	9	7.6	1.2
Malaria						1	1	2	20	11	27	4	3.1	1.3
Murray Valley encephalitis virus									1	0	0	0	0.0	0.0
Ross River virus	1	4	2	1		4	2		405	536	211	6	27.4	0.2
Typhus		1				1			10	12	16	1	1.4	0.7
Zoonotic diseases														
Q Fever							1		5	2	4	1	0.4	2.5
Other diseases														
Acute post-streptococcal glomerulonephritis									13	6	3	0	0.9	0.0
COVID-19	14385	10819	7864	5564	4346	3061	2229	1848	454818	234	662	11485	8.3	1389.3
Creutzfeldt-Jakob disease									2	3	5	0	0.5	0.0
Legionellosis	1	1	1	1		1	1	1	44	43	52	3	4.2	0.7
Leprosy									1	3	1	0	0.3	0.0
Melioidosis					1				4	5	5	1	0.3	3.0
Meningococcal infection							1	1	13	7	7	2	2.5	0.8
Monkeypox virus		1		3	1				5	0	0	1	0.0	0.0
RSV	231	298	371	462	579	622	696	838	5769	0	0	2735	0.1	20512.5
Tuberculosis	1	1	1		4	1		1	56	93	87	6	10.7	0.6
iGAS	4	4	3	3	3	2	4	2	130	4	0	11	0.3	41.2
Grand Total	16264	12564	9465	7068	5853	4492	3674	3371						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 36			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/07	29/07	05/08	12/08	19/08	26/08	02/09	09/09	2022	2021	2020			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	9	10	6	10	8	6	8	12	251	305	300	34	32.7	1.0
Hepatitis C (newly acquired)	2	1							30	44	60	0	6.9	0.0
Hepatitis C (unspecified)	9	15	16	15	15	13	21	18	402	476	390	67	49.3	1.4
Hepatitis D		1					2		5	7	1	2	0.7	3.0
Enteric diseases														
Campylobacteriosis	69	68	69	61	65	62	69	65	1943	1550	1445	261	208.3	1.3
Cryptosporidiosis	2		2	8	2	1	2	8	162	33	407	13	5.3	2.4
Hepatitis A			1		1				5	1	5	1	0.4	2.5
Listeriosis		1							3	1	3	0	0.6	0.0
Rotavirus	2	4	5	6	4	2	2	2	163	137	110	10	25.0	0.4
STEC/VTEC infection	2		4	1	1	1			81	56	66	2	5.7	0.4
Salmonellosis	7	7	6	7	9	10	14	12	426	482	1014	45	83.7	0.5
Shigellosis	3	2	4	3	4	1	2		56	23	87	7	9.4	0.7
Typhoid	1				2				8	1	3	2	0.5	4.3
Vibrio parahaemolyticus								1	4	3	2	1	0.9	1.1
Yersiniosis		1	1		3	2			18	17	9	5	1.8	2.8
Sexually transmissible infections														
Chlamydia (genital)	167	189	182	172	167	154	135	162	5956	6058	5961	618	660.3	0.9
Gonorrhoea	45	36	50	44	36	50	54	34	1407	1268	1810	174	171.6	1.0
Syphilis - Infectious	6	10	7	9	6	17	8	4	353	318	331	35	29.2	1.2
Syphilis - Non-Infectious	1	2	3		3	2	1	2	84	123	129	8	12.9	0.6
Vaccine preventable diseases														
Influenza	918	709	548	395	322	216	148	110	9332	13	963	796	459.4	1.7
Pertussis			1			1			16	26	90	1	45.8	0.0
Pneumococcal infection	2	3	4	3	2	2	2	5	80	73	41	11	12.6	0.9
Rubella (non-congenital)					1				1	2	0	1	0.1	15.0
Varicella (chicken pox)	5	7	11	7	3	3	1		171	222	271	7	42.0	0.2
Varicella (shingles)	19	33	34	26	22	14	5		1041	1300	1249	41	128.5	0.3
Varicella (unspecified)	38	60	41	47	51	51	82	72	1640	1096	1037	256	117.1	2.2
Vector-borne diseases														
Barmah Forest virus					1				4	1	3	1	0.4	2.5
Chikungunya			1					1	5	0	3	1	0.5	1.9
Dengue fever	2	3		3	3	3	3		28	0	48	9	6.3	1.4
Malaria						1	1	1	18	9	21	3	2.5	1.2
Ross River virus	1	2	1			3	2		269	272	121	5	17.1	0.3
Typhus						1			3	4	8	1	0.8	1.3
Zoonotic diseases														
Q Fever							1		4	1	2	1	0.3	3.0
Other diseases														
Acute post-streptococcal glomerulonephritis									3	0	0	0	0.1	0.0
COVID-19	12668	9467	6910	4890	3812	2648	1943	1628	401468	95	429	10032	2.9	3420.0
Creutzfeldt-Jakob disease									2	3	4	0	0.4	0.0
Legionellosis	1	1	1	1		1			33	26	35	1	3.5	0.3
Leprosy									1	2	1	0	0.2	0.0
Meningococcal infection									11	3	3	0	1.4	0.0
Monkeypox virus		1		3	1				5	0	0	1	0.0	0.0
RSV	207	272	327	421	510	547	605	694	4651	0	0	2356	0.1	17670.0
Tuberculosis	1		1		4	1		1	45	86	84	6	9.7	0.6
iGAS	1	3	1	1	1	2	2	2	64	3	0	7	0.2	35.0
Grand Total	14188	10908	8237	6133	5059	3815	3113	2834						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									0.1
Hepatitis B (unspecified)	5	14 (9)	9.6	2	4 (10)	8.8	5	16 (13)	16.4
Hepatitis C (newly acquired)			0.5		(2)	1.8		(5)	1.9
Hepatitis C (unspecified)	6	12 (5)	9.3	4	26 (25)	23.4	8	29 (25)	23.8
Hepatitis D		1 (2)	0.4		1	0.3			
Enteric diseases									
Campylobacteriosis	20	64 (59)	87.9	19	86 (44)	95.3	26	111 (64)	88.7
Cryptosporidiosis	8	11	7.3			4.3		2 (1)	10.7
Hepatitis A						0.1		1	0.5
Listeriosis			0.4						
Rotavirus		4 (7)	6.4		1 (5)	7.2	2	5 (9)	9.2
STEC/VTEC infection		(1)	2.6		1 (3)	3.7		1 (1)	5.0
Salmonellosis	4	14 (6)	19.1	4	17 (11)	19.5	4	14 (16)	20.9
Shigellosis		2 (4)	2.3		3 (1)	2.2		2 (1)	3.3
Typhoid					2	0.4			0.7
Vibrio parahaemolyticus							1	1	0.5
Yersiniosis		(1)	0.7		3	1.0		2	0.8
Sexually transmissible infections									
Chlamydia (genital)	52	177 (175)	245.0	49	169 (217)	261.0	61	272 (289)	324.3
Gonorrhoea	10	39 (39)	48.6	9	44 (33)	56.1	15	91 (80)	91.0
Syphilis (congenital)									
Syphilis - Infectious		1 (8)	11.5	3	16 (6)	12.8	1	18 (17)	24.7
Syphilis - Non-Infectious	1	4 (4)	3.4		(1)	2.7	1	4 (6)	5.6
Vaccine preventable diseases									
Influenza	31	282	444.8	43	210	400.6	36	304	455.3
Mumps									
Pertussis		1 (5)	0.8		(1)	0.7			0.7
Pneumococcal infection		2 (3)	2.7	3	3 (7)	4.0	2	6 (8)	4.5
Rubella (non-congenital)								1	0.1
Varicella (chicken pox)		3 (3)	8.8		2 (21)	9.1		2 (12)	6.1
Varicella (shingles)		16 (56)	50.5		11 (48)	52.9		14 (40)	42.4
Varicella (unspecified)	19	82 (42)	77.2	29	100 (42)	83.4	24	74 (29)	69.2
Vector-borne diseases									
Barmah Forest virus					1	0.3			0.3
Chikungunya	1	1	0.4			0.1			0.1
Dengue fever		6	1.8		1	1.2		2	0.9
Malaria		1 (1)	1.1	1	1	0.9		1	0.5
Murray Valley encephalitis virus									
Ross River virus		1	6.4		3 (2)	17.7		1 (1)	14.0
Typhus						0.1		1	0.3
Zoonotic diseases									
Q Fever						0.1		1	0.4
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.1			0.1
COVID-19	567	3707 (1)	19510.0	459	2852 (3)	17574.4	603	3473 (1)	18902.4
Creutzfeldt-Jakob disease						0.1			0.1
Legionellosis		1 (2)	2.7			0.7		(1)	1.1
Leprosy									0.1
Melioidosis									
Meningococcal infection			0.5			0.7		(1)	0.3
Monkeypox virus		1	0.1						0.5
RSV	248	813	215.7	217	742	228.3	229	801	206.8
Tuberculosis		3 (7)	2.3		1 (4)	0.7	1	2	3.1
iGAS	1	4 (2)	2.8		2	2.7	1	1 (1)	3.4
Grand Total	973	5267 (442)		842	4302 (486)		1020	5253 (621)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (1)	6.0		1 (1)	4.9		(1)	5.4
Hepatitis C (newly acquired)			1.6			6.5			
Hepatitis C (unspecified)	1	3 (4)	19.6		5 (3)	34.2		1 (1)	17.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	14	38 (20)	110.4	2	8 (8)	122.0		8 (8)	90.2
Cryptosporidiosis	2	2 (1)	6.5	1	1	11.4			2.7
Hepatitis A			0.5						
Listeriosis									
Rotavirus		1 (1)	4.3		1	4.9		(1)	5.4
STEC/VTEC infection		1	9.2			9.8		2 (1)	13.5
Salmonellosis		2 (3)	23.9		(2)	19.5		1	20.2
Shigellosis			1.1		1	1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis					1	1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)	6	42 (34)	174.5	4	9 (11)	131.8	1	10 (5)	154.8
Gonorrhoea		3 (5)	19.0	1	2 (2)	16.3	1	5 (1)	32.3
Syphilis (congenital)									
Syphilis - Infectious		2 (2)	2.2		1 (1)	6.5		(1)	6.7
Syphilis - Non-Infectious		(1)	3.3			1.6		1	8.1
Vaccine preventable diseases									
Influenza	16	36	290.9	9	66	556.4		12	193.9
Mumps									
Pertussis				1	1	1.6		1	1.3
Pneumococcal infection		(1)	2.7		(1)	3.3		(1)	4.0
Rubella (non-congenital)									
Varicella (chicken pox)	1	6 (4)	14.7			8.1	1	2 (1)	9.4
Varicella (shingles)	7	33 (15)	135.9	1	1 (8)	86.2		2 (7)	64.6
Varicella (unspecified)			2.2	2	15	66.7	1	5	37.7
Vector-borne diseases									
Barmah Forest virus			1.1						
Chikungunya			0.5						
Dengue fever									1.3
Malaria	1	1	0.5						
Murray Valley encephalitis virus									
Ross River virus		1 (3)	27.7		(1)	34.2		(2)	18.8
Typhus			2.2			4.9			
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	109	672	11838.1	33	164	6517.4	11	126	5656.2
Creutzfeldt-Jakob disease									
Legionellosis		(1)	2.2	1	1	1.6		1	1.3
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	45	100	121.2	30	84	237.5	5	18	68.7
Tuberculosis			1.6			3.3			
iGAS			3.8			4.9			4.0
Grand Total	203	945 (96)		85	362 (38)		20	195 (30)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (2)	13.5	1	3	15.8		(1)	13.5
Hepatitis C (newly acquired)									1.7
Hepatitis C (unspecified)	1	5 (2)	45.5	2		21.8	1	2 (3)	27.1
Hepatitis D			1.7						
Enteric diseases									
Campylobacteriosis	2	9 (2)	106.1		8 (4)	79.1	3	5 (3)	81.2
Cryptosporidiosis			5.1			11.9		1 (1)	18.6
Hepatitis A									
Listeriosis									
Rotavirus			3.4			7.9			6.8
STEC/VTEC infection		1	18.5			4.0			5.1
Salmonellosis		1 (1)	33.7			5.9	3 (3)		52.5
Shigellosis		1	8.4	1		17.8		(1)	18.6
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	25 (18)	311.5	4	20 (24)	395.7	5	23 (31)	436.6
Gonorrhoea	5	14 (3)	82.5	2	8 (17)	227.5	1	15 (24)	292.7
Syphilis (congenital)						2.0			1.7
Syphilis - Infectious			30.3		(2)	25.7	3	7 (18)	104.9
Syphilis - Non-Infectious		1 (1)	15.2		(2)	23.7		(2)	27.1
Vaccine preventable diseases									
Influenza	7	19	692.1	7	14	617.3	1	4	983.1
Mumps						2.0			
Pertussis		(1)	3.4			2.0			
Pneumococcal infection		(1)	11.8	1	2	41.5	3		25.4
Rubella (non-congenital)									
Varicella (chicken pox)		(2)	10.1		(2)	7.9		(1)	15.2
Varicella (shingles)			35.4		3 (4)	81.1		1 (5)	33.8
Varicella (unspecified)	5	9 (6)	90.9			4.0	1	1	1.7
Vector-borne diseases									
Barmah Forest virus						4.0		1	1.7
Chikungunya									
Dengue fever									
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(2)	11.8		(2)	5.9		(1)	15.2
Typhus									
Zoonotic diseases									
Q Fever			1.7						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						2.0			
COVID-19	12	171	7709.1	11	58	5361.8	14	89	10034.0
Creutzfeldt-Jakob disease									
Legionellosis			1.7			2.0			1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	5	10	185.2	45	114	358.1	4	17	228.4
Tuberculosis			1.7			2.0			
iGAS		(1)	13.5			11.9		2	30.5
Grand Total	44	268 (42)		71	233 (57)		33	174 (94)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (0)	0.0
Hepatitis B (unspecified)		2	26.1	15	45 (39)	11.5
Hepatitis C (newly acquired)				0	0 (7)	1.4
Hepatitis C (unspecified)		1 (3)	32.0	21	88 (71)	20.6
Hepatitis D				0	2 (2)	0.2
Enteric diseases						
Campylobacteriosis	2	4 (2)	72.6	88	346 (214)	93.1
Cryptosporidiosis		(2)	34.9	11	17 (5)	8.1
Hepatitis A				0	1 (0)	0.2
Listeriosis				0	0 (0)	0.1
Rotavirus		2 (28)	23.2	3	15 (52)	7.4
STEC/VTEC infection	1	1	20.3	1	7 (6)	5.2
Salmonellosis		3 (6)	101.7	12	58 (48)	22.5
Shigellosis	1	6 (2)	69.7	1	17 (9)	4.2
Typhoid				0	2 (0)	0.4
Vibrio parahaemolyticus				1	1 (0)	0.1
Yersiniosis				0	6 (1)	0.7
Sexually transmissible infections						
Chlamydia (genital)	14	51 (39)	1173.7	204	809 (857)	284.5
Gonorrhoea	6	41 (27)	1025.5	53	269 (234)	82.1
Syphilis (congenital)				0	0 (1)	0.1
Syphilis - Infectious	1	7 (9)	212.1	8	52 (65)	20.1
Syphilis - Non-Infectious		(1)	29.1	2	10 (19)	5.4
Vaccine preventable diseases						
Influenza		4	2489.8	154	960 (0)	474.4
Mumps				0	0 (0)	0.0
Pertussis				1	3 (8)	0.8
Pneumococcal infection	1	2 (2)	46.5	7	19 (25)	5.8
Rubella (non-congenital)				0	1 (1)	0.0
Varicella (chicken pox)				2	15 (47)	8.7
Varicella (shingles)		7 (5)	107.5	8	88 (189)	57.0
Varicella (unspecified)	4	4 (1)	23.2	85	292 (121)	67.1
Vector-borne diseases						
Barmah Forest virus		(1)	11.6	0	2 (1)	0.5
Chikungunya				1	1 (0)	0.2
Dengue fever				0	9 (0)	1.2
Malaria				2	4 (1)	0.7
Murray Valley encephalitis virus			2.9	0	0 (0)	0.0
Ross River virus		(1)	81.3	0	6 (15)	15.2
Typhus				0	1 (1)	0.4
Zoonotic diseases						
Q Fever				0	1 (0)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		(1)	26.1	0	0 (1)	0.5
COVID-19	10	68	13799.7	1849	11485 (29)	17031.9
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis		(1)	2.9	1	3 (5)	1.6
Leprosy				0	0 (1)	0.0
Melioidosis		1	11.6	0	1 (1)	0.1
Meningococcal infection	1	2	5.8	1	2 (1)	0.5
Monkeypox virus				0	1 (0)	0.2
RSV	4	10	563.6	838	2735 (0)	216.0
Tuberculosis				1	6 (12)	1.5
iGAS		2	52.3	2	11 (4)	4.9
Grand Total	45	218 (131)		3372	17391 (2096)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 36	
	22/07	29/07	05/08	12/08	19/08	26/08	02/09	09/09	2022	2021
	Salmonella Total	10	8	10	10	14	13	19	12	601
Serotype/Phage										
Salmonella Aberdeen									1	2
Salmonella Agona			1					1	9	3
Salmonella Amsterdam									1	0
Salmonella Anatum									8	9
Salmonella Anatum var 15+									1	0
Salmonella Bareilly					2				2	3
Salmonella Bispebjerg				1					1	0
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									1	0
Salmonella Bovismorbificans									7	5
Salmonella Braenderup									1	0
Salmonella Brandenburg									1	0
Salmonella Bredeney									1	1
Salmonella Cerro									1	2
Salmonella Chester		1			1		2		15	9
Salmonella Choleraesuis bv Australia									6	4
Salmonella Choleraesuis bv Decatur						1			7	7
Salmonella Corvallis				1					4	2
Salmonella Eastbourne							1		4	3
Salmonella Enteritidis	2			2	1	1	1	1	18	9
Salmonella Essen									0	0
Salmonella Fremantle subsp II									1	3
Salmonella Give				1	1				7	4
Salmonella Give var 15+									0	0
Salmonella Havana									3	1
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									1	3
Salmonella Hvittingfoss	1							1	6	4
Salmonella Infantis							1		10	25
Salmonella Irumu									1	1
Salmonella Javiana					1				3	0
Salmonella Johannesburg									3	2
Salmonella Kentucky									3	1
Salmonella Kiambu									9	4
Salmonella Litchfield									3	4
Salmonella Mgulani									2	0
Salmonella Mississippi									1	1
Salmonella Montevideo				1					2	1
Salmonella Muenchen								1	13	14
Salmonella Newport					1				7	11
Salmonella Ohio									1	1
Salmonella Ohlstedt						1			3	1
Salmonella Oranienburg									16	8
Salmonella Orientalis									1	1
Salmonella Orion					1				8	7
Salmonella Orion var 15+									1	0
Salmonella Paratyphi B bv Java	1				1	1			17	6
Salmonella Poona					1				3	5
Salmonella Potsdam									4	7

Weekly Report for period 16-JUL-22 to 09-SEP-22

	22/07	29/07	05/08	12/08	19/08	26/08	02/09	09/09	Cumulative Total to end of Week 36	
									2022	2021
Salmonella Total	10	8	10	10	14	13	19	12	601	660
Serotype/Phage										
Salmonella Reading									7	6
Salmonella Rissen									3	3
Salmonella Rubislaw									4	1
Salmonella Ruiru									1	0
Salmonella Saintpaul	1				1		2		31	24
Salmonella Schwarzengrund									1	0
Salmonella Senftenberg									3	2
Salmonella Singapore					1				1	3
Salmonella Stanley			1						15	5
Salmonella Tennessee									3	4
Salmonella Thompson									1	1
Salmonella Typhimurium		3	4	3		1	4		197	369
Salmonella Virchow	2	1	2	1	1	1			17	21
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth									1	1
Salmonella Welikade									3	0
Salmonella Weltevreden		1	1			1	2		8	2
Salmonella Worthington						1			1	0
Salmonella Zanzibar									1	3
Salmonella species	3	1	1		1	5	6	8	69	36
Salmonella subsp 1 ser 4,5:d:-		1							4	0
Salmonella subsp I									1	1
Salmonella subsp I ser 16:l,v:-									2	2
Salmonella subsp IIIb 61:l,v:z35									2	0
Salmonella subsp IIIb 61:z52:z53									2	0
Salmonella subsp IIIb ser									1	0