



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 05-MAR-23 to 29-APR-23

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 05-MAR-23 to 29-APR-23

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2023	2022	2021			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1					5	0	4	0	1.5	0.0
Hepatitis B (unspecified)	7	15	8	14	9	6	12	5	160	121	255	32	35.1	0.9
Hepatitis C (newly acquired)	3	1	2	1		1			21	20	22	1	7.6	0.1
Hepatitis C (unspecified)	19	16	20	16	14	16	19	24	300	229	369	73	64.3	1.1
Hepatitis D						1			2	1	2	1	0.5	1.9
Enteric diseases														
Campylobacteriosis	106	115	84	94	56	68	74	72	1678	1024	990	270	203.0	1.3
Cryptosporidiosis	5	3	6	4	6	5	3	4	80	133	50	18	26.3	0.7
Hepatitis A		1							6	2	1	0	0.7	0.0
Hepatitis E								1	1	0	0	1	0.0	0.0
Listeriosis			1						2	1	2	0	0.2	0.0
Paratyphoid fever									8	0	0	0	0.1	0.0
Rotavirus	25	36	33	42	17	9	20	16	452	117	45	62	16.8	3.7
STEC/VTEC infection	3	6	2	9	3	2	5	1	108	75	41	11	11.3	1.0
Salmonellosis	26	34	32	28	35	19	17	38	604	366	453	109	142.1	0.8
Shigellosis	8	10	6	10	3	4	8	8	151	38	27	23	16.3	1.4
Typhoid			1						10	5	1	0	0.5	0.0
Vibrio parahaemolyticus									2	2	3	0	0.7	0.0
Yersiniosis	5	2	3	1	6	3	2		49	8	13	11	1.3	8.3
Sexually transmissible infections														
Chlamydia (genital)	231	285	270	285	222	220	202	179	4210	3441	3623	823	839.3	1.0
Gonorrhoea	64	85	80	107	71	76	78	47	1365	927	904	272	255.1	1.1
Syphilis - Infectious	8	21	20	11	14	6	4	7	228	249	282	31	48.0	0.6
Syphilis - Non-Infectious	8	4	6	1	3	2	2	3	71	74	64	10	17.5	0.6
Vaccine preventable diseases														
Diphtheria									1	0	0	0	0.0	0.0
Influenza	124	141	194	227	174	205	264	258	2482	39	9	901	340.1	2.6
Measles					1				1	0	0	1	1.1	0.9
Mumps							1		2	1	1	1	1.5	0.7
Pertussis	4		1						14	13	11	0	32.0	0.0
Pneumococcal infection	2	3	5	1	3	3	4	2	46	39	24	12	10.4	1.2
Rubella (non-congenital)				1					1	0	1	0	0.0	0.0
Varicella (chicken pox)	7	7	3	3	4	6	4	1	111	109	138	15	34.1	0.4
Varicella (shingles)	55	51	51	47	33	47	34	8	784	835	951	122	183.5	0.7
Varicella (unspecified)	59	41	60	44	46	54	67	78	902	807	549	245	129.2	1.9
Vector-borne diseases														
Barmah Forest virus		1	3		1	2	1		13	8	6	4	2.6	1.5
Chikungunya			1						5	2	0	0	0.2	0.0
Dengue fever	4	5	3	3	7	4	4	1	64	4	0	16	10.6	1.5
Malaria	2	1	1	1				2	20	7	4	2	2.3	0.9
Murray Valley encephalitis virus	1								2	0	0	0	0.0	0.0
Other flavivirus					1				1	0	0	1	0.0	0.0
Ross River virus	6	7	9	9	6	11	6	6	104	371	327	29	44.2	0.7
Typhus		2				1			7	2	6	1	1.5	0.7
Zoonotic diseases														
Brucellosis				1					1	0	0	0	0.1	0.0
Leptospirosis									2	0	1	0	0.2	0.0
Q Fever		1							4	1	0	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis						2			2	9	1	2	0.9	2.3
Amoebic meningitis									0	0	0	0	0.0	0.0
COVID-19								1	1188126		145	1	*****	0.0
Haemolytic Uraemic Syndrome									2	0	0	0	0.1	0.0
Legionellosis	1			3	1	1	2		19	17	16	4	5.4	0.7
Melioidosis									1	2	3	0	0.8	0.0
Meningococcal infection							1		2	5	6	1	1.1	0.9
Monkeypox virus							1		2	0	0	1	0.0	0.0
RSV	27	38	29	37	37	40	53	60	608	1340	0	190	16.9	11.3
Tuberculosis	2	4	5	6	4	3	5	1	55	28	40	13	8.6	1.5
iGAS	5	4	2	3	1	4	2	4	67	64	0	11	2.8	3.9
Grand Total	819	940	941	1010	778	821	895	827						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2023	2022	2021			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	6	15	8	11	6	5	12	3	135	94	182	26	29.0	0.9
Hepatitis C (newly acquired)	3	1	2	1		1			20	15	20	1	5.9	0.2
Hepatitis C (unspecified)	14	13	17	12	9	12	15	20	228	169	263	56	45.6	1.2
Hepatitis D						1			2	1	2	1	0.4	2.5
Enteric diseases														
Campylobacteriosis	85	89	69	76	44	50	59	56	1333	815	773	209	159.5	1.3
Cryptosporidiosis	4	2	5	1	1	2	3	2	42	101	20	8	17.0	0.5
Hepatitis A		1							6	1	1	0	0.6	0.0
Hepatitis E								1	1	0	0	1	0.0	0.0
Listeriosis			1						2	1	1	0	0.1	0.0
Paratyphoid fever	2								7	0	0	0	0.1	0.0
Rotavirus	20	32	31	35	17	7	17	14	408	99	40	55	14.0	3.9
STEC/VTEC infection	2	4	1	7	1		4	1	68	49	29	6	7.9	0.8
Salmonellosis	16	19	18	21	21	15	8	28	436	259	317	72	105.5	0.7
Shigellosis	7	10	4	10	3	2	8	7	126	16	6	20	7.1	2.8
Typhoid			1						10	5	0	0	0.4	0.0
Vibrio parahaemolyticus									2	2	3	0	0.5	0.0
Yersiniosis	5	2	2	1	5	3	2		43	7	8	10	0.9	10.7
Sexually transmissible infections														
Chlamydia (genital)	178	215	214	224	163	171	162	147	3308	2734	2887	643	661.4	1.0
Gonorrhoea	48	61	57	74	51	56	56	45	1000	591	533	208	173.8	1.2
Syphilis - Infectious	2	15	10	9	11	4	4	5	144	177	146	24	29.9	0.8
Syphilis - Non-Infectious	6	1	5	1	1				39	44	48	1	12.4	0.1
Vaccine preventable diseases														
Diphtheria									1	0	0	0	0.0	0.0
Influenza	82	83	104	120	106	131	141	183	1611	24	5	561	245.0	2.3
Measles					1				1	0	0	1	0.9	1.1
Mumps									1	0	0	0	1.0	0.0
Pertussis	3		1						13	10	9	0	21.5	0.0
Pneumococcal infection	1	1	4	1		3	2	2	28	16	12	7	5.5	1.3
Rubella (non-congenital)				1					1	0	1	0	0.0	0.0
Varicella (chicken pox)	6	6	2	2	3	5	2		87	77	99	10	24.7	0.4
Varicella (shingles)	35	29	29	30	22	32	19		499	574	672	73	128.9	0.6
Varicella (unspecified)	57	41	58	42	44	53	64	78	867	758	538	239	124.5	1.9
Vector-borne diseases														
Barmah Forest virus			1						3	1	0	0	0.6	0.0
Chikungunya			1						5	2	0	0	0.2	0.0
Dengue fever	2	3	1	3	6	4	4	1	50	4	0	15	8.6	1.7
Malaria	2		1	1				1	16	7	3	1	2.1	0.5
Ross River virus	5	2	4	2	5	7	4	5	53	247	179	21	26.1	0.8
Typhus		2				1			6	0	0	1	0.6	1.7
Zoonotic diseases														
Leptospirosis									2	0	0	0	0.0	0.0
Q Fever									1	0	0	0	0.3	0.0
Other diseases														
Amoebic meningitis									0	0	0	0	0.0	0.0
Haemolytic Uraemic Syndrome									2	0	0	0	0.0	0.0
Legionellosis	1			3	1				14	11	10	1	3.6	0.3
Melioidosis									0	0	1	0	0.2	0.0
Meningococcal infection									1	5	2	0	0.6	0.0
Monkeypox virus							1		1	0	0	1	0.0	0.0
RSV	19	28	25	32	29	34	44	54	465	831	0	161	8.0	20.1
Tuberculosis	2	4	5	4	3	2	5	1	45	23	37	11	7.5	1.5
iGAS	2		1	1		3	1	3	37	38	0	7	1.4	5.0
Grand Total	615	679	682	725	553	604	637	657						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.1						
Hepatitis B (unspecified)	2	7 (8)	5.0		7 (5)	5.9	1	12 (8)	7.8
Hepatitis C (newly acquired)			0.3		1 (1)	1.5		(1)	1.1
Hepatitis C (unspecified)	3	8 (6)	4.7	10	25 (14)	13.6	7	23 (14)	13.5
Hepatitis D		1	0.1						0.1
Enteric diseases									
Campylobacteriosis	20	75 (59)	61.5	20	67 (66)	62.3	16	67 (60)	60.7
Cryptosporidiosis		3 (7)	1.6	2	4 (1)	2.2		1 (10)	2.0
Hepatitis A			0.1			0.3			0.4
Hepatitis E				1	1	0.1			
Listeriosis			0.3						
Paratyphoid fever						0.4			0.5
Rotavirus	6	18 (5)	19.3	2	19 (6)	20.2	6	18 (9)	17.1
STEC/VTEC infection		2 (1)	2.7		1 (5)	2.7	1	3 (4)	4.0
Salmonellosis	13	29 (24)	22.1	11	29 (9)	20.8	4	14 (18)	17.5
Shigellosis	2	7 (2)	6.6	1	4 (1)	4.6	4	9 (2)	6.1
Typhoid			0.5			0.1			0.7
Vibrio parahaemolyticus			0.3						
Yersiniosis		3	2.3		4 (1)	2.4		3	1.3
Sexually transmissible infections									
Chlamydia (genital)	41	186 (145)	130.5	54	194 (173)	149.8	52	263 (215)	177.1
Gonorrhoea	12	63 (27)	42.5	15	54 (37)	38.3	18	91 (63)	56.8
Syphilis - Infectious	1	6 (13)	4.0	1	4 (6)	5.6	3	14 (15)	10.2
Syphilis - Non-Infectious			1.9		(1)	1.3		1 (5)	2.1
Vaccine preventable diseases									
Diphtheria									0.1
Influenza	59	196 (7)	90.3	67	156 (4)	61.0	57	209 (3)	70.4
Measles		1	0.1						
Mumps			0.1						
Pertussis			0.7			0.6			0.5
Pneumococcal infection	1	3	1.2		2 (1)	1.2	1	2 (1)	1.5
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		1 (8)	4.4		2 (2)	3.5		7 (1)	4.0
Varicella (shingles)		35 (37)	25.6		17 (41)	23.3		21 (29)	20.2
Varicella (unspecified)	21	79 (47)	39.0	31	91 (42)	40.3	26	69 (62)	40.6
Vector-borne diseases									
Barmah Forest virus			0.1			0.1			0.1
Chikungunya		(1)	0.1			0.4			0.1
Dengue fever		2 (2)	1.9		7	2.8	1	6	2.3
Malaria			0.9		(1)	0.1	1	1	1.1
Murray Valley encephalitis virus									
Other flavivirus									
Ross River virus		1 (2)	1.2	4	16 (4)	4.4	1	4 (9)	1.9
Typhus		1	0.3			0.3			0.3
Zoonotic diseases									
Brucellosis									
Leptospirosis			0.1						0.1
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Haemolytic Uraemic Syndrome						0.3			
Legionellosis		1 (1)	0.5		(2)	0.7		(1)	0.7
Melioidosis									
Meningococcal infection			0.1						
Monkeypox virus								1	0.1
RSV	26	64 (9)	27.5	13	39 (9)	16.8	15	58 (14)	19.6
Tuberculosis		2 (1)	1.6	1	5 (1)	1.9		4 (5)	2.7
iGAS	1	2	1.3	2	4 (4)	2.1		1 (2)	1.7
Grand Total	208	796 (412)		235	753 (437)		214	902 (551)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.6						
Hepatitis B (unspecified)		(3)	0.5				(1)		5.4
Hepatitis C (newly acquired)					(2)	1.6			
Hepatitis C (unspecified)	1	2 (1)	9.2	2	5	14.6	2	2 (2)	17.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	7	27 (17)	74.5	2	8 (13)	74.7	2	6 (3)	51.5
Cryptosporidiosis			2.7		1 (1)	3.2			1.4
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever									
Rotavirus	2	3	10.3					(2)	4.1
STEC/VTEC infection		2 (1)	5.9		1 (2)	4.9			10.8
Salmonellosis	3	9 (6)	20.5	1	3 (2)	22.7	3	6 (3)	23.0
Shigellosis			1.6		1	1.6			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis		1	2.7			1.6			
Sexually transmissible infections									
Chlamydia (genital)	9	40 (18)	111.2	2	15 (10)	86.0	1	13 (2)	70.5
Gonorrhoea		7 (3)	26.4		2 (1)	6.5		4 (2)	13.6
Syphilis - Infectious			3.2						6.8
Syphilis - Non-Infectious		(1)	1.1		1	4.9		1 (1)	1.4
Vaccine preventable diseases									
Diphtheria									
Influenza	4	16 (3)	28.1	1	14	40.6	2	6	31.2
Measles									
Mumps		1	0.5						
Pertussis									
Pneumococcal infection			0.5						
Rubella (non-congenital)									
Varicella (chicken pox)		2 (3)	3.8		(2)	3.2		(1)	2.7
Varicella (shingles)	6	23 (19)	73.4		8 (4)	64.9	1	3 (7)	29.8
Varicella (unspecified)			2.2		(1)	3.2		1 (1)	10.8
Vector-borne diseases									
Barmah Forest virus									1.4
Chikungunya									
Dengue fever		1	2.7			3.2			
Malaria									
Murray Valley encephalitis virus									
Other flavivirus									
Ross River virus		1 (4)	1.1		(1)	16.2	1	1 (1)	6.8
Typhus									
Zoonotic diseases									
Brucellosis									
Leptospirosis									
Q Fever			1.1						1.4
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	1	1*****	0.5						
Haemolytic Uraemic Syndrome						1.6		1	2.7
Legionellosis									
Melioidosis									
Meningococcal infection		1	0.5						
Monkeypox virus									
RSV	2	4 (2)	9.7	1	4	24.3	1	3	6.8
Tuberculosis									
iGAS		1	1.1			1.6			
Grand Total	35	142 *****		9	63 (39)		11	47 (26)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						2.0			
Hepatitis B (unspecified)			6.8		1	2.0	1	2 (1)	12.0
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)			18.8	1	1 (1)	8.1		1	3.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	8 (8)	46.2		3 (4)	44.5	3	4 (4)	46.2
Cryptosporidiosis		2	6.8				1	6 (1)	20.5
Hepatitis A									
Hepatitis E									
Listeriosis									
Paratyphoid fever			1.7						
Rotavirus		2	6.8		1	6.1		(1)	10.3
STEC/VTEC infection		(1)	5.1		1 (1)	6.1		1 (1)	8.5
Salmonellosis		2 (4)	32.5	1	4	14.2	1	6 (6)	58.1
Shigellosis		1 (2)	6.8		(3)	6.1		(1)	1.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	16 (10)	162.6	2	14 (12)	176.1	4	24 (27)	230.8
Gonorrhoea		9 (2)	51.3	2	17 (14)	119.4		6 (20)	100.9
Syphilis - Infectious		1	20.5	1	1	18.2		3 (5)	44.4
Syphilis - Non-Infectious		(1)	10.3	2	3 (2)	14.2		2 (1)	13.7
Vaccine preventable diseases									
Diphtheria									
Influenza	2	17	58.2	5	12	34.4	8	64	206.9
Measles									
Mumps									
Pertussis			1.7						
Pneumococcal infection		1	5.1		(2)	4.0		1 (3)	8.5
Rubella (non-congenital)									
Varicella (chicken pox)			1.7		2	14.2			5.1
Varicella (shingles)		6 (4)	42.8		1 (3)	38.5		3 (1)	15.4
Varicella (unspecified)		1 (2)	10.3		1	4.0		2	3.4
Vector-borne diseases									
Barmah Forest virus						2.0			
Chikungunya									
Dengue fever			3.4			2.0			
Malaria						2.0			1.7
Murray Valley encephalitis virus									
Other flavivirus									
Ross River virus		1	5.1		1 (1)	4.0		1	3.4
Typhus									
Zoonotic diseases									
Brucellosis									1.7
Leptospirosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	2.0			
COVID-19									
Haemolytic Uraemic Syndrome								1	1.7
Legionellosis									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV		1 (1)	15.4		1	18.2		1 (1)	42.7
Tuberculosis			1.7		(1)	2.0			1.7
iGAS			5.1			10.1	1	1 (2)	13.7
Grand Total	5	68 (35)		14	65 (44)		19	129 (75)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (0)	0.2
Hepatitis B (unspecified)		1 (1)	5.9	5	32 (28)	6.0
Hepatitis C (newly acquired)				0	1 (4)	0.8
Hepatitis C (unspecified)		4	38.2	24	73 (38)	11.2
Hepatitis D				0	1 (0)	0.1
Enteric diseases						
Campylobacteriosis		2 (1)	64.7	72	270 (235)	62.4
Cryptosporidiosis	1	1 (2)	38.2	4	18 (25)	3.0
Hepatitis A				0	0 (0)	0.2
Hepatitis E				1	1 (0)	0.0
Listeriosis				0	0 (0)	0.1
Paratyphoid fever				0	0 (0)	0.3
Rotavirus			8.8	16	62 (23)	16.8
STEC/VTEC infection			17.6	1	11 (16)	4.0
Salmonellosis	1	7 (3)	91.2	38	109 (76)	22.5
Shigellosis	1	1	35.3	8	23 (11)	5.6
Typhoid				0	0 (0)	0.4
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	11 (1)	1.8
Sexually transmissible infections						
Chlamydia (genital)	6	45 (23)	673.5	179	823 (645)	156.6
Gonorrhoea		15 (25)	408.8	47	272 (197)	50.8
Syphilis - Infectious	1	2 (8)	61.8	7	31 (48)	8.5
Syphilis - Non-Infectious	1	1	5.9	3	10 (12)	2.4
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
Influenza	48	196 (2)	1635.1	258	901 (21)	92.3
Measles				0	1 (0)	0.0
Mumps				0	1 (0)	0.1
Pertussis				0	0 (0)	0.5
Pneumococcal infection		3	17.6	2	12 (10)	1.7
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)	1	1	5.9	1	15 (18)	4.1
Varicella (shingles)		3 (1)	55.9	8	122 (149)	29.2
Varicella (unspecified)				78	245 (155)	33.5
Vector-borne diseases						
Barmah Forest virus		4 (1)	23.5	0	4 (1)	0.5
Chikungunya				0	0 (1)	0.2
Dengue fever			2.9	1	16 (2)	2.4
Malaria				2	2 (1)	0.7
Murray Valley encephalitis virus			2.9	0	0 (0)	0.1
Other flavivirus		1	2.9	0	1 (0)	0.0
Ross River virus		3 (4)	79.4	6	29 (26)	3.9
Typhus				0	1 (1)	0.3
Zoonotic diseases						
Brucellosis				0	0 (0)	0.0
Leptospirosis				0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (2)	2.9	0	2 (3)	0.1
COVID-19				1	1*****	0.0
Haemolytic Uraemic Syndrome				0	0 (0)	0.1
Legionellosis				0	4 (6)	0.7
Melioidosis		(1)	2.9	0	0 (1)	0.0
Meningococcal infection				0	1 (1)	0.1
Monkeypox virus				0	1 (0)	0.1
RSV	1	13 (15)	144.1	60	190 (53)	22.6
Tuberculosis				1	13 (8)	1.4
iGAS		1 (5)	26.5	4	11 (14)	2.5
Grand Total	61	305 (94)		827	3321*****	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 17	
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2023	2022
	Salmonella Total	26	34	32	28	35	19	17	38	604
Serotype/Phage										
Salmonella Adelaide				1					1	0
Salmonella Agona		1	1	1	1				6	6
Salmonella Albany									1	0
Salmonella Anatum	1	1				1			5	4
Salmonella Anatum var 15+									2	1
Salmonella Bahrenfeld		2			1				3	0
Salmonella Bareilly									2	0
Salmonella Bovismorbificans	1		1		1	1			11	5
Salmonella Brandenburg									1	0
Salmonella Bredeney					1				1	0
Salmonella Carnac									2	0
Salmonella Cerro						1			2	1
Salmonella Chailey									1	0
Salmonella Chester		1	1	1	1	1		1	24	6
Salmonella Choleraesuis bv Australia		1							6	5
Salmonella Choleraesuis bv Decatur					1				3	6
Salmonella Corvallis	1								2	1
Salmonella Eastbourne					1	1			2	2
Salmonella Enteritidis	2	3	2	7	2				41	2
Salmonella Fresno									1	0
Salmonella Give	1								3	3
Salmonella Hadar	1								2	0
Salmonella Havana				1	1				3	2
Salmonella Hessarek									3	0
Salmonella Hvittingfoss						1			2	1
Salmonella Indiana					1				1	0
Salmonella Infantis	1	1	3		2		1		10	6
Salmonella Javiana					1				1	0
Salmonella Johannesburg					1				2	2
Salmonella Kentucky			1	1					5	1
Salmonella Kiambu	1						1	1	4	7
Salmonella Kottbus	1								6	0
Salmonella Lansing									1	0
Salmonella Litchfield					1				1	3
Salmonella London									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo									1	0
Salmonella Muenchen	1		1	1	1				10	10
Salmonella Muenster		1							1	0
Salmonella Ndolo									1	0
Salmonella Newport			2	1					11	2
Salmonella Oranienburg	1			1					2	13
Salmonella Oslo									1	0
Salmonella Paratyphi B bv Java		1	1	1	2		1		24	3
Salmonella Poona	1		1						4	0
Salmonella Potsdam							1		4	4
Salmonella Reading									3	8
Salmonella Richmond									1	0
Salmonella Rubislaw									1	3

Weekly Report for period 05-MAR-23 to 29-APR-23

	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	Cumulative Total to end of Week 17	
									2023	2022
Salmonella Total	26	34	32	28	35	19	17	38	604	335
Serotype/Phage										
Salmonella Saintpaul	1	2	3		1	1	1		94	16
Salmonella Schwarzengrund					1				2	1
Salmonella Senftenberg	1	1							2	2
Salmonella Singapore		1							1	0
Salmonella Stanley	1	1		1			1		11	10
Salmonella Thompson						1			1	1
Salmonella Typhimurium	2	10	8	6	7	7	4	3	117	162
Salmonella Virchow				1					3	3
Salmonella Wandsworth			1						2	1
Salmonella Wangata								2	5	0
Salmonella Welikade							1		1	2
Salmonella Weltevreden	2				1				9	2
Salmonella Zanzibar			1						1	0
Salmonella Zehlendorf		1							1	0
Salmonella species	6	6	5	4	6	4	6	31	127	27