



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 11-DEC-22 to 04-FEB-23

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 5			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	17/12	24/12	31/12	07/01	14/01	21/01	28/01	04/02	2023	2022	2021			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)		1		1			1		2	0	2	1	1.2	0.8
Hepatitis B (unspecified)	5	7	1	9	8	7	12	5	41	39	31	32	35.1	0.9
Hepatitis C (newly acquired)		1		1					1	7	4	0	6.9	0.0
Hepatitis C (unspecified)	15	9	12	7	14	12	18	22	73	68	79	66	66.3	1.0
Hepatitis D									0	1	0	0	0.6	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	100	87	63	132	129	96	87	87	531	358	359	399	263.1	1.5
Cryptosporidiosis	1	3	4	8	5	4	2	4	23	25	12	15	32.1	0.5
Hepatitis A		1						1	1	0	0	1	1.3	0.8
Listeriosis		1							0	0	1	0	0.7	0.0
Paratyphoid fever		1							0	0	0	0	0.5	0.0
Rotavirus	17	12	14	17	22	29	23	14	105	55	9	88	25.9	3.4
STEC/VTEC infection	10	8	6	7	11	9	10	9	46	15	16	39	11.0	3.5
Salmonellosis	23	19	17	25	35	36	38	31	165	120	140	140	148.4	0.9
Shigellosis	3	5	5	12	5	6	9	5	37	9	9	25	23.5	1.1
Typhoid	1		1			1			1	1	1	1	1.7	0.6
Vibrio parahaemolyticus							1		1	2	2	1	1.7	0.6
Yersiniosis	2	2	2	3		4	2	6	15	1	2	12	1.5	8.2
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	221	178	64	203	249	280	204	255	1191	1124	1033	988	881.1	1.1
Gonorrhoea	75	66	19	81	111	85	71	63	411	300	263	330	267.3	1.2
Syphilis (congenital)									0	2	0	0	0.1	0.0
Syphilis - Infectious	14	10	4	14	11	9	14	10	58	91	81	44	50.3	0.9
Syphilis - Non-Infectious	6	6		5	5	1	2	4	17	18	18	12	16.2	0.7
<b>Vaccine preventable diseases</b>														
Diphtheria									0	0	0	0	0.1	0.0
H. influenzae type b									0	0	0	0	0.1	0.0
Influenza	95	99	62	71	91	80	72	85	399	4	3	328	223.2	1.5
Mumps									0	0	0	0	1.0	0.0
Pertussis	3	2		1		2	1		4	5	5	3	41.1	0.1
Pneumococcal infection	2	3	4	2	2	2	3	2	11	7	7	9	9.0	1.0
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	13	9	13	5	4	8	5	3	25	26	28	20	39.1	0.5
Varicella (shingles)	41	53	33	43	44	50	40	20	197	248	297	154	189.1	0.8
Varicella (unspecified)	57	57	30	49	53	55	54	100	311	246	145	262	129.1	2.0
<b>Vector-borne diseases</b>														
Barmah Forest virus	1			1		1		1	3	2	3	2	1.9	1.1
Chikungunya							1		1	0	0	1	0.5	1.9
Dengue fever	3	1	2	3	3	3	2	1	12	0	0	9	10.3	0.9
Malaria	1	3		1	1	1	1	2	6	1	2	5	3.2	1.6
Murray Valley encephalitis virus									0	0	0	0	0.0	0.0
Ross River virus	2	4		3	3	6	4		16	172	135	13	63.3	0.2
Typhus				1	1				2	1	3	1	2.0	0.5
Zika virus									0	0	0	0	0.0	0.0
<b>Zoonotic diseases</b>														
Leptospirosis						1	1		2	0	1	2	0.5	3.8
Q Fever									0	0	0	0	0.5	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									0	2	0	0	1.2	0.0
Amoebic meningitis		1							0	0	0	0	0.0	0.0
COVID-19	3	2	2	1		3		2	6	607	36	5	1030.8	0.0
Creutzfeldt-Jakob disease									0	0	0	0	0.7	0.0
Legionellosis			1	2	2		2		6	6	1	4	3.2	1.3
Leprosy									0	1	0	0	0.1	0.0
Melioidosis		1		1					1	0	0	0	0.3	0.0
Meningococcal infection		1	1						0	2	2	0	2.3	0.0
Monkeypox virus									0	0	0	0	0.0	0.0
RSV	76	53	38	56	38	30	29	26	179	759	0	123	96.4	1.3
Tuberculosis	1	1		6		2	3	2	13	4	11	7	10.5	0.7
iGAS	7	12	6	6	6	5	4	1	22	18	0	16	3.1	5.2
<b>Grand Total</b>	<b>798</b>	<b>719</b>	<b>404</b>	<b>777</b>	<b>853</b>	<b>828</b>	<b>716</b>	<b>761</b>						

**METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 5			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	17/12	24/12	31/12	07/01	14/01	21/01	28/01	04/02	2023	2022	2021			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (unspecified)	4	5	1	8	6	6	10	4	34	29	22	26	27.8	0.9
Hepatitis C (newly acquired)		1		1					1	5	4	0	5.5	0.0
Hepatitis C (unspecified)	11	7	4	5	11	12	14	18	60	52	60	55	47.5	1.2
Hepatitis D									0	1	0	0	0.6	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	79	71	45	109	102	75	65	73	424	294	302	315	209.0	1.5
Cryptosporidiosis		2	2	4	1	1	2	3	11	17	9	7	25.9	0.3
Hepatitis A		1						1	1	0	0	1	1.2	0.8
Listeriosis		1							0	0	0	0	0.5	0.0
Paratyphoid fever		1							0	0	0	0	0.5	0.0
Rotavirus	14	11	11	14	19	28	21	13	95	48	8	81	22.5	3.6
STEC/VTEC infection	5	4	3	4	7	5	8	5	29	10	11	25	8.5	3.0
Salmonellosis	15	13	11	18	32	29	29	23	131	93	104	113	113.4	1.0
Shigellosis	2	3	1	9	4	5	8	5	31	6	2	22	12.3	1.8
Typhoid	1		1			1			1	1	0	1	1.7	0.6
Vibrio parahaemolyticus							1		1	2	2	1	1.6	0.6
Yersiniosis	2	1	2	3		3	2	4	12	1	2	9	1.3	6.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	177	140	50	161	186	223	157	217	944	885	807	783	693.1	1.1
Gonorrhoea	55	54	8	63	79	65	53	50	310	188	147	247	176.0	1.4
Syphilis (congenital)									0	0	0	0	0.0	0.0
Syphilis - Infectious	12	7	2	6	5	7	8	5	31	62	39	25	31.6	0.8
Syphilis - Non-Infectious	3	6		3			2		5	11	15	2	12.1	0.2
<b>Vaccine preventable diseases</b>														
Diphtheria									0	0	0	0	0.1	0.0
Influenza	79	83	49	64	78	60	53	65	320	2	3	256	171.8	1.5
Pertussis	1			1		2	1		4	3	4	3	30.1	0.1
Pneumococcal infection	2	2	3	2	1		2	2	7	4	2	5	4.9	1.0
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	11	7	7	4	4	3	4	3	18	23	22	14	28.5	0.5
Varicella (shingles)	30	34	21	29	30	36	22	6	123	174	205	94	134.2	0.7
Varicella (unspecified)	56	54	29	41	52	52	50	93	288	227	142	247	123.7	2.0
<b>Vector-borne diseases</b>														
Barmah Forest virus	1			1				1	2	0	0	1	0.3	3.0
Chikungunya									0	0	0	0	0.3	0.0
Dengue fever	3	1	2	3	2	3	2	1	11	0	0	8	8.5	0.9
Malaria	1	2			1	1	1	2	5	1	1	5	2.7	1.8
Ross River virus		3		3	3	3	2		11	123	63	8	40.8	0.2
Typhus				1					1	0	0	1	0.9	1.1
Zika virus									0	0	0	0	0.0	0.0
<b>Zoonotic diseases</b>														
Leptospirosis						1	1		2	0	0	2	0.4	5.0
Q Fever									0	0	0	0	0.1	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis									0	0	0	0	0.0	0.0
Amoebic meningitis		1							0	0	0	0	0.0	0.0
COVID-19									0	513	15	0	946.4	0.0
Creutzfeldt-Jakob disease									0	0	0	0	0.5	0.0
Legionellosis			1	2	2		1		5	3	1	3	2.3	1.3
Leprosy									0	1	0	0	0.1	0.0
Meningococcal infection		1	1						0	2	1	0	1.4	0.0
Monkeypox virus									0	0	0	0	0.0	0.0
RSV	34	30	24	36	26	24	16	16	118	534	0	82	62.9	1.3
Tuberculosis				5		1	2	1	9	2	11	4	9.1	0.4
iGAS	4	8	6	5	2	5	2		14	11	0	9	2.0	4.5
<b>Grand Total</b>	<b>602</b>	<b>554</b>	<b>284</b>	<b>604</b>	<b>654</b>	<b>651</b>	<b>539</b>	<b>611</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	7 (6)	1.1	1	9 (5)	1.5	2	10 (16)	2.1
Hepatitis C (newly acquired)								(4)	0.1
Hepatitis C (unspecified)	4	11 (6)	1.5	8	16 (11)	2.8	6	28 (27)	4.0
<b>Enteric diseases</b>									
Campylobacteriosis	28	117 (81)	21.3	23	99 (65)	18.3	22	99 (76)	19.0
Cryptosporidiosis	3	4 (2)	0.7		1 (1)	0.3		2 (10)	0.5
Hepatitis A	1	1	0.1						
Rotavirus	4	27 (5)	4.3	6	23 (14)	4.0	3	31 (13)	4.8
STEC/VTEC infection		5	0.8	4	7 (4)	1.3	1	13 (2)	1.9
Salmonellosis	9	47 (18)	7.1	6	31 (25)	5.6	8	35 (30)	5.3
Shigellosis	3	10 (2)	2.3		5 (1)	0.7	2	7 (1)	1.2
Typhoid								1 (1)	0.1
Vibrio parahaemolyticus		1	0.1						
Yersiniosis	3	3	0.7		4	0.6	1	2 (1)	0.4
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	67	232 (238)	37.2	69	240 (197)	43.6	81	311 (284)	49.9
Gonorrhoea	10	76 (41)	12.3	13	66 (42)	13.1	27	105 (63)	17.4
Syphilis - Infectious	1	5 (10)	0.8	1	10 (10)	1.8	3	10 (27)	1.7
Syphilis - Non-Infectious		1 (3)	0.4		1 (2)	0.1		(6)	0.1
<b>Vaccine preventable diseases</b>									
Influenza	28	119 (1)	20.3	15	65	12.4	22	72	11.4
Pertussis		(2)	0.1		2 (1)	0.3		1	0.1
Pneumococcal infection	1	2 (1)	0.4	1	1 (1)	0.1		2 (2)	0.4
Varicella (chicken pox)		3 (3)	0.9	1	6 (7)	0.9	2	5 (5)	0.7
Varicella (shingles)	1	31 (47)	5.3	2	27 (57)	5.8	3	36 (40)	6.0
Varicella (unspecified)	42	95 (59)	14.5	29	69 (68)	11.4	22	83 (62)	13.8
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.1	1	1	0.1			
Chikungunya									
Dengue fever	1	3	0.7		3	0.4		2	0.4
Malaria	1	2	0.3				1	3 (1)	0.4
Ross River virus		4 (17)	0.5		4 (49)	0.9		(37)	0.1
Typhus		1	0.1						
<b>Zoonotic diseases</b>									
Leptospirosis		1	0.1					1	0.1
<b>Other diseases</b>									
COVID-19									
Legionellosis		1 (1)	0.3		1	0.1		1 (1)	0.3
Melioidosis									
RSV	7	33 (108)	5.8	4	18 (122)	4.9	5	31 (119)	5.6
Tuberculosis		1 (1)	0.4		1	0.3	1	2 (1)	0.5
iGAS		1 (4)	0.3		5 (2)	0.7		3 (4)	0.9
<b>Grand Total</b>	<b>215</b>	<b>844 (656)</b>		<b>184</b>	<b>715 (684)</b>		<b>212</b>	<b>896 (833)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1	1.1						
Hepatitis B (unspecified)				1	1	1.6		1 (1)	1.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	3 (3)	1.6		1 (3)	1.6	2	2 (1)	2.7
<b>Enteric diseases</b>									
Campylobacteriosis	3	33 (24)	21.6	2	7 (6)	22.7	4	9 (4)	19.0
Cryptosporidiosis		1 (1)	1.6						
Hepatitis A									
Rotavirus		3 (1)	2.2						
STEC/VTEC infection		5 (1)	2.7		1	3.2	1	1	2.7
Salmonellosis	1	6 (7)	3.2	2	3 (1)	6.5			1.4
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis	2	3	1.6						
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	17	57 (35)	39.9	3	9 (8)	16.2	1	9 (12)	14.9
Gonorrhoea	6	20 (7)	11.3			1.6		1 (2)	1.4
Syphilis - Infectious	1	2 (1)	1.6					1 (1)	2.7
Syphilis - Non-Infectious		1 (1)	0.5	1	1	1.6			
<b>Vaccine preventable diseases</b>									
Influenza		6 (1)	3.8		1	3.2	1	3	6.8
Pertussis									
Pneumococcal infection									
Varicella (chicken pox)		2 (1)	1.6		1	1.6		1	1.4
Varicella (shingles)	9	33 (27)	20.0	3	11 (4)	24.3	1	3 (7)	5.4
Varicella (unspecified)			0.5	2	2 (5)	4.9	1	2 (3)	4.1
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya		1	0.5						
Dengue fever									
Malaria									
Ross River virus					2 (13)	3.2		2 (5)	2.7
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
<b>Other diseases</b>									
COVID-19		1 (12)	0.5	2	3 (2)	4.9			
Legionellosis					1	1.6			
Melioidosis									
RSV	1	5 (44)	4.3	2	4 (16)	9.7		(8)	2.7
Tuberculosis									
iGAS		1 (2)	0.5	1	1 (2)	1.6			
<b>Grand Total</b>	<b>41</b>	<b>184 (168)</b>		<b>19</b>	<b>49 (60)</b>		<b>11</b>	<b>35 (44)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (2)	3.4				1 (3)		3.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	3 (2)	8.6	1 (1)		2.0			
<b>Enteric diseases</b>									
Campylobacteriosis	3	10 (1)	17.1	2	7 (3)	14.2		4 (8)	6.8
Cryptosporidiosis									
Hepatitis A									
Rotavirus	1	1	1.7				1		3.4
STEC/VTEC infection	1	2	3.4				1	1	1.7
Salmonellosis		3 (1)	5.1		1 (1)	2.0	1	4 (6)	10.3
Shigellosis						2.0			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	22 (26)	44.5	2	21 (29)	48.6	4	31 (25)	66.7
Gonorrhoea	1	3 (6)	5.1	2	10 (17)	24.3		17 (26)	35.9
Syphilis - Infectious		1 (2)	3.4		1 (5)	4.0	2	7 (7)	18.8
Syphilis - Non-Infectious	1	3	5.1		1 (2)	4.0	1	3 (1)	6.8
<b>Vaccine preventable diseases</b>									
Influenza		2	5.1		3	6.1		1	1.7
Pertussis									
Pneumococcal infection					1 (1)	2.0		1	1.7
Varicella (chicken pox)					1 (2)	2.0		1	1.7
Varicella (shingles)		1 (3)	3.4		4 (8)	10.1		2 (1)	3.4
Varicella (unspecified)	3	6 (9)	13.7		1	2.0			
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria						2.0			
Ross River virus									
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
<b>Other diseases</b>									
COVID-19		1 (6)	1.7						
Legionellosis									
Melioidosis									
RSV		4 (43)	12.0		3 (4)	8.1	3	10 (34)	20.5
Tuberculosis				1	1	2.0			1.7
iGAS		1	1.7		1	2.0		2 (1)	3.4
<b>Grand Total</b>	<b>14</b>	<b>65 (101)</b>		<b>7</b>	<b>57 (73)</b>		<b>11</b>	<b>86 (112)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	1 (0)	0.1
Hepatitis B (unspecified)				5	32 (36)	1.5
Hepatitis C (newly acquired)				0	0 (7)	0.0
Hepatitis C (unspecified)		1 (1)	2.9	22	66 (59)	2.8
<b>Enteric diseases</b>						
Campylobacteriosis		7	20.6	87	399 (270)	19.7
Cryptosporidiosis	1	7 (1)	26.5	4	15 (19)	0.9
Hepatitis A				1	1 (0)	0.0
Rotavirus		1 (1)	5.9	14	88 (35)	3.9
STEC/VTEC infection	2	4	11.8	9	39 (8)	1.7
Salmonellosis	3	7 (2)	26.5	31	140 (92)	6.1
Shigellosis		3 (1)	14.7	5	25 (6)	1.4
Typhoid				0	1 (1)	0.0
Vibrio parahaemolyticus				0	1 (0)	0.0
Yersiniosis				6	12 (1)	0.6
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	3	47 (56)	152.9	255	988 (918)	44.3
Gonorrhoea	4	28 (33)	108.8	63	330 (238)	15.3
Syphilis - Infectious	2	6 (4)	17.6	10	44 (69)	2.2
Syphilis - Non-Infectious				4	12 (18)	0.4
<b>Vaccine preventable diseases</b>						
Influenza	17	46 (1)	135.3	85	328 (3)	14.8
Pertussis				0	3 (4)	0.1
Pneumococcal infection		1	2.9	2	9 (6)	0.4
Varicella (chicken pox)				3	20 (18)	0.9
Varicella (shingles)	1	5 (8)	17.6	20	154 (202)	7.3
Varicella (unspecified)		1	2.9	100	262 (206)	11.6
<b>Vector-borne diseases</b>						
Barmah Forest virus		1	2.9	1	2 (2)	0.1
Chikungunya				0	1 (0)	0.0
Dengue fever				1	9 (0)	0.4
Malaria				2	5 (1)	0.2
Ross River virus		1 (1)	2.9	0	13 (146)	0.6
Typhus				0	1 (1)	0.1
<b>Zoonotic diseases</b>						
Leptospirosis				0	2 (0)	0.1
<b>Other diseases</b>						
COVID-19		(2)	2.9	2	5 (546)	0.2
Legionellosis				0	4 (4)	0.2
Melioidosis			2.9	0	0 (0)	0.0
RSV	3	13 (24)	58.8	26	123 (524)	6.7
Tuberculosis				2	7 (4)	0.3
iGAS		1	2.9	1	16 (15)	0.8
<b>Grand Total</b>	<b>36</b>	<b>180 (135)</b>		<b>761</b>	<b>3158 (3464)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 5	
	17/12	24/12	31/12	07/01	14/01	21/01	28/01	04/02	2023	2022
	<b>Salmonella Total</b>	<b>23</b>	<b>19</b>	<b>17</b>	<b>25</b>	<b>35</b>	<b>36</b>	<b>38</b>	<b>31</b>	<b>165</b>
<b>Serotype/Phage</b>										
Salmonella Agona						1			1	3
Salmonella Anatum				1	1				2	2
Salmonella Anatum var 15+								1	1	0
Salmonella Bareilly								1	1	0
Salmonella Bovismorbificans	1	2		1		1	1		3	1
Salmonella Brandenburg	1								0	0
Salmonella Chailey					1				1	0
Salmonella Chester	4	4	3	3	2	6	1	1	13	0
Salmonella Choleraesuis bv Australia								1	1	2
Salmonella Choleraesuis bv Decatur			1						0	0
Salmonella Enteritidis	1		1	1	5	2	5	1	14	1
Salmonella Give	1								0	3
Salmonella Johannesburg							1		1	0
Salmonella Kentucky			2	1		1	1		3	0
Salmonella Kottbus				1	1				2	0
Salmonella Litchfield	1								0	1
Salmonella Mississippi						1			1	0
Salmonella Montevideo				1					1	0
Salmonella Muenchen	2			1			3		4	3
Salmonella Newport		1		1			1		2	0
Salmonella Ohlstedt			1						0	0
Salmonella Oranienburg	1								0	8
Salmonella Paratyphi B bv Java	1			1	4	2		1	8	1
Salmonella Poona						1			1	0
Salmonella Potsdam				1			1		2	2
Salmonella Reading				1	1	1			3	5
Salmonella Saintpaul	2			5	1	1		3	10	2
Salmonella Singapore	1								0	0
Salmonella Stanley				1	1		1		3	6
Salmonella Typhimurium	3	6	2	2	11	11	10	5	39	55
Salmonella Virchow		1					1		1	2
Salmonella Wandsworth								1	1	1
Salmonella Wangata						1	1		2	0
Salmonella Weltevreden					2				2	0
Salmonella species	4	5	7	3	5	7	11	16	42	5