



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 25-DEC-22 to 18-FEB-23

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 25-DEC-22 to 18-FEB-23

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2023	2022	2021			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1			1		2		4	0	2	3	1.1	2.8
Hepatitis B (unspecified)	1	8	8	7	12	4	11	8	58	57	46	35	35.8	1.0
Hepatitis C (newly acquired)	1	1				1	1	3	6	9	10	5	6.2	0.8
Hepatitis C (unspecified)	11	7	14	12	18	21	29	28	129	92	123	96	69.5	1.4
Hepatitis D									0	1	0	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	65	133	138	101	91	100	123	98	784	469	461	412	256.7	1.6
Cryptosporidiosis	4	8	5	5	2	9	4	2	35	50	17	17	38.5	0.4
Hepatitis A						1			1	0	0	1	1.5	0.7
Listeriosis									0	0	1	0	0.7	0.0
Paratyphoid fever		1	1				1		3	0	0	1	0.5	2.1
Rotavirus	14	18	22	29	27	22	22	23	163	61	15	94	22.3	4.2
STEC/VTEC infection	6	7	11	10	10	13	9	2	62	23	21	34	11.9	2.9
Salmonellosis	17	27	36	37	45	59	59	22	285	164	187	185	153.3	1.2
Shigellosis	5	12	7	7	9	6	10	12	63	13	11	37	24.1	1.5
Typhoid	1			1		1			2	3	1	1	1.8	0.6
Vibrio parahaemolyticus					1		1		2	2	2	2	1.5	1.3
Yersiniosis	1	3		4	4	8	5	5	29	1	5	22	1.4	15.7
Sexually transmissible infections														
Chlamydia (genital)	64	204	253	284	208	292	287	244	1772	1580	1526	1031	908.9	1.1
Gonorrhoea	19	81	111	86	72	91	91	51	583	421	377	305	278.1	1.1
Syphilis (congenital)									0	2	0	0	0.1	0.0
Syphilis - Infectious	4	17	15	10	15	20	11	4	92	124	112	50	50.9	1.0
Syphilis - Non-Infectious		5	5	1	2	5	2	3	23	26	31	12	18.1	0.7
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.1	0.0
H. influenzae type b									0	0	0	0	0.1	0.0
Influenza	62	71	91	80	72	97	125	105	641	7	5	399	230.3	1.7
Mumps							1		1	0	0	1	1.1	0.9
Pertussis		1		2	1			1	5	7	7	2	38.3	0.1
Pneumococcal infection	4	2	2	2	3	5	2	2	18	14	10	12	8.5	1.4
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	13	5	5	7	7	9	6	6	45	40	49	28	38.7	0.7
Varicella (shingles)	33	43	45	57	48	56	55	24	328	345	404	183	195.3	0.9
Varicella (unspecified)	30	49	53	54	50	63	54	57	380	353	212	224	135.7	1.7
Vector-borne diseases														
Barmah Forest virus		1		1	1	1			4	3	3	2	1.9	1.1
Chikungunya					1		1		2	0	0	2	0.6	3.3
Dengue fever	2	3	3	4	3	5		1	19	0	0	9	11.6	0.8
Malaria		1	3	1	1	2	1		9	3	2	4	3.4	1.2
Murray Valley encephalitis virus									0	0	0	0	0.0	0.0
Ross River virus		4	5	6	4	6	1	1	27	239	177	12	66.3	0.2
Typhus		1	1						2	1	3	0	1.8	0.0
Zika virus									0	0	0	0	0.0	0.0
Zoonotic diseases														
Leptospirosis				1	1				2	0	1	1	0.3	3.8
Q Fever								2	2	1	0	2	0.5	4.3
Other diseases														
Acute post-streptococcal glomerulonephritis									0	4	0	0	1.4	0.0
COVID-19	2	1		3				1	5	2181	43	1	3332.4	0.0
Creutzfeldt-Jakob disease									0	1	0	0	0.6	0.0
Haemolytic Uraemic Syndrome					1				1	0	0	1	0.2	5.0
Legionellosis	1	2	2		2				6	6	5	2	3.2	0.6
Leprosy									0	1	0	0	0.1	0.0
Melioidosis		1							1	0	1	0	0.3	0.0
Meningococcal infection	1								0	2	2	0	2.0	0.0
Monkeypox virus									0	0	0	0	0.0	0.0
RSV	38	56	38	30	30	26	20	35	235	944	0	111	89.3	1.2
Tuberculosis		6		2	3	2	5		18	10	14	10	10.7	0.9
iGAS	6	7	6	5	5	3	2		28	29	0	10	3.0	3.3
Grand Total	405	787	880	849	750	928	941	740						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2023	2022	2021			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)							1		1	0	2	1	0.8	1.3
Hepatitis B (unspecified)	1	7	6	6	10	3	10	6	48	44	32	29	28.5	1.0
Hepatitis C (newly acquired)		1				1	1	2	5	7	9	4	4.9	0.8
Hepatitis C (unspecified)	4	5	11	12	14	17	19	22	100	71	92	72	49.4	1.5
Hepatitis D									0	1	0	0	0.5	0.0
Enteric diseases														
Campylobacteriosis	46	109	109	80	69	83	98	77	625	380	373	327	206.2	1.6
Cryptosporidiosis	2	4	1	2	2	6	3		18	35	10	11	30.9	0.4
Hepatitis A						1			1	0	0	1	1.4	0.7
Listeriosis									0	0	0	0	0.5	0.0
Paratyphoid fever		1	1				1		3	0	0	1	0.5	2.1
Rotavirus	11	15	19	28	25	20	21	21	149	54	14	87	19.3	4.5
STEC/VTEC infection	3	4	7	6	7	7	5	2	38	17	16	21	8.7	2.4
Salmonellosis	11	20	33	30	37	45	46	16	227	124	134	144	117.2	1.2
Shigellosis	1	9	6	6	8	6	9	10	54	7	3	33	12.9	2.6
Typhoid	1			1		1			2	3	0	1	1.7	0.6
Vibrio parahaemolyticus					1		1		2	2	2	2	1.5	1.4
Yersiniosis	1	3		3	4	6	4	4	24	1	5	18	1.2	15.0
Sexually transmissible infections														
Chlamydia (genital)	50	161	190	226	159	234	246	187	1403	1235	1205	826	709.5	1.2
Gonorrhoea	8	63	79	66	55	62	72	38	435	269	212	227	185.0	1.2
Syphilis (congenital)									0	0	0	0	0.0	0.0
Syphilis - Infectious	2	9	8	7	9	10	4	4	51	87	60	27	32.3	0.8
Syphilis - Non-Infectious		3			2	1	2	1	9	16	26	6	13.8	0.4
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.1	0.0
Influenza	49	64	78	60	53	73	93	74	495	3	4	293	178.0	1.6
Pertussis		1		2	1			1	5	5	6	2	28.0	0.1
Pneumococcal infection	3	2	1		2	4	1	2	12	9	4	9	4.3	2.1
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	7	4	4	3	6	9	6	4	36	34	37	25	28.3	0.9
Varicella (shingles)	21	29	30	44	29	37	34	14	217	243	282	114	138.1	0.8
Varicella (unspecified)	29	41	52	50	48	62	52	52	357	328	209	214	130.1	1.6
Vector-borne diseases														
Barmah Forest virus		1			1	1			3	0	0	2	0.1	15.0
Chikungunya							1		1	0	0	1	0.3	3.0
Dengue fever	2	3	2	3	2	5		1	16	0	0	8	9.7	0.8
Malaria			3	1	1	2			7	3	1	3	2.9	1.0
Ross River virus		4	3	3	2	2	1	1	16	168	91	6	43.8	0.1
Typhus			1						1	0	0	0	0.8	0.0
Zika virus									0	0	0	0	0.0	0.0
Zoonotic diseases														
Leptospirosis				1	1				2	0	0	1	0.2	5.0
Q Fever								2	2	0	0	2	0.1	30.0
Other diseases														
Acute post-streptococcal glomerulon									0	0	0	0	0.0	0.0
COVID-19									0	1913	20	0	3059.9	0.0
Creutzfeldt-Jakob disease									0	1	0	0	0.5	0.0
Haemolytic Uraemic Syndrome					1				1	0	0	1	0.0	0.0
Legionellosis	1	2	2		1				5	3	4	1	2.1	0.5
Leprosy									0	1	0	0	0.1	0.0
Meningococcal infection	1								0	2	1	0	1.1	0.0
Monkeypox virus									0	0	0	0	0.0	0.0
RSV	24	36	26	24	16	17	19	24	162	630	0	76	57.5	1.3
Tuberculosis		5		1	2	1	4		13	6	13	7	9.2	0.8
iGAS	6	5	2	5	3	1	1		17	20	0	5	2.0	2.5
Grand Total	284	611	674	670	571	717	755	565						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	0.1						
Hepatitis B (unspecified)	2	7 (5)	1.5	2	13 (5)	2.7	2	9 (17)	2.5
Hepatitis C (newly acquired)	1	1	0.1	1	2 (2)	0.3		1 (1)	0.3
Hepatitis C (unspecified)	3	11 (5)	2.0	10	25 (9)	4.7	9	36 (23)	7.1
Enteric diseases									
Campylobacteriosis	30	106 (67)	29.4	27	108 (54)	28.4	20	113 (66)	28.7
Cryptosporidiosis		4 (4)	0.7		2 (4)	0.6		5 (20)	1.2
Hepatitis A		1	0.1						
Paratyphoid fever					1	0.1			0.3
Rotavirus	4	24 (5)	6.3	11	35 (6)	7.7	6	28 (11)	6.7
STEC/VTEC infection	1	6 (2)	1.5		5 (4)	1.5	1	10 (5)	2.3
Salmonellosis	5	50 (18)	11.4	6	43 (26)	10.2	5	51 (28)	9.8
Shigellosis	5	13 (1)	3.4	2	7	1.6	4	14 (1)	2.5
Typhoid								1 (3)	0.3
Vibrio parahaemolyticus		2	0.3						
Yersiniosis	1	9	1.5	2	6	1.2	1	3 (1)	0.7
Sexually transmissible infections									
Chlamydia (genital)	62	253 (227)	57.0	58	266 (208)	64.1	67	307 (255)	73.0
Gonorrhoea	16	71 (36)	18.4	4	52 (50)	16.7	18	104 (53)	24.7
Syphilis - Infectious	1	6 (12)	1.3	2	10 (16)	2.7	1	11 (19)	3.1
Syphilis - Non-Infectious		2 (2)	0.5	1	2 (4)	0.3		2 (6)	0.4
Vaccine preventable diseases									
Influenza	37	140 (1)	31.9	16	67 (1)	18.3	21	86	17.9
Mumps									
Pertussis	1	1 (2)	0.3		1 (1)	0.3		(1)	0.1
Pneumococcal infection	1	3 (1)	0.5		2 (2)	0.3	1	4 (2)	0.8
Varicella (chicken pox)	1	10 (6)	2.2	1	6 (9)	1.5	2	9 (6)	1.3
Varicella (shingles)	6	41 (40)	10.5	6	37 (44)	10.5	2	36 (45)	9.1
Varicella (unspecified)	23	75 (67)	17.0	11	61 (71)	14.5	18	78 (56)	17.8
Vector-borne diseases									
Barmah Forest virus			0.1		1	0.1		1	0.1
Chikungunya					1	0.1			
Dengue fever	1	5	1.1		2	0.7		1	0.4
Malaria		(2)	0.3					3	0.7
Ross River virus		2 (19)	0.7	1	1 (52)	1.0		3 (36)	0.5
Typhus			0.1						
Zoonotic diseases									
Leptospirosis			0.1					1	0.1
Q Fever	1	1	0.1				1	1	0.1
Other diseases									
COVID-19									
Haemolytic Uraemic Syndrome					1	0.1			
Legionellosis			0.3		1	0.1			0.3
Melioidosis									
RSV	12	37 (97)	8.9	7	15 (81)	6.2	5	24 (63)	7.2
Tuberculosis		2 (4)	0.5		1	0.3		4 (1)	0.9
iGAS		2 (5)	0.5		3 (4)	0.9		(7)	0.9
Grand Total	214	886 (628)		168	777 (653)		184	946 (726)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.1		1	1.6			
Hepatitis B (unspecified)					1	1.6		(1)	1.4
Hepatitis C (newly acquired)				1	1	1.6			
Hepatitis C (unspecified)	1	8 (4)	4.3		1 (3)	3.2	1	4 (2)	5.4
Enteric diseases									
Campylobacteriosis	7	33 (18)	32.4	2	7 (7)	29.2	4	9 (5)	24.4
Cryptosporidiosis	1	1 (1)	2.2						
Hepatitis A									
Paratyphoid fever									
Rotavirus	2	3	3.2						
STEC/VTEC infection		5 (1)	4.3			3.2			5.4
Salmonellosis		8 (10)	5.9		3 (1)	8.1	2	3 (1)	4.1
Shigellosis		1	0.5				2	2 (2)	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis		3	2.2	1	1	1.6			
Sexually transmissible infections									
Chlamydia (genital)	7	40 (44)	47.0	6	18 (7)	34.1	3	10 (13)	24.4
Gonorrhoea	1	13 (10)	13.0			1.6		(1)	1.4
Syphilis - Infectious		3	2.2					4 (1)	6.8
Syphilis - Non-Infectious		(1)	0.5		1	1.6			
Vaccine preventable diseases									
Influenza	1	6 (1)	5.9	2	2	6.5	1	10	16.3
Mumps									
Pertussis									
Pneumococcal infection		1	0.5						
Varicella (chicken pox)	1	1 (2)	2.2		1	1.6		(1)	1.4
Varicella (shingles)	4	32 (31)	28.1	3	12 (8)	34.1	1	5 (7)	9.5
Varicella (unspecified)	1	2	1.6		(5)	3.2	2	3 (5)	6.8
Vector-borne diseases									
Barmah Forest virus									
Chikungunya		1	0.5						
Dengue fever			0.5						
Malaria									
Ross River virus					1 (7)	6.5		2 (3)	4.1
Typhus									
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
COVID-19		(64)	0.5	1	1 (7)	3.2			
Haemolytic Uraemic Syndrome									
Legionellosis					1	1.6			
Melioidosis									
RSV		3 (28)	4.3	1	3 (11)	11.4		(5)	2.7
Tuberculosis									
iGAS		(1)	0.5		1 (1)	1.6			
Grand Total	26	165 (216)		17	56 (57)		14	52 (47)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	3.4	1	1 (1)	2.0	1	2 (1)	6.8
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	2	5 (1)	13.7			2.0		1 (2)	1.7
Enteric diseases									
Campylobacteriosis	1	8 (4)	22.2	1	5 (4)	20.2	3	9 (9)	18.8
Cryptosporidiosis	1	1	1.7						
Hepatitis A									
Paratyphoid fever									
Rotavirus		1	1.7		1	2.0		1	5.1
STEC/VTEC infection		1	3.4		2	4.0			1.7
Salmonellosis	1	7 (1)	12.0		(1)	2.0	1	11 (5)	23.9
Shigellosis	1	1	1.7	1	1 (2)	4.0			
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	6	22 (27)	71.9	6	22 (32)	81.0	11	38 (20)	102.6
Gonorrhoea		7 (6)	13.7	3	7 (15)	32.4	4	13 (24)	49.6
Syphilis - Infectious		2 (3)	6.8		2 (2)	10.1		5 (6)	22.2
Syphilis - Non-Infectious	1	2 (2)	6.8	1	1 (1)	6.1		1 (1)	6.8
Vaccine preventable diseases									
Influenza	1	5	13.7		1	6.1		2 (1)	3.4
Mumps									
Pertussis									
Pneumococcal infection					(2)	2.0			1.7
Varicella (chicken pox)					(2)	2.0	1	1 (1)	3.4
Varicella (shingles)	1	7 (3)	13.7	1	4 (6)	12.1		2 (1)	5.1
Varicella (unspecified)	1	4 (4)	12.0						
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever									
Malaria						2.0			
Ross River virus		1 (3)	1.7						
Typhus									
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
COVID-19		(8)	1.7						
Haemolytic Uraemic Syndrome									
Legionellosis									
Melioidosis									
RSV		1 (37)	12.0	2	3 (1)	12.1	1	9 (39)	23.9
Tuberculosis					1	2.0			1.7
iGAS		(1)	1.7		1 (1)	2.0			5.1
Grand Total	16	76 (100)		16	52 (70)		22	95 (110)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	3 (0)	0.1
Hepatitis B (unspecified)				8	35 (32)	2.3
Hepatitis C (newly acquired)				3	5 (3)	0.2
Hepatitis C (unspecified)	2	5	14.7	28	96 (50)	4.8
Enteric diseases						
Campylobacteriosis	1	6	35.3	98	412 (235)	29.2
Cryptosporidiosis		4 (2)	35.3	2	17 (38)	1.3
Hepatitis A				0	1 (0)	0.0
Paratyphoid fever				0	1 (0)	0.1
Rotavirus		1	5.9	23	94 (22)	6.1
STEC/VTEC infection		2	11.8	2	34 (13)	2.3
Salmonellosis	2	8 (1)	38.2	22	185 (93)	10.6
Shigellosis		1 (2)	14.7	13	38 (7)	2.4
Typhoid				0	1 (3)	0.1
Vibrio parahaemolyticus				0	2 (0)	0.1
Yersiniosis				5	22 (1)	1.1
Sexually transmissible infections						
Chlamydia (genital)	13	43 (46)	247.0	244	1031 (882)	65.9
Gonorrhoea	4	35 (33)	182.3	51	305 (228)	21.7
Syphilis - Infectious		7 (6)	26.5	4	50 (65)	3.4
Syphilis - Non-Infectious				3	12 (18)	0.7
Vaccine preventable diseases						
Influenza	25	77 (1)	273.5	105	399 (5)	23.8
Mumps		1	2.9	0	1 (0)	0.0
Pertussis				1	2 (4)	0.2
Pneumococcal infection		2	5.9	2	12 (8)	0.7
Varicella (chicken pox)				6	28 (27)	1.7
Varicella (shingles)		4 (5)	23.5	24	183 (191)	12.2
Varicella (unspecified)				57	224 (209)	14.1
Vector-borne diseases						
Barmah Forest virus		(1)	2.9	0	2 (2)	0.1
Chikungunya				0	2 (0)	0.1
Dengue fever				1	9 (0)	0.7
Malaria				0	4 (2)	0.3
Ross River virus		2 (4)	8.8	1	12 (149)	1.0
Typhus				0	0 (1)	0.1
Zoonotic diseases						
Leptospirosis				0	1 (0)	0.1
Q Fever				2	2 (1)	0.1
Other diseases						
COVID-19		(12)	2.9	1	1*****	0.2
Haemolytic Uraemic Syndrome				0	1 (0)	0.0
Legionellosis				0	2 (1)	0.2
Melioidosis			2.9	0	0 (0)	0.0
RSV	5	13 (54)	73.5	35	111 (417)	8.7
Tuberculosis				0	10 (8)	0.3
iGAS		3	8.8	0	10 (20)	1.0
Grand Total	52	214 (167)		741	3360 (4682)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 7	
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2023	2022
	Salmonella Total	17	27	36	37	45	59	59	22	285
Serotype/Phage										
Salmonella Agona				1					1	5
Salmonella Anatum		1	1						2	3
Salmonella Anatum var 15+						1			1	0
Salmonella Bareilly				1		1			2	0
Salmonella Bovismorbificans		1		1	1		1		4	2
Salmonella Chailey			1						1	0
Salmonella Chester	3	3	2	6	1	2		1	15	1
Salmonella Choleraesuis bv Australia					2	1	1		4	3
Salmonella Choleraesuis bv Decatur	1					1			1	0
Salmonella Enteritidis	1	1	5	2	6	2	2	1	19	1
Salmonella Give						1			1	3
Salmonella Havana								1	1	0
Salmonella Hessarek					1	1			2	0
Salmonella Hvittingfoss						1			1	1
Salmonella Infantis							1		1	2
Salmonella Javiana	1								0	0
Salmonella Johannesburg					1				1	0
Salmonella Kentucky	2	1		1	1	1			4	0
Salmonella Kottbus		1	1				1		3	0
Salmonella Mississippi				1					1	1
Salmonella Montevideo		1							1	0
Salmonella Muenchen		1			3		1		5	5
Salmonella Newport		1			1		2		4	0
Salmonella Ohlstedt	1								0	0
Salmonella Paratyphi B bv Java		2	5	1	1	1	1		11	1
Salmonella Poona				1			1		2	0
Salmonella Potsdam		1			1				2	2
Salmonella Reading	1	1	1	1					3	6
Salmonella Richmond							1		1	0
Salmonella Saintpaul		6	1	1	6	31	23	1	69	2
Salmonella Stanley		1	1		1	1	1		5	6
Salmonella Typhimurium	2	2	11	12	10	10	6	1	52	76
Salmonella Virchow					1				1	2
Salmonella Wandsworth						1			1	1
Salmonella Wangata				1	1				2	0
Salmonella Weltevreden			2				1		3	0
Salmonella species	5	3	5	7	7	3	16	17	58	7