



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 08-JAN-23 to 04-MAR-23

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2023	2022	2021			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)			1		2				4	0	2	2	0.9	2.1
Hepatitis B (unspecified)	8	7	12	4	11	6	11	18	85	72	66	46	38.3	1.2
Hepatitis C (newly acquired)			2	1	2	3	1		10	14	13	6	6.9	0.9
Hepatitis C (unspecified)	14	12	16	21	28	28	19	15	160	136	168	90	73.9	1.2
Hepatitis D							1		1	1	1	1	0.5	1.9
<b>Enteric diseases</b>														
Campylobacteriosis	139	101	93	105	130	114	77	78	970	565	561	399	235.9	1.7
Cryptosporidiosis	5	5	2	9	5	1	4	4	43	69	22	14	40.4	0.3
Hepatitis A			1			1	1		3	2	0	2	1.7	1.2
Listeriosis								1	1	1	1	1	0.7	1.4
Paratyphoid fever	1				1	1	1		5	0	0	3	0.4	7.5
Rotavirus	22	29	28	22	25	33	38	14	229	73	21	110	19.3	5.7
STEC/VTEC infection	11	10	10	13	9	4	5	2	71	30	25	20	11.6	1.7
Salmonellosis	36	37	49	67	55	23	34	22	350	197	238	134	155.3	0.9
Shigellosis	7	7	12	6	14	13	7	9	87	16	15	43	22.1	1.9
Typhoid		1		1	1	2	1		6	4	1	4	1.7	2.3
Vibrio parahaemolyticus			1		1				2	2	2	1	0.9	1.2
Yersiniosis		3	4	5	5	1		6	25	2	6	12	1.7	7.2
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	256	284	209	298	292	275	249	202	2269	2017	1988	1018	935.6	1.1
Gonorrhoea	111	87	76	96	90	73	58	51	722	533	490	272	280.1	1.0
Syphilis - Infectious	16	9	18	20	13	8	11	5	116	154	151	37	53.3	0.7
Syphilis - Non-Infectious	5	1	2	5	2	4	4	6	34	38	37	16	19.1	0.8
<b>Vaccine preventable diseases</b>														
Influenza	91	80	73	97	129	131	97	106	875	10	6	463	220.3	2.1
Pertussis		2	1			1	1	1	7	9	8	3	34.9	0.1
Pneumococcal infection	2	2	3	5	2	3	4	1	24	17	12	10	8.3	1.2
Varicella (chicken pox)	5	8	7	11	7	10	5	7	65	65	61	29	38.5	0.8
Varicella (shingles)	45	57	50	58	62	54	35	11	415	458	509	162	198.7	0.8
Varicella (unspecified)	53	53	48	60	52	42	50	63	470	446	271	207	139.6	1.5
<b>Vector-borne diseases</b>														
Barmah Forest virus		1	1	1	1				5	5	3	1	2.4	0.4
Chikungunya			1		2	1			4	0	0	3	0.5	6.4
Dengue fever	3	4	3	5	5	3		1	27	0	0	9	12.2	0.7
Malaria	3	1	1	2	1	1	1	2	13	3	3	5	3.9	1.3
Ross River virus	6	7	4	6	3	4	2		37	286	208	9	63.9	0.1
Typhus	1								2	1	4	0	1.5	0.0
<b>Zoonotic diseases</b>														
Leptospirosis		1	1						2	0	1	0	0.3	0.0
Q Fever							1		1	1	0	1	0.4	2.5
<b>Other diseases</b>														
Amoebic meningitis									0	0	0	0	0.0	0.0
COVID-19		3				1			5	15318	50	1	6870.2	0.0
Haemolytic Uraemic Syndrome			1	1		1			3	0	0	1	0.2	5.0
Legionellosis	2		2				2	1	9	7	9	3	3.5	0.8
Meningococcal infection							1		1	4	3	1	1.3	0.8
Monkeypox virus								1	1	0	0	1	0.0	0.0
RSV	38	30	30	26	20	36	26	22	284	1119	0	104	70.1	1.5
Tuberculosis		2	3	2	5		1	6	25	14	18	12	9.7	1.2
iGAS	6	5	5	3	2	1	6	3	38	37	0	12	3.1	3.8
<b>Grand Total</b>	<b>886</b>	<b>849</b>	<b>769</b>	<b>951</b>	<b>977</b>	<b>879</b>	<b>754</b>	<b>658</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 9			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2023	2022	2021			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)					1				1	0	2	1	0.8	1.3
Hepatitis B (unspecified)	6	6	10	3	10	5	9	13	69	57	47	37	30.4	1.2
Hepatitis C (newly acquired)			2	1	2	2	1		9	11	12	5	5.3	0.9
Hepatitis C (unspecified)	11	12	12	17	18	22	12	9	118	102	124	61	53.0	1.2
Hepatitis D							1		1	1	1	1	0.5	1.9
<b>Enteric diseases</b>														
Campylobacteriosis	110	80	71	87	103	90	62	61	773	460	452	316	188.7	1.7
Cryptosporidiosis	1	2	2	6	3		2	1	21	52	10	6	32.1	0.2
Hepatitis A				1		1	1		3	1	0	2	1.5	1.4
Listeriosis								1	1	1	0	1	0.5	1.9
Paratyphoid fever	1				1	1			4	0	0	2	0.4	5.0
Rotavirus	19	28	26	20	24	28	37	14	211	63	20	103	16.7	6.2
STEC/VTEC infection	7	6	7	7	5	3	2	2	43	22	18	12	8.2	1.5
Salmonellosis	33	30	41	52	42	15	25	14	272	145	166	96	118.2	0.8
Shigellosis	6	6	9	6	12	10	6	6	70	7	4	34	11.5	2.9
Typhoid		1		1	1	2	1		6	4	0	4	1.6	2.5
Vibrio parahaemolyticus			1		1				2	2	2	1	0.8	1.3
Yersiniosis		2	4	4	4			6	21	2	5	10	1.3	7.5
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	191	226	160	236	248	209	201	169	1801	1583	1589	827	732.2	1.1
Gonorrhoea	79	66	56	65	70	54	37	43	533	334	277	204	187.3	1.1
Syphilis - Infectious	9	6	11	11	5	5	7	5	68	108	78	22	33.4	0.7
Syphilis - Non-Infectious			2	1	2	2	3	3	16	24	31	10	14.3	0.7
<b>Vaccine preventable diseases</b>														
Influenza	78	60	54	72	95	85	72	74	654	4	5	326	170.6	1.9
Pertussis		2	1			1	1	1	7	6	7	3	25.1	0.1
Pneumococcal infection	1		2	4	1	2	3		15	10	5	6	4.1	1.5
Varicella (chicken pox)	4	4	6	11	7	8	4	4	52	50	45	23	27.4	0.8
Varicella (shingles)	30	44	31	38	41	35	24	1	273	316	357	101	141.3	0.7
Varicella (unspecified)	52	49	46	60	50	39	47	58	442	413	266	194	133.5	1.5
<b>Vector-borne diseases</b>														
Barmah Forest virus			1	1					3	1	0	0	0.3	0.0
Chikungunya					2	1			3	0	0	3	0.2	15.0
Dengue fever	2	3	2	5	3	3		1	22	0	0	7	10.2	0.7
Malaria	3	1	1	2		1	1	2	11	3	2	4	3.3	1.2
Ross River virus	4	4	2	2	3	1	1		21	201	112	5	41.8	0.1
Typhus	1								1	0	0	0	0.6	0.0
<b>Zoonotic diseases</b>														
Leptospirosis		1	1						2	0	0	0	0.2	0.0
<b>Other diseases</b>														
Amoebic meningitis									0	0	0	0	0.0	0.0
Haemolytic Uraemic Syndrome			1	1		1			3	0	0	1	0.0	0.0
Legionellosis	2		1				2	1	8	4	6	3	2.4	1.3
Meningococcal infection							1		1	4	1	1	0.5	1.9
RSV	26	24	16	17	19	24	20	17	199	730	0	80	40.9	2.0
Tuberculosis		1	2	1	4		1	5	19	9	15	10	8.5	1.2
iGAS	2	5	3	1	1	1	3	3	24	23	0	8	2.1	3.9
<b>Grand Total</b>	<b>678</b>	<b>669</b>	<b>584</b>	<b>733</b>	<b>778</b>	<b>651</b>	<b>587</b>	<b>514</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1	0.1						
Hepatitis B (unspecified)	5	11 (6)	2.6	5	14 (8)	3.5	3	12 (14)	3.5
Hepatitis C (newly acquired)		1	0.1		2 (3)	0.4		2 (3)	0.7
Hepatitis C (unspecified)	2	9 (7)	2.6	6	24 (20)	6.1	1	28 (23)	7.8
Hepatitis D								1	0.1
<b>Enteric diseases</b>									
Campylobacteriosis	23	109 (52)	36.5	21	103 (58)	35.3	17	104 (56)	35.2
Cryptosporidiosis		1 (3)	0.8	1	2 (5)	0.7		3 (27)	1.3
Hepatitis A			0.1		1 (1)	0.1		1	0.1
Listeriosis	1	1 (1)	0.1						
Paratyphoid fever					2	0.3			0.3
Rotavirus	7	36 (6)	9.7	5	42 (2)	10.8	2	25 (7)	8.8
STEC/VTEC infection	1	6 (2)	1.8		1 (5)	1.5	1	5 (5)	2.7
Salmonellosis	8	37 (18)	14.0	3	35 (12)	12.8	3	24 (21)	10.8
Shigellosis		12	4.0	5	10	2.4	1	12 (1)	3.2
Typhoid		2	0.3					2 (3)	0.5
Vibrio parahaemolyticus		1	0.3						
Yersiniosis	1	4	0.9	5	5 (1)	1.5		1	0.5
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	54	267 (204)	74.6	49	242 (219)	80.5	66	318 (275)	93.7
Gonorrhoea	20	82 (44)	24.0	10	43 (47)	20.2	13	79 (55)	29.1
Syphilis - Infectious	1	5 (14)	1.9	2	7 (18)	3.1	2	10 (14)	4.4
Syphilis - Non-Infectious	2	3 (3)	0.9		2 (3)	0.4	1	5 (7)	0.8
<b>Vaccine preventable diseases</b>									
Influenza	39	157	41.9	21	81 (1)	24.8	14	88 (1)	23.4
Pertussis		1 (1)	0.3		1	0.4	1	1 (2)	0.3
Pneumococcal infection		1 (1)	0.5		2 (2)	0.6		3 (3)	0.9
Varicella (chicken pox)	2	8 (11)	2.8		6 (8)	1.9	2	9 (8)	2.4
Varicella (shingles)	1	38 (49)	13.2		33 (44)	13.1		30 (49)	11.5
Varicella (unspecified)	23	63 (66)	19.9	12	62 (69)	19.2	23	69 (51)	21.9
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.1			0.1		(1)	0.1
Chikungunya		1	0.1		1	0.1		1	0.1
Dengue fever		2	1.2		2	1.0	1	3	0.8
Malaria	2	3 (2)	0.7					1	0.8
Ross River virus		(14)	0.8		2 (33)	1.3		3 (31)	0.8
Typhus			0.1						
<b>Zoonotic diseases</b>									
Leptospirosis			0.1						0.1
Q Fever									
<b>Other diseases</b>									
COVID-19									
Haemolytic Uraemic Syndrome					1	0.4			
Legionellosis		1 (1)	0.4	1	2	0.4			0.3
Melioidosis									
Meningococcal infection		1 (2)	0.1						
RSV	6	38 (87)	11.0	5	18 (57)	7.5	6	24 (52)	8.8
Tuberculosis	1	3 (4)	0.8	1	1	0.4	3	6 (3)	1.3
iGAS		4 (4)	0.9	1	2 (3)	1.2	2	2 (5)	1.2
<b>Grand Total</b>	<b>199</b>	<b>909 (602)</b>		<b>153</b>	<b>749 (619)</b>		<b>162</b>	<b>872 (717)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			1.1		1	1.6			
Hepatitis B (unspecified)						1.6		2	4.1
Hepatitis C (newly acquired)					1	1.6			
Hepatitis C (unspecified)	1	7 (5)	5.4	1	1 (5)	4.9	3	8 (1)	12.2
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	6	31 (15)	39.4	3	10 (10)	42.2	1	9 (5)	28.5
Cryptosporidiosis	1	2 (1)	2.7				1		1.4
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		3	3.8					1	1.4
STEC/VTEC infection		2	4.3			3.2		3 (1)	6.8
Salmonellosis	1	6 (9)	7.0		2 (1)	13.0	2	4 (2)	6.8
Shigellosis		1	1.1						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis		1	1.6		1	1.6			
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	9	36 (50)	61.5	2	11 (8)	37.3	2	9 (16)	29.8
Gonorrhoea	1	6 (9)	14.6		(1)	1.6		2 (2)	4.1
Syphilis - Infectious		2	2.7					1	6.8
Syphilis - Non-Infectious		(1)	0.5	2	3 (1)	6.5			
<b>Vaccine preventable diseases</b>									
Influenza	3	10 (1)	9.2	2	5 (1)	11.4	2	11	21.7
Pertussis									
Pneumococcal infection			0.5						
Varicella (chicken pox)	1	2 (4)	2.7			1.6		(1)	1.4
Varicella (shingles)	7	32 (30)	37.2	1	7 (9)	37.3		5 (7)	12.2
Varicella (unspecified)	1	3	2.2	1	1 (3)	4.9	1	4 (4)	8.1
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya			0.5						
Dengue fever			0.5						
Malaria									
Ross River virus					(4)	6.5		1 (2)	5.4
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever		1	0.5						
<b>Other diseases</b>									
COVID-19		(290)	0.5		1 (40)	3.2			
Haemolytic Uraemic Syndrome									
Legionellosis						1.6			
Melioidosis									
Meningococcal infection									
RSV	1	1 (13)	4.9	1	3 (7)	14.6		(4)	2.7
Tuberculosis									
iGAS		(1)	0.5			1.6			
<b>Grand Total</b>	<b>32</b>	<b>146 (429)</b>		<b>13</b>	<b>47 (90)</b>		<b>11</b>	<b>61 (45)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	2	2	6.8	2	2 (2)	4.0	2		6.8
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	5 (1)	17.1			2.0	1 (2)		1.7
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	3 (4)	24.0		6 (4)	28.3	4	11 (3)	27.4
Cryptosporidiosis		1	1.7				1	2 (3)	3.4
Hepatitis A									
Listeriosis									
Paratyphoid fever		1	1.7						
Rotavirus		1	3.4			2.0	2 (1)		6.8
STEC/VTEC infection		2 (1)	6.8			4.0	1		3.4
Salmonellosis	1	7 (1)	20.5			2.0	2	10 (6)	30.8
Shigellosis		1	1.7		1 (2)	4.0		(1)	1.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	3	22 (29)	87.3	4	22 (28)	103.2	3	28 (21)	123.1
Gonorrhoea	1	7 (6)	18.8	1	11 (11)	52.6	1	9 (22)	56.4
Syphilis - Infectious		2 (4)	6.8		1	10.1		6 (4)	29.1
Syphilis - Non-Infectious	1	2 (3)	8.6		1	6.1		(2)	6.8
<b>Vaccine preventable diseases</b>									
Influenza		5	13.7	1	1	8.1	4	10 (1)	18.8
Pertussis									
Pneumococcal infection					1 (3)	4.0	1	2	5.1
Varicella (chicken pox)				1	2 (1)	6.1	1	2 (2)	5.1
Varicella (shingles)		7 (5)	20.5	2	4 (5)	18.2		(5)	5.1
Varicella (unspecified)		1 (4)	10.3		1 (1)	2.0			
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever		1	1.7						
Malaria						2.0			
Ross River virus		(2)	1.7			2.0			
Typhus									
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									
<b>Other diseases</b>									
COVID-19		(41)	1.7						
Haemolytic Uraemic Syndrome									
Legionellosis									
Melioidosis									
Meningococcal infection									
RSV		(29)	12.0		2	12.1	2	5 (33)	29.1
Tuberculosis						2.0			1.7
iGAS		(3)	1.7		(1)	2.0		1 (1)	6.8
<b>Grand Total</b>	<b>10</b>	<b>70 (133)</b>		<b>11</b>	<b>55 (58)</b>		<b>19</b>	<b>92 (107)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	2 (0)	0.1
Hepatitis B (unspecified)	1	1 (1)	2.9	18	46 (33)	3.2
Hepatitis C (newly acquired)				0	6 (7)	0.4
Hepatitis C (unspecified)		7 (3)	23.5	15	90 (68)	6.0
Hepatitis D				0	1 (0)	0.0
<b>Enteric diseases</b>						
Campylobacteriosis	1	5	41.2	78	399 (207)	36.1
Cryptosporidiosis	1	2 (4)	38.2	4	14 (44)	1.6
Hepatitis A				0	2 (2)	0.1
Listeriosis				1	1 (1)	0.0
Paratyphoid fever				0	3 (0)	0.2
Rotavirus		(2)	5.9	14	110 (18)	8.5
STEC/VTEC infection			11.8	2	20 (14)	2.6
Salmonellosis	1	6 (6)	44.1	22	134 (76)	13.0
Shigellosis	3	5 (3)	29.4	9	43 (7)	3.2
Typhoid				0	4 (3)	0.2
Vibrio parahaemolyticus				0	1 (0)	0.1
Yersiniosis				6	12 (1)	0.9
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	7	50 (38)	326.4	202	1018 (893)	84.4
Gonorrhoea	3	30 (35)	238.2	51	272 (233)	26.9
Syphilis - Infectious		2 (9)	29.4	5	37 (63)	4.3
Syphilis - Non-Infectious				6	16 (20)	1.0
<b>Vaccine preventable diseases</b>						
Influenza	18	90 (1)	414.7	106	463 (6)	32.5
Pertussis				1	3 (4)	0.3
Pneumococcal infection		1 (1)	5.9	1	10 (10)	0.9
Varicella (chicken pox)				7	29 (39)	2.4
Varicella (shingles)		3 (6)	29.4	11	162 (210)	15.4
Varicella (unspecified)				63	207 (200)	17.5
<b>Vector-borne diseases</b>						
Barmah Forest virus		1 (1)	5.9	0	1 (3)	0.2
Chikungunya				0	3 (0)	0.1
Dengue fever		1	2.9	1	9 (0)	1.0
Malaria				2	5 (2)	0.5
Ross River virus		3 (7)	17.6	0	9 (113)	1.4
Typhus				0	0 (0)	0.1
<b>Zoonotic diseases</b>						
Leptospirosis				0	0 (0)	0.1
Q Fever				0	1 (1)	0.0
<b>Other diseases</b>						
COVID-19		(43)	2.9	0	1*****	0.2
Haemolytic Uraemic Syndrome				0	1 (0)	0.1
Legionellosis				1	3 (1)	0.3
Melioidosis			2.9	0	0 (0)	0.0
Meningococcal infection				0	1 (2)	0.0
RSV	1	8 (76)	82.3	22	104 (360)	10.6
Tuberculosis				6	12 (10)	0.5
iGAS		3 (1)	14.7	3	12 (19)	1.4
<b>Grand Total</b>	<b>36</b>	<b>218 (237)</b>		<b>658</b>	<b>3268*****</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 9	
	14/01	21/01	28/01	04/02	11/02	18/02	25/02	04/03	2023	2022
	<b>Salmonella Total</b>	<b>36</b>	<b>37</b>	<b>49</b>	<b>67</b>	<b>55</b>	<b>23</b>	<b>34</b>	<b>22</b>	<b>350</b>
<b>Serotype/Phage</b>										
Salmonella Agona		1							1	6
Salmonella Anatum	1								2	4
Salmonella Anatum var 15+				1			1		2	0
Salmonella Bareilly		1		1					2	0
Salmonella Bovismorbificans		1	1		2	1	1		7	3
Salmonella Chailey	1								1	0
Salmonella Chester	2	6	2	2			2		17	1
Salmonella Choleraesuis bv Australia			2	1	1				4	3
Salmonella Choleraesuis bv Decatur				2					2	2
Salmonella Corvallis							1		1	0
Salmonella Enteritidis	5	2	6	3	1	1	2		21	1
Salmonella Fresno						1			1	0
Salmonella Give				1					1	3
Salmonella Hadar							1		1	0
Salmonella Havana					1				1	1
Salmonella Hessarek			1	1					2	0
Salmonella Hvitvingfoss				1					1	1
Salmonella Infantis					1		1		2	4
Salmonella Javiana									0	0
Salmonella Johannesburg			1						1	0
Salmonella Kentucky		1	1						3	1
Salmonella Kottbus	1			1	1			1	5	0
Salmonella Lansing						1			1	0
Salmonella London							1		1	0
Salmonella Mississippi		1							1	1
Salmonella Montevideo									1	0
Salmonella Muenchen			3		1				5	5
Salmonella Newport			1		2			1	5	2
Salmonella Oslo							1		1	0
Salmonella Paratyphi B bv Java	5	1	2	1	1	2			14	1
Salmonella Poona		1			1				2	0
Salmonella Potsdam			1						2	2
Salmonella Reading	1	1							3	6
Salmonella Richmond					1				1	0
Salmonella Rubislaw							1		1	3
Salmonella Saintpaul	1	1	9	36	21		4		78	3
Salmonella Stanley	1		1	1	1	1			6	7
Salmonella Typhimurium	11	12	10	10	6	4	1	2	58	88
Salmonella Virchow			1			1			2	2
Salmonella Wandsworth				1					1	1
Salmonella Wangata		1	1						2	0
Salmonella Weltevreden	2				1				3	1
Salmonella species	5	7	6	4	13	11	17	18	84	9