

Paediatric Respiratory Pathogen Report Week 9, 27th February – 05th March 2023

- PathWest detected 10 influenza cases in paediatric patients this week. All 10 cases were influenza
 B.
- Other common respiratory viruses detected in paediatric patients this week were rhinovirus (24 cases), adenovirus (18 cases), SARS-CoV-2 (10 cases) and hMPV (4 cases).
- RSV cases and proportion positive remain low.




Figure 1: Daily SARS-CoV-2 detections in hospital attending patients and community paediatric patients. Data is for PCR samples tested by PathWest only.

SARS-CoV-2 PCR cases and proportion positive in paediatric patients remain low this week.






Figure 2: The current season plotted against the Paediatric RSV Average Epidemic Curve. The average epidemic curve was constructed by averaging all seasons measured at PathWest QE2 from 2007-2019. Data represents all WA hospitalised and ED paediatric patients tested by PathWest.

PathWest detected 9 RSV cases in paediatric patients. Proportion positive increased to 3.2% and is below levels historically observed at this time of year.




Figure 3: The current season plotted against the Paediatric Influenza Average Epidemic Curve. The average epidemic curve was constructed by averaging all seasons measured at PathWest QE2 from 2007-2019. Data represents all WA hospitalised and ED paediatric patients tested by PathWest.

Influenza proportion positive (3.6%) decreased and is similar to levels historically observed at this time of year.

Data is representative of all patients attending a hospital (public or private) in Western Australia, for which a respiratory sample was collected and tested at a PathWest laboratory.






Figure 4: Proportion positive (RSV, hMPV & influenza) or cases (other respiratory pathogens) for the current week (red line) plotted against the historic range (grey box) and median (black line) for this week. Pie charts represent the breakdown of influenza subtypes and the count of other respiratory pathogens. Data represents hospitalised and ED paediatric patients tested by PathWest. Historic data is for years 2007-2019. Please note: Due to the escalation of rapid PCR testing, the number influenza and RSV positive samples which do not receive a subtyping test has increased.

RSV proportion positive (3.2%) was lower than the historical median (8%) for this week. Influenza and hMPV proportion positive (3.6% and 1.5%) were higher than their historical medians (2.1%, 1.2% respectively). Other respiratory virus detections were higher than the historic median for this week. These detections were predominantly adenovirus, rhinovirus and parainfluenza viruses. Testing for these viruses is currently higher than it has been in previous years.






Figure 5: Hospital attending paediatric patients with RSV in Perth metropolitan region, in both Kimberley and Pilbara combined and in the remaining regions combined.

Of the 9 paediatric RSV cases this week, six were from the Metro area, two were from the Pilbara and one was from the Kimberley.




Figure 6: Hospital attending paediatric patients with influenza in Perth metropolitan region, in both Kimberley and Pilbara combined and in the remaining regions combined.

Of the 10 paediatric influenza cases this week, four were from the Kimberley and three were from each of the Pilbara and Metro area.

Data is representative of all patients attending a hospital (public or private) in Western Australia, for which a respiratory sample was collected and tested at a PathWest laboratory.






Figure 7: Paediatric and adult hospital attending patients with RSV, 2018-2023.

There were 9 children and 1 adult with RSV who attended a hospital.




Figure 8: Paediatric and adult hospital attending patients with influenza, 2018-2023.

There were 10 children and 21 adults with influenza who attended a hospital.