



Government of **Western Australia**
Department of **Health**

Medical Entomology Quarterly Report

Midwest Health Region: October - December 2024



Serologically confirmed doctor-notified and laboratory reported cases of Ross River virus disease each month in WA, July 2024 - June 2025 #

*Compiled by the Medical Entomology, WA Department of Health

MEDICAL ENTOMOLOGY REGION													*		
	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate
KIMBERLEY	1	1	0	1	2	1	1	1	0	0	0	0	8	20.6	25.1
PILBARA	1	0	0	0	0	0	0	0	0	0	0	0	1	1.7	1.7
GASCOYNE	1	0	0	0	0	0	0	0	0	0	0	0	1	9.9	9.8
MIDWEST	0	0	0	3	2	0	1	2	0	0	0	0	8	12.3	13.9
WHEATBELT	0	0	0	0	2	1	1	1	0	0	0	0	5	7.1	7.9
METRO	4	0	1	3	1	2	10	12	0	0	0	0	33	1.7	1.7
SW - PEEL	1	0	2	2	1	1	7	7	0	0	0	0	21	7.1	5.9
SW - LESCHENAULT	0	0	0	0	0	0	1	3	0	0	0	0	4	5.0	4.2
SW - Geographie	1	2	0	1	0	0	0	1	0	0	0	0	5	8.1	7.6
SW - ELSEWHERE	0	1	0	0	0	1	5	2	0	0	0	0	9	17.3	20.8
SOUTH WEST (Total)	2	3	2	3	1	2	13	13	0	0	0	0	39	7.9	
GREAT SOUTHERN	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
GOLDFIELDS-ESPERANCE	0	0	0	2	0	0	1	0	0	0	0	0	3	5.3	5.6
WA UNDETERMINED	0	0	0	0	0	0	0	0	0	0	0	0	0		
INTERSTATE	1	0	0	1	0	1	0	0	0	0	0	0	3		
WA TOTAL (does not include interstate)	9	4	3	12	8	6	27	29	0	0	0	0	98		

* Crude Rate per 100,000 and Age Standardised Rate per 100,000 compared to Australian Standard Population (to eliminate the effect of differences in population age structures between geographic areas)

Ross River virus disease case data summary



Western Australia State Summary: Oct- Dec 2024

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data (ESD) collected by Population Health Units (PHUs) and local governments (LGs) (Note: only locations with notified cases of disease are shown in tables and figures).

Data current as at 25 February 2025.

- In this quarter, **26 RRV cases were notified across WA**, including 5 by lab only
- The long term mean for RRV cases is 724 per year, and **176 for this quarter**
- For WA, the number of RRV cases was **significantly below the long term mean for all months** this quarter.
- The date and location of exposure will often be different to information provided on notification forms in 90% and 50% of the cases, respectively. Data is more accurate when follow up surveys are completed.
- **ESD/Follow-up Response Rate for RRV cases in this quarter: 31%#**



#calculated as number of follow up surveys received divided by total number of notified cases



Ross River virus disease case data summary Midwest Health Region Oct - Dec 2024

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data (ESD) collected by Population Health Units (PHUs) and local governments (LGs) (Note: only locations with notified cases of disease are shown in tables and figures).

Data current as at 25 February 2025.



- For this region, 4 RRV cases were notified. This is within the long term mean for all months this quarter
- Long term mean for RRV cases is 35 per year, and about 5 cases for this quarter.
- 1 follow-up survey received from this region.

RRV Midwest 2024	Oct	Nov	Dec	Total
Midwest	2	2		4
Carnamah (S)	1			1
CARNAMAH	1			1
Coorow (S)		1		1
LEEMAN		1		1
Greater Geraldton (C)	1	1		2
GERALDTON	1			1
SPALDING		1		1
Total	2	2		4



Barmah Forest virus disease case data summary Oct - Dec 2024

Serologically confirmed doctor-notified and laboratory reported cases of Barmah Forest virus disease each month in WA, July 2024 - June 2025 #																
*Compiled by the Medical Entomology, WA Department of Health														*		
MEDICAL ENTOMOLOGY REGION	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total	Crude Rate	Age Std Rate	
KIMBERLEY	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0	
PILBARA	0	0	0	1	0	0	0	0	1	0	0	0	2	3.4	3.3	
GASCOYNE	0	0	0	0	0	1	0	0	0	0	0	0	1	9.9	9.5	
MIDWEST	0	0	0	1	0	0	0	0	0	0	0	0	1	1.5	1.9	
WHEATBELT	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0	
METRO	0	0	0	2	0	1	1	1	0	0	0	0	5	0.3	0.2	
SW - PEEL	0	0	0	1	0	0	0	1	0	0	0	0	2	0.7	0.5	
SW - LESCHENAULT	0	1	0	0	0	0	0	0	0	0	0	0	1	1.3	1.4	
SW - Geographe	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0	
SW - ELSEWHERE	0	0	1	0	0	0	0	0	0	0	0	0	1	1.9	1.8	
SOUTH WEST (Total)	0	1	1	1	0	0	0	1	0	0	0	0	4	0.8		
GREAT SOUTHERN	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0	
GOLDFIELDS-ESPERANCE	0	0	0	0	0	0	0	1	0	0	0	0	1	1.8	1.7	
WA UNDETERMINED	0	0	0	0	0	0	0	0	0	0	0	0	0			
INTERSTATE	0	0	0	0	0	0	0	0	0	0	0	0	0			
WA TOTAL (does not include interstate)	0	1	1	5	0	2	1	4	0	0	0	0	14			


* Crude Rate per 100, 000 and Age Standardised Rate per 100, 000 compared to Australian Standard Population (to eliminate the effect of differences in population age structures between geographic areas)

Data reflected in this summary of mosquito-borne disease is taken from the Western Australia Notifiable Infectious Disease Database (WANIDD) and includes enhanced surveillance data (ESD) collected by Population Health Units (PHUs) and local governments (LGs) (Note: only locations with notified cases of disease are shown in tables and figures).

Data current as at 25 February 2025

Western Australia State Summary

- In this quarter, **7 BFV cases were notified across WA**, including 4 by lab only.
- For WA, the **long term mean for BFV cases is 29 per year, and 7 for this quarter**. The number of BFV cases was within the monthly mean.
- The date and location of exposure will often be different to information provided on notification forms in 90% and 50% of the cases, respectively. Data is more accurate when follow up surveys are completed.
- **ESD/Follow-up Response Rate for RRV cases in this quarter: 43%#**
#calculated as number of follow up surveys received divided by total number of notified cases



Midwest Health Region

- 2 BFV cases were notified this quarter. 1 follow-up survey received.
- For this region, the **long term mean for BFV cases is 2 per year and less than one for this quarter**.

BFV Midwest 2024	Oct	Nov	Dec	Total
Gascoyne			1	1
Exmouth (S)			1	1
EXMOUTH			1	1
Midwest	1			1
Mingenew (S)	1			1
MINGENEW	1			1
Total	1		1	2

Climate Summary for October - December 2024


Links to the Climate Driver Update and Climate summaries for October to December 2024 can be found below:

[Climate Driver Update history](#)

[Climate summary for Western Australia in October 2024](#)

[Climate summary for Western Australia in November 2024](#)

[Climate summary for Western Australia in December 2024](#)



Mosquito-borne Disease Risk Outlook

Early detection of Flavivirus activity in northern WA

An unusually wet September across the Kimberley region has seen a very early start to the Flavivirus season. Our sentinel chicken surveillance system has detected activity in Derby and Wyndham, with other sites across the Kimberley region expected to show activity in the next week or two. Consequently the Department has issued a media statement reminding travellers and residents to remain vigilant against mosquito bites.

Ross River virus activity has been very much below average through the spring months, which is surprising given the increase in mosquito activity throughout the South West. With the temperatures now increasing through much of the South West, mosquitoes will continue to be seen in high numbers and we should expect an increase in Ross River and Barmah Forest notifications from the region.

Climate outlook for Western Australia for February 2025 to April 2025 Issued 23 January 2025

Descriptions of Major Climate Drivers in WA

Weather forecasts based on interactions between oceanic and atmospheric conditions.

El Niño/ La Niña (ENSO Pacific Ocean) mainly affects north and east of WA

El Niño: Typically associated with drier conditions, decreased tidal activity and warmer days in south. Late start to northern wet season with less cyclones and less flooding.

La Niña: Typically associated with wetter, cooler days and warmer nights (due to increased cloud cover). Earlier start to the northern wet season with more tropical cyclones. More conducive to mosquito breeding and possible mosquito-borne virus activity.

Indian Ocean Dipole (IOD) mainly affects mid two thirds of WA.

Positive IOD: Typically associated with reduced winter/spring rainfall, warmer conditions in the south, and cooler in the north.

Negative IOD: Typically associated with wetter winter/spring, cooler days in the south, warmer in the north with increased chances of rainfall/flooding.

Southern Annular Mode (SAM) mainly affects south of WA, impact varies by season, trending towards a more positive phase in summer - contribution still under research .


Positive SAM: warmer and drier conditions. Boosted by La Nina conditions.

Negative SAM: cooler and wetter conditions.

For more info see [Australian Climate Influences](#)

Likely to be above average rainfall for northern WA

Chance of exceeding the median rainfall for February to April 2025




www.bom.gov.au/climate
© Commonwealth of Australia 2025, Australian Bureau of Meteorology

Model: ACCESS-G2
Base period: 1961-2018

Model run: 206512025
Issued: 23012025

Warmer than average days for most of WA

Chance of exceeding the median maximum temperature for February to April 2025




www.bom.gov.au/climate
© Commonwealth of Australia 2025, Australian Bureau of Meteorology

Model: ACCESS-G2
Base period: 1961-2018

Model run: 206512025
Issued: 23012025

Warmer than average nights for all of WA

Chance of exceeding the median minimum temperature for February to April 2025



www.bom.gov.au/climate
© Commonwealth of Australia 2025, Australian Bureau of Meteorology

Model: ACCESS-G2
Base period: 1961-2018

Model run: 206512025
Issued: 23012025

Southern hemisphere monitoring Issued 21 January 2025

The El Niño–Southern Oscillation remains neutral, while oceans around Australia remain much warmer than average