Important Disclaimer:

All information and content in this Material is provided in good faith by the WA Department of Health, and is based on sources believed to be reliable and accurate at the time of development. The State of Western Australia, the WA Department of Health and their respective officers, employees and agents, do not accept legal liability or responsibility for the Material, or any consequences arising from its use.

Owner:	Department of Health, Western Australia		
Contact:	Information and Performance Governance		
Approved by: Rob Anderson, Assistant Director General, Purchasing and System F			
Links to:	Information Management Policy Framework https://ww2.health.wa.gov.au/About-us/Policy-frameworks/Information- Management		

Management

Manage

Contents

Ab	breviations	1
1.	Purpose	2
2.	Background	2
3.	Contact details requirements	2
4.	Submission of data	2
5.	Data submission schedule	2
6.	Data element listing	3
7.	Data quality and validation correction process	3
8.	Glossary	4
9.	References	5
Αp	ppendix A – Contact details form	6
Αp	ppendix B – Client demographics	7
Αp	ppendix C – Inpatient services	9
Αp	opendix D – Referralsopendix E – Alerts	10
Αp	ppendix E – Alerts	14
Αp	ppendix F – Incidents	15
Αp	ppendix G – Community mental health and service contacts	17
Αp	ppendix H – NOCC and AMHCC clipical measures	21
Αp	ppendix I – Legal orders	26
Αp	ppendix J – Triage	31
Αp	ppendix K – Risk assessment and makagement planplan	34
Αp	ppendix L – Child and adolescentrisk assessment and management plan	41
Αp	ppendix M – Sumnary of revisions	47

Abbreviations

AMHCC	Australian Mental Health Care Classification
ASCRG	Australian Standard Classification of Religious Groups
CGAS	Children's Global Assessment Scale
СМНІ	Central Mental Health Identifier
CRAMP	Child and Adolescent Risk Assessment and Management Plan
DOH	Department of Health
FIHS	Factors Influencing Health Status
HoNOS	Health of the Nation Outcome Scales
HoNOSCA	Health of the Nation Outcome Scales for Children and Adolescents
HoNOS 65+	Health of the Nation Outcome Scales 65+
ICD-10-AM	International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification
ICT	Information and Contriunications Technology
IHPA	Independent Respiral Pricing Authority
K10 / K10-L3D / K10+LM	Kessler Psychological Distress Scale
LSP	Life Skills Profile
MH	Mental health
MHDC	Mental Health Data Collection
MHPoC	Mental Health Phase of Care
NOCC	National Outcomes and Casemix Collection
PSOLIS	Psychiatric Services On-line Information System
RAMP	Risk Assessment and Management Plan
RUG-ADL	Resource Utilisation Groups - Activities of Daily Living
SACC	Standard Australian Classification of Countries 2016
SDQ	Strengths and Difficulties Questionnaire
SSCD	State-wide Standardised Clinical Documentation
UMRN	Unit Medical Record Number
WA	Western Australia

1. Purpose

The purpose of *the Mental Health Data Collection Data Specifications* is to outline the requirements for Health Service Providers and Contracted Health Entities to report mental health patient activity to the Department of Health.

Mental Health Data Collection Data Specifications is a Related Document mandated under MP 0164/21 Patient Activity Data Policy.

These data specifications are to be read in conjunction with this policy and other Related Documents and Supporting Information as follows:

- Admitted Patient Activity Data Business Rules
- Community Mental Health Patient Activity Data Business Rules
- Mental Health Data Collection Data Dictionary
- Patient Activity Data Policy Information Compendium.

2. Background

Mental health patient activity data must be recorded in the Psychiatric Services Online Information System (PSOLIS) in an accurate and timely mature se that the data are available and can be accessed for inclusion into the Mental Health Data Collection (MHDC).

3. Contact details requirements

Data providers must complete the contact details form (Appendix A) and provide contact details for two people who can be contacted in the event of data submission queries or issues:

- ICT technical contact for data load/extract issues
- Information management contact for data queries

4. Submission of data

Data must be submitted of MHDC in accordance with the data submission schedule (Section 5) and data element listing (Section 0) outlined below, unless otherwise agreed to with the MHDC Custodian.

5. Data submission schedule

Data must be made available for the relevant reporting period as per the schedule set below:

PAS	Reporting Period	Provided to MHDC	Notes
PSOLIS	Daily data, to midnight	Next day, 1am	

Data element listing 6.

Data providers must ensure that data is made available as per the specifications in the following appendices:

- Appendix B Client demographics
- Appendix C Inpatient services
- Appendix D Referrals
- Appendix E Alerts
- Appendix F Incidents
- Appendix G Community mental health and service contacts
- Appendix H NOCC and AMHCC clinical measures
- Appendix I Legal orders
- Appendix J Triage
- Appendix K Risk assessment and management plan
- Appendix L Child and adolescent risk assessment and mape

Data quality and validation correct 7.

Data providers are responsible for the quality of osta provided. Data quality validations are undertaken by the Quality and Assurance Team at the Department of Health to ensure that data is compliant with reporting specifications, and the five data quality principles:

- relevance
- accuracy
- timeliness
- coherence
- interpretability

ours, cege ors will be distributed to the reporting Health Service Provider via Data validation and dashboards, spread heets or ad noc communication.

Where the data correction and/or completion can be made via the PSOLIS front end, it is the responsibility of health care providers, administrative, clinical coding and clerical staff to complete and correct data validations within required timeframes as communicated by the Department.

Where corrections cannot be resolved via the PSOLIS front end, Health Support Services in consultation with Health Service Providers are responsible for correcting data.

Some examples of data quality validations may include:

- Patient demographics
- Reporting of blank or incorrect values
- Availability of sufficient information to enable reporting to the Independent Hospital **Pricing Authority**

For the full list of current MHDC data quality validations, refer to the MIND Data Validation Manual.

8. Glossary

The following definition(s) are relevant to this document.

Term	Definition
Contracted Health Entity	As per section 6 of the <i>Health Services Act 2016</i> , a non-government entity that provides health services under a contract or other agreement entered into with the Department Chief Executive Officer on behalf of the State, a Health Service Provider or the Minister
Custodian	A custodian manages the day-to-day operations of the information asset(s), and implements policy on behalf of the Steward and Sponsor.
Data Collection	Refer to Information Asset
Data Specifications	Data Specifications mandate the list of data elements, format and submission schedule for each information asset.
Health Service Provider	As per section 6 of the <i>Health Services Act</i> 2016, a Health Service Provider established by an order made under section 32(1)(b)
Information asset	A collection of information that is recognised as having value for the purpose of enabling the WA health system to perform its clinical and business functions, which include supporting processes, information flows, reporting and analytics.
Information Management Policy Framework	The Information Management Policy Framework specifies the information management requirements that all Health Service Providers must comply with in order to ensure effective and consistent management of health, personal and business information across the WA health system.
Patient Activity Data Business Rules	Patient Advity Data Business Rules mandate the rules, scope and criteria to be used when recording health service parent activity data and reporting to the Department of Team.
WA health system	Pursuant to section 19(1) of the <i>Health Services Act 2016</i> , means the Department of Health, Health Service Providers, and to the extent that Contracted Health Entities provide health services to the State, the Contracted Health Entities.

9. References

These data specifications should be read in conjunction with PSOLIS operational guidelines and the information linked below:

Australian Mental Health Care Classification Version 1.0

Community Mental Health Care National Minimum Data Set

Mental Health Care Data Set Specifications

Mental Health Phase of Care Guide

National Outcomes Casemix Collection Technical Specifications

Residential Mental Health Care National Minimum Data Set

Holonger Applicable 2023.

Holonger Applicable 2023.

Appendix A - Contact details form



Mental Health Data Collection Data Provider Contact Details Form

The purpose of this form is to collect contact information for persons providing data to the Mental Health Data Collection.

Date Click or tap herespenter (c)

ICT Technical Contact

Please provide details for the person to contact regarding technical queries (e.g. data loading, extract issues)

Name Click or tap here to enter (ex)

Position Click or tap here to enter text

Organisation Click or tap here to exter tex

Email Click or tap here o enter oxis

Phone Click or tan here to enter text.

Information Management Contact

Please provide contact details for the person to contact regarding data queries (e.g. queries relating to data interpretation)

Position
Click or tap here to enter text.

Please submit this form to mentalhealthdata@health.wa.gov.au

Appendix B – Client demographics

Label	Data Type	Format	Requirement	Permitted Values
Aboriginal Status	Numeric	N	Mandatory	 1 – Aboriginal but not Torres Strait Islander origin 2 – Torres Strait Islander but not Aboriginal origin 3 – Both Aboriginal and Torres Strait Islander origin 4 – Neither Aboriginal nor Torres Strait Islander origin 9 – Not stated/inadequately described
Age of Client	Numeric	N[NN]	N/A	Whole number from 0 to 130
Age on Activation	Numeric	N[NN]	N/A	Whole number from 0-to 130
Age on Alert	Numeric	N[NN]	N/A	Whole number from 0 to 130
Age on Contact	Numeric	N[NN]	N/A	Whole number from 0 to 130
Age on Incident	Numeric	N[NN]	N/A	Whole number from 0 to 130
Age on Referral	Numeric	N[NN]	N/A	Whole number from 0 to 130
Arrival Year	Datetime	YYYY	Conditional	Valid year greater than 1900
Australian Postcode	Numeric	NNNN	Mandator	Valit Australian postcode
Australian State or Country of Birth	Numeric	NNNN	Mandatory	As per the Standard Australian Classification of Countries 2016 (SACC 2016)
Client Identifier	Numeric	NNNNNNNNN	Mandatory	Unique numéric identifier
Country of Residence	Numeric	NNNN	Mandato y	As per the Standard Australian Classification of Countries 2016 (SACC 2016)
Date of Birth	Datetime	DDMMYYYY	Mandatory	Valid date
Date of Birth Indicator	Numeric	20	Conditional	0 - No 1 - Yes Null
Date of Death	Datetime	DDMMYYYY	Conditional	Valid date
Employment Status	Numeric	N	Mandatory	1 – Child not at school 2 – Student 3 – Employed 4 – Unemployed 5 – Home duties 6 – Retired 7 – Pensioner

Label	Data Type	Format	Requirement	Permitted Values
				8 – Other
Family Name	String	X[X(49)]	Mandatory	Alpha characters only
First Given Name	String	X[X(49)]	Conditional	Alpha characters only
Interpreter Required	Numeric	N	Mandatory	1 – Yes
				2 – No
Marital Otatua	Nissas ania	N.I.	NA I - 1	9 – Not stated/inadequately described
Marital Status	Numeric	N	Mandatory	1 – Never Married 2 – Widowed
				3 – Divorced
				4 – Separated
				5 – Married
				6 – Unknown
Preferred Language	Numeric	N[NNN]	Mandatory	As bettine Australian Standard Classification of Languages
				2016 (ASCL 2016)
Religion	Numeric	N[NNN]	Optional (As per the Australian Standard Classification of Religious Groups
D : 1 .: 1 A 1 1	01.	\(D\(\OF 4\)1		2016 (ASORG 2016)
Residential Address	String	X[X(254)]	Mandator	Alphanumeric combination
Second Given Name	String	X[X(49)]	Conditional	Npha characters only
Sex	Numeric	N	Mandatory	1 - Male
			~ X	2 - Female
			11.	3 – Another term
State or Territory	String	ΙΔΊΔΔ	Mandatory	9 – Not stated/inadequately described NSW – New South Wales
State of Territory	String	77[7]	iviaturatory	VIC – Victoria
		AA[A]	0	QLD – Queensland
			\sim	SA – South Australia
		1	X	WA – Western Australia
				TAS – Tasmania
				NT – Northern Territory
				ACT – Australian Capital Territory
Suburb	Ctring	V[V/0E4\]	Mondotoni	AAT – Australian Antarctic Territory Valid Australian suburb
	String	X[X(254)]	Mandatory	
UMRN	String	X[X(9)]	Conditional	Alphanumeric combination

Appendix C – Inpatient services

Data Element	Data Type	Format	Requirement	Permitted Values
Admission Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Conditional	Valid date and time
Care Type	Numeric	NN	Mandatory	21 – Acute care
				22 – Rehabilitation care
				23 – Palliative care 24 – Psychogeriatric care
				25 – Maintenance care
			. 0	26 – Newborn
				27 – Organ procurement
			\mathcal{N}	28 – Roarder
			, ~ 0	22 Periatric Evaluation and Management 32 Mental health care
Contact Program Identifier	Numeric	N[N(19)]	Conditional	Unique numeric identifier
Discharge Date and Time	Datetime	YYYY-MM-DD HH:MM:SS		•
Establishment Code	Numeric	NNNN	Conditional	Valid establishment code
Establishment Name	String	X[X(149)]	Conditional	Valid establishment name
Leave Days	Numeric	N(4)	N/A	Whole number
Leave End Date and Time	Datetime	YYYY-MM-DU HH:MM:SS	Conditional	Valid date and time
Leave Start Date and Time	Datetime	YYYY-MM-DD HH:MM 89	Conditional	Valid date and time
Length of Stay	Numeric	N(4)	N/A	Whole number
Planned Admission Date and Time	Datetime	YYYY MM-DD H OM:SS	Optional	Valid date and time
Planned Discharge Date and Time	Datetime	YY YY-MM-DD HH:MM:SS	Optional	Valid date and time
Reception Date and Time	Datetime	YYY-MNOD HH:MM:SS	Optional	Valid date and time
Visit End Date and Time	Datetime	YYYY MN-DD HH:MM:SS	Conditional	Valid date and time
Visit Number	Numeric	N(20)	Conditional	Unique numeric identifier
Visit Start Date and Time	Datetime	YYY-MM-DD HH:MM:SS	Conditional	Valid date and time
Ward on Admission	String	X[X(59)]	Conditional	Valid ward name descriptor
Ward on Discharge	String	X[X(59)]	Conditional	Valid ward name descriptor

Appendix D – Referrals

Label	Data Type	Format	Requirement	Permitted Values
Action Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Mandatory	Valid date and time
Activation Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Conditional	Valid date and time
Allocated to Clinician HE Number	String	X[X(9)]	Conditional	Valid HE number
Allocated to Clinician Name	String	X[X(149)]	Conditional	Alphanumeric combination
Allocated to Team	Numeric	N[N(7)]	Condition	Valic numěric team code
Referral Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Conditional	Walid date and time
Referral Identifier	Numeric	N(8)	Conditional	Unique numeric identifier
Referral Medium	Numeric	N(2)	Conditional	 1 – Email 2 – Fax 3 – Letter 4 – Phone 5 – Self presented 6 – Triage 7 – Brought by police 8 – Brought in by community nurses 9 – Other 10 – Electronic referral
Referral Outcome	Numeric	Juner's ede	Conditional	 1 – Admitted to service 2 – Referred to other service 3 – No further action 4 – No further action, already active 5 – Did not engage/attend appointment 6 – Information only 7 – Admitted via PAS 8 – Client declined Null – Not specified
Referral Presenting Problem	Numeric	N(2)	Conditional	1 – Relationship/family problem 2 – Social interpersonal (other than family problem)

Label	Data Type	Format	Requirement	Permitted Values
		in or a series		3 – Problems coping with daily roles and activities 4 – School problems 5 – Physical problems 6 – Existing mental illness - exacerbation 7 – Existing mental illness - contact/information only 8 – Existing mental illness - alteration in

Label	Data Type	Format	Requirement	Permitted Values
				35 – Deliberate self harm 36 – Suicidal ideation 41 – Cultural issues
Referral Purpose	Numeric	N	Conditional	1 – Seeking assistance/referral 2 – Information Null – Not specified
Referral Reason	String	[X(500)]	Conditional	Alphanumeric combination
Referral Source Name	String	[X(150)]	Conditional	Alphanumeric combination
Referral Source Type	Numeric	N(2)	Conditional	2 - Breach release order 3 - Condition of bail 4 - Court 5 - Family/friend 8 - Internal program 9 - Medical practitioner 12 - Other establishment 13 - Other organisation 16 - Police 17 - Correctional facility 22 - Self 23 - Unknown 24 - Refuge 25 - School 26 - Other professional 27 - External program 28 - Nursing home/hostel 29 - Hospital 30 - Mental health program 31 - Restructure 32 - Police officer 99 - PAS
Referral Status	Numeric	N	Conditional	Null – not specified 1 – Pending 2 – In progress 3 – Waitlist 4 – Completed

Label	Data Type	Format	Requirement	Permitted Values
				5 – Sent
D (10 N	01.	DV//400\1	0 100	Null – Not specified
Referred On Name	String	[X(130)]	Conditional	Alphanumeric combination
Referred On Type	Numeric	N(2)	Conditional	1 – Hospital (non psychiatric)
				8 – Internal program
				9 – Medical practitioner 10 – Community and outpatient MHS
				12 – Other establishment
			\ Q\'	13 - Oner organisation
				19 - Hospital (psychiatric)
			70. •	2b Other professional
			~'O' C	External program
			110	29 − Hospital
			\sim \sim	31 – Restructure
				Null – Not specified
		Junersede Al		
		~ (V)	>	
		~0 \0		
		2/12-02		
		. O' -0'		
		V .65		
	70			

Appendix E – Alerts

Label	Data Type	Format	Requirement	Permitted Values
Alert Details	String	[X(500)]	Optional	Alphanumeric combination
Alert Duration	Numeric	N(3)	N/A	Whole number
Alert Entered By	String	X[X(9)]	Conditional	Valid HE number
Alert Expired By	String	X[X(9)]	Conditional	Valid HE number
Alert Expiry Date	Datetime	YYYY-MM-DD	Optional	Valid date_
Alert Identifier	Numeric	N(6)	Conditional (Unique numerie identifier
Alert Message	String	X[X(49)]	Conditional	Alpha unenc combination
Alert Reviewed By	String	X[X(9)]	Conditional	Valid HE number
Alert Reviewed Date	Datetime	YYYY-MM-DD	Conditional	Va d date
Alert Start Date	Datetime	YYYY-MM-DD	Conditional	Valid date
Alert Type	Numeric	N P	Conditional	— Behavioural 2 — Forensic 3 — Medical 4 — Microbiological 5 — Other 6 — Social
	40	Supersede Supersede		

Appendix F – Incidents

Label	Data Type	Format	Requirement	Permitted Values
Incident Alert	Numeric	N	Conditional	0 – No 1 – Yes
Incident Duration	Numeric	N(3)	N/A	Whole number
Incident End Date	Datetime	YYYY-MM-DD	Optional	Valid date and time
Incident Location	Numeric	N(4)	Conditional	Valid location code
Incident Notes	String	[X(500)]	Optional	Alphanumeric combination
Incident Recurrence Risk	Numeric	N	Optional	6 – 1 Kare 7 – 2 Vnikely 8 3 Possible 9 – 4 Likely 10 – 5 Very likely
Incident Severity	Numeric	N	Conditional	1 – 1 Insignificant 1 – 2 Minor 2 – 3 Moderate 5 – 4 Major 7 – 5 Catastrophic
Incident Start Date	Datetime	YYYY-MMJDD HH(MY:SS	Conditional	Valid date and time
Incident Type	Numeric	HHMYTSS	Conditional	1 – Absconding 2 – Assault of other person 3 – Assault of patient 4 – Assault of staff 5 – Attempted suicide 6 – Damage to property 7 – Forensic – attempted escape 8 – Forensic – hostage 9 – Forensic – riot 10 – Illegal activity 11 – Medication incident 12 – Other 13 – Patient injured 14 – Seclusion 15 – Self harm

Label	Data Type	Format	Requirement	Permitted Values
				16 – Serious medical incident 17 – Sexual assault
				18 – Substance abuse
				19 – Verbal abuse – others
				20 – Verbal abuse – patients 21 – Verbal abuse – staff
				22 – Seclusion with restraint
				23 – Restraint
				24 – Fall 2 + 25 – Apprehension of baby
			0	26 Removal of baby
Record Blocked Flag	String	X	Optional	
			1C	Nul No
		Supersede		
	40	Sirber,		

Appendix G – Community mental health and service contacts

Label	Data Type	Format	Requirement	Permitted Values
Actioned By	String	X[X(9)]	Mandatory	Valid HE number or 'webPAS'
Additional Diagnosis	String	[ANN.NNNN]	Conditional	As per ICD-10-AM
Associate Present Indicator	Numeric	N	Mandatory	0 – Not present 1 – Present
Case Manager	String	X[X(9)]	Conditional	Valid HE number
Client Present Indicator	String	Х	Mandatory	0 – Not present – Present
Deactivation Date and time	Datetime	YYYY-MM-DD HH:MM:SS	Conditional	Valid date and time
Deactivation Outcome	Numeric	N[N(2)]	Conditional	Discharge/transfer to hospital 2 – Discharge to home 3 – Program transfer 15 – Restructure 16 – Police MH 101 – Treatment has been completed 102 – Client has moved to another area 103 – Referred to other service 104 – Other 105 – Client stopped coming/did not attend 106 – Deceased 107 – One off assessment Null
Deactivation Status	Numeric	SUPER	Conditional	1 – Community treatment order 2 – Discharged outright 3 – Received not admitted 4 – Discharge conditional 5 – S46 Transfer to authorised hospital 6 – Restructure Null
Episode End Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Conditional	Valid date and time
Episode Start Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Conditional	Valid date and time

Label	Data Type	Format	Requirement	Permitted Values
Occasion of Service	String	Х	Mandatory	Y – Yes N – No C – Conditional
Organisation	Numeric	N(4)	Mandatory	Valid establishment code
Planned Deactivation Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Optional	Valid date and time
Principal Diagnosis	String	[ANN.NNNN]	Conditional	As per ICD-10-AM
Program	Numeric	N(4)	Mandatory	Valid program identifier
Record Status	String	Х	N/A	H – Historica L – Letest
Service Contact Count	Numeric	N	NA	0 Vo 1 - Yes
Service Contact Duration	Numeric	N(3)	N/A	Whole number
Service Contact End Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Viandatory	Yalid date and time
Service Contact Medium	Numeric	N(2)	Mandatory	5 – Face to face 6 – By phone 7 – By videolink 8 – Not applicable 9 – Email 10 – Other electronic
Service Contact Reportable Indicator	Numeric	ON	Mandatory	0 – Not reportable 1 – Reportable
Service Contact Session Type	Numeric		Mandatory	0 – Individual 1 – Group
Service Contact Start Date and Time	Datetim	YYYY-MM-DD NH:MM:SS	Mandatory	Valid date and time
Service Event Category	Numeric (N	Mandatory	1 – Triage 2 – Pre-admission 3 – Active 4 – Post discharge 5 – Staff only 6 – Pre-referral
Service Event Identifier	Numeric	N(8)	Mandatory	Unique numeric identifier

Label	Data Type	Format	Requirement	Permitted Values
Service Event Item	Numeric	NNN	Mandatory	Valid service event code
Service Event Item End Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Mandatory	Valid date and time
Service Event Item Identifier	Numeric	N(8)	Mandatory	Unique numeric identifier
Service Event Item Start Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Mandatory	Valid date and time
Staff Full Name	String	X[X(149)]	Mandatory	Alphanumeric combination
Staff HE Number	String	X[X(9)]	Mandatory	Valid HE number
Staff User ID	Numeric	N(8)	Mandatory	Unique numeric identifier
Stream	String	X(150)	Conditional	Valid stream
Stream Code	String	N(3)	Conditional	Vald stream code
Stream Type	Numeric	N	Conditional	1 - Child and adolescent
		7,	1 2	4 – PET (Psychiatric Emergency Team) 5 – SARC (Sexual Assault Resource Centre) 6 – Youthlink
Venue	Numeric	NO N	Mandatory	1 - Clinic 2 - Community centre 3 - Court 4 - Education facility 5 - Emergency department 6 - Entertainment venue 7 - General hospital 8 - GP surgery 9 - Group home 10 - Home/private dwelling 11 - Hostel 12 - Inhouse school 13 - Lock up 14 - Nursing home 15 - Police station 16 - Prison 17 - Psychiatric hospital

Label	Data Type	Format	Requirement	Permitted Values
				18 – Public space
				19 – Rehab centre
				20 – Other government organisation
				21 – General hospital outpatient clinic
				22 – Neonatal intensive care unit

Wollow Greeded In 1970 Street Street

Appendix H – NOCC and AMHCC clinical measures

Label	Data Type	Format	Requirement	Permitted Values
Assessment Scale	Numeric	N[N]	Mandatory	1 - HoNOSCA 2 - CGAS 3 - FIHS 4 - HoNOS 5 - LSP-16 6 - MHI 7 - HoNOS 65+ 8 - RNC ADL 9 - (BSSLER N)+ 10 - KESSLER N+ 10 - KESSLER N) 1 - SDQ P(1) 12 - SDQ PC2 13 - SOQ PY1 14 - SDQ PY2 15 - SDQ YR1 16 - SDQ YR2 17 - SDQ TC1 19 - SDQ TY1 20 - SDQ TY2 21 - NOCC CLEARANCE
Assessment Scale Version	String	S J J S J	datory	01 - CGAS 01 - FIHS A1 - HoNOS 01 - HoNOSCA G1 - HoNOS 65+ M1 - KESSLER 10+ 01 - LSP-16 01 - RUG-ADL PC101 - SDQ Parent Report Baseline 4-10 years PC201 - SDQ Parent Follow-up 4-10 years PY101 - SDQ Parent Report Baseline 11-17 years PY201 - SDQ Parent Follow-up 11-17 years YR101 - SDQ Self-report Baseline 11-17 years YR201 - SDQ Self-report Follow Up 11-17 years

Label	Data Type	Format	Requirement	Permitted Values
Children's Global Assessment Scale (CGAS)	String	NNN	Conditional	091 to 100: Superior functioning 081 to 090: Good functioning in all areas 071 to 080: No more than slight impairments in functioning 061 to 070: Some difficulty in a single area but generally functioning pretty well 051 to 060: Variable functioning with sporadic difficulties or symptoms in several but not all social areas 041 to 050: Moderate degree of interference in functioning in most social areas of severe impairment of functioning in one area 031 to 040: Major impairment of functioning in several areas and unable to Nuction in one of these areas 021 to 030: Unable to function in almost all areas 011 to 020: Needs considerable supervision 001 to 010; Needs constant supervision 997: Unable to rate 999; Not stated/missing
Collection Occasion	Numeric		Mandatory	1 - Referral
Collection Occasion Date	Datetime	DDMMYYYY	Mandatory	Valid date
Collection Occasion Identifier	Numeric	₩ (8)	Mandatory	Unique numeric identifier
Collection Occasion Reason	Numeric	NN	Mandatory	01 – New referral 02 – Transfer from other treatment setting 03 – Admission - other 04 – 3-month (91 day) review 05 – Review - other 06 – No further care

Label	Data Type	Format	Requirement	Permitted Values
				07 - Transfer to change of treatment setting
				08 – Death
				09 – Discharge - other
Collection Status	Numeric	N[N]	Mandatory	1 – Complete
				2 – Not completed due to temporary contraindication
				4 – Not completed due to general exclusion
				5 – Not completed due to refusal by the client
				7 – Not completed for reasons not elsewhere classified
				8 – Not completed due to protocol exclusion
				10 – Policily complete
				11 Not completed due to cultural inappropriateness
				Previous sucome measure is clinically relevant and
				accepted 7 days at different attacks
				13 – Con oleted within last 7 days at different stream
				14 – Offered to client, awaiting response
			~0,	15 Follow-up SDQ version used 16 Dismissed – automatic cleanup
				17 – Dismissed – adiomatic cleanup
				18 – Dismissed – manual user request
		C		19 – Dismissed – mandal user request 19 – Dismissed – service split / amalgamation
				20 – Dismissed – service spilt / amalgamation
Episode Identifier	Numeric	N(3)	Mandatory	Unique numeric identifier
Episode Service Setting	String	A	Mandatory	I – Psychiatric inpatient service
				O – Ambulatory mental health service
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	P	R – Community residential mental health service
Factors Influencing Health	Numeric	N C	Conditional	1 – Yes
Status (FIHS)	<i></i>			2 – No
				8 – Unknown
				9 – Not stated/inadequately described
Health of the Nation Outcome	Numeric	N	Conditional	0 – No problems within the period stated
Scales (HoNOS)				1 – Minor problem requiring no action
				2 – Mild problem but definitely present
				3 – Moderately severe problem
				4 – Severe to very severe problem
Health of the Nation Outcome	Numeric	N	Conditional	0 – No problems within the period stated
Scales 65+ (HoNOS 65+)				1 – Minor problem requiring no action

Label	Data Type	Format	Requirement	Permitted Values
				2 – Mild problem but definitely present 3 – Moderately severe problem 4 – Severe to very severe problem
HoNOS for Children and Adolescents (HoNOSCA)	Numeric	N	Conditional	0 – No problems within the period stated 1 – Minor problem requiring no action 2 – Mild problem but definitely present 3 – Moderately severe problem 4 – Severe to very severe problem
Kessler (K10+) Score	Numeric	N	Conditional	1 - None of the time 2 - A little of the time 3 - Some of the time 4 Wost of the time 5 - All of the time
Life Skills Profile Score (LSP- 16)	Numeric	N	Conditional	0 – Score of 0 1 – Score of 1 2 – Score of 2 3 – Score of 3 7 – Unable to rate 9 – Not stated/missing
Phase of Care	Numeric	VONOS	Conditional	1 – Acute 2 – Functional gain 3 – Intensive extended 4 – Consolidating gain 5 – Assessment only 9 – Not reported
RUG-ADL Score	Numeric	Short	Conditional	Scoring scale for bed mobility, toileting and transfers: 1 – Independent or supervision only 3 – Limited physical assistance 4 – Other than two persons physical assist 5 – Two or more persons physical assist Scoring scale for eating: 1 – Independent or supervision only 2 – Limited assistance 3 – Extensive assistance/total dependence/tube fed
Strengths and Difficulties Questionnaire (SDQ) Score	Numeric	N	Conditional	Item1 – item25 0 – Not true

Label	Data Type	Format	Requirement	Permitted Values
				1 – Somewhat true
				2 – Certainly true
				<i>Item</i> 26 0 – No
				1 – Yes - minor difficulties
				2 – Yes - definite difficulties
				3 – Yes - severe difficulties
				Item27
				0 – Less than a month +
				1 – 1-3 Months
				2 – 6-12 months
				Typer ayoa: Item28 – iten 38, item35
				0 – Not at all
				1 – A little
			2 /2	2-4 médium amount
			D.Y	3 – A great deal
			, Y	Item34
				0 – Much worse
				1 – A bit worse 2 – About the same
				3 – A bit better
			~0	4 – Much better
		Louds of		Item36 – item42
		V 4	D	0 – No
	\ \ (1 – A little
				2 – A lot

Appendix I – Legal orders

Label	Data Type	Format	Requirement	Permitted Values
Admitted Voluntary Indicator	Numeric	N	Conditional	0 – No
				1 – Yes
Ancestor Identifier	Numeric	[N(20)]	Conditional	Whole number
Assessment Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Mandatory	Valid date and time
Authorised By	String	X[X(9)]	Conditional	Valid HE number
Authorised By Name	String	X(150)	Conditional	Alphanum ric combination
AV Exam	Numeric	z	Mandatoly	Not applicable/relevant - Not applicable/releva
CLMIAA Status	Numeric	N N	Mandatory	0 – No known CLMIAA status 1 – Subject of CLMIAA custody order 2 – Subject of CLMIAA hospital order
CTO Appointment Date and Time	Datetime	YYYY-MM-DD Hinwim:ss	Mandatory	Valid date and time
Expiry Date	Datetime	MM-DD	Mandatory	Valid date
Legal Order Effective Date and Time	Datetime	OYYYY-MM-DD HH:MM-SS	Mandatory	Valid date and time
Legal Episode Identifier	Numeric	[N(20)]	Mandatory	Unique numeric identifier
Made By	String	X [X(9)]	Mandatory	Valid HE number
Made By Name	Siring	X(150)	Mandatory	Alphanumeric combination
Made By Qualification	String	[X(255)]	Conditional	Alphanumeric combination
Made By Qualification Type	Numeric	N	Conditional	 1 – Medical practitioner 2 – Authorised mental health practitioner 3 – Psychiatrist 4 – Mental health practitioner
No Referral Determined By	String	X[X(9)]	Mandatory	Valid HE number
No Referral Determined By Name	String	X(150)	Mandatory	Alphanumeric combination

Label	Data Type	Format	Requirement	Permitted Values
Order Changed By	String	X[X(9)]	Conditional	Valid HE number
Order Changed Reason	Numeric	N	Conditional	1 – Transcription error 2 – Content error 3 – Process error 4 – Additional information added 5 – Change in location 6 – Change in circumstance 7 – MHT alteration 8 – QCP alteration
Order Duration	Numeric	N(3)	N/A	Whole number
Order End Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Mandatory	(alid date and time
Order Identifier	Numeric	[N(20)]	Mandatory	nique numeric identifier
Order Name	String	X(150)	Mandalory	Valid legal order name
Order Name Code	String	N(2)	Mandat ry	Valid legal order name code
Order Start Date and Time	Datetime	YYYY-MM-DI HH:MM:SS	Mandatory	Valid date and time
Order to Attend Date and Time	Datetime	YYYY-MM-DD HH: M:SS	Conditional	Valid date and time
Order Type	String	on code	Mandatory	E – Electronically made order P – Paper transcribed order C – Court/tribunal M – Migrated from legal status lite
Parent Identifier	Numeric	[N(20)]	Mandatory	Whole number
Previous Expiry Date and Time	Datetine	YYYY-MM-DD HH:MM:SS	Conditional	Valid date and time
Received Patient By	String	X[X(9)]	Conditional	Valid HE number
Received Patient By Name	String	X(150)	Conditional	Alphanumeric combination
Received Patient Date and Time	Datetime	YYYY-MM-DD HH:MM:SS	Conditional	Valid date and time
Received Patient Indicator	Numeric	N	Conditional	0 – Not received 1 – Received
Referred From Place	Numeric	N(4)	Conditional	Valid location code

Label	Data Type	Format	Requirement	Permitted Values
Referred From Place Metro Indicator	String	N	Conditional	0 – Non-metropolitan 1 – Metropolitan
Referred From Place Type	Numeric	N	Conditional	1 – Authorised hospital 2 – General hospital 3 – Other PSOLIS place 4 – Other metro place 5 – Other non-metro place Null – Not specified
Referred To Place	Numeric	N(4)	Conditionar	Valid location code
Referred To Place Metro Indicator	String	N	Conditional	0 – Non-metropolitan – Metropolitan
Referred To Place Type	Numeric	N	Corditional	Authorised hospital General hospital Other PSOLIS place Other metro place Other non-metro place Null – Not specified
Same Practitioner Indicator	Numeric	N	Conditional	0 – No 1 – Yes
Supervising Psychiatrist	String	X (4)]	Conditional	Valid HE number
Supervising Psychiatrist Name	String	¥()50)	Conditional	Alphanumeric combination
Transcribed Order End Date and Time	Datetime	OKYYY-MM-ND HH:MM & B	Conditional	Valid date and time
Transport By	Numeric	HH:MMSs	Conditional	0 – Null 1 – Police officer 2 – Transport officer 3 – Police officer and/or transport officer
Transport Police Reason	Numeric	N	Conditional	 1 – I am satisfied that there is a significant risk of serious harm to the person being transported or to another person. 2 – I am satisfied that a transport officer will not be available to carry out the order within a reasonable time, and any delay in carrying out the order beyond that time is likely to pose a

Label	Data Type	Format	Requirement	Permitted Values
				significant risk of harm to the person being transported or to another person. Null – Not specified
Transport Reason Satisfy	Numeric	z AQ	Conditional	1 – Referred person needs to be taken to the place for examination by psychiatrist 2 – Person needs to be taken to general hospital to be detained under inpatient treatment order 3 – Person needs to be taken to authorised hospital or further examination by psychiatrist
Transport Revoke Reason	Numeric	N N	Conditional	1 – Automatically revoked because a referral has been revoked. 2 – I am satisfied that the transport order is no longer needed. Null – Not specified
Treating Practitioner	String	X[X(9)]	Mandatory	Valid HE number
Treating Practitioner Name	String	X(150)	Mandatory	Alphanumeric combination

Label	Data Type	Format	Requirement	Permitted Values
Treating Practitioner Qualification	Numeric	N	Optional	1 – Medical practitioner
Type				4 – Mental health practitioner Null – Not specified

Ho Longer Applicable 2023.

Ho Longer Applicable 2023.

Appendix J – Triage

Label	Data Type	Format	Requirement	Permitted Values
Action Taken	Numeric	N(2)	Mandatory	 1 - Referred to Emergency Department 2 - Referred to Inpatient Mental Health Service 3 - Referred to Community Mental Health Service 4 - Referred to Community, Primary Care, NGO etc. 5 - Referred to Intake Meeting 6 - Department of Communities: Child Protection and Family Support notified 7 - Poice notified 8 - Amoulance notified 9 - Aboriginal Liaison Officer notified 10 - Interpreter booked
Advance Health Directive	Numeric	N	Mandatory	- No 1 – Yes 2 – Unknown
AHD on Medical Record	Numeric	N	Conditional	0 – No 1 – Yes 2 – Unknown
AHD to be Provided	Numeric	0,000	Conditional	0 – No 1 – Yes 2 – Unknown
Associate Present	Numeric	V 160	Mandatory	0 – No 1 – Yes
Carer Agreeable	Numelic	1/6/	Conditional	0 - No 1 - Yes 2 - Unknown
Carer Aware	Numeric	N	Conditional	0 – No 1 – Yes 2 – Unknown
Consumer Agreeable	Numeric	N	Mandatory	0 – No 1 – Yes 2 – Unknown
Consumer Aware	Numeric	N	Mandatory	0 – No

Label	Data Type	Format	Requirement	Permitted Values
				1 – Yes
				2 – Unknown
Consumer Present	Numeric	N	Mandatory	0 – No
				1 – Yes
Contact With	Numeric	N	Mandatory	1 – Primary carer
				2 – Family member 3 – Nominated person
				4 – Personal support person
				→ General ractitioner
				- Referen
			10,	7 - Othe
Designation	String	X[X(49)]	Mandadary	mphasameric combination
Guardianship Act Status	Numeric	N	Mandatory	0 - No
				1 – Yes
Mental Health Act Status	Numeric	N	Mandatory) – No
			0, 10	1 – Yes
Triage End Date	Datetime	YYYY-MM-DD	Mandatory	Valid date and time
Triaga Identifier	Numeric	HH:MM N(8)	Mandatory	Unique numerie identifier
Triage Identifier	Numeric	IN(Manualory	Unique numeric identifier
Triage Outcome	Numeric	$-$ C $^{\prime}$	Mandatory	1 – To be admitted to service
		100 Y		2 – Referred on 3 – No further action
		O		4 – Information only
				5 – Placed to waitlist
		V (3)		6 – Community visit initiated
		6 0,		8 – Referred to clinical intake
		.0		9 – Unable to complete
Triage Presenting Problem	Numeric	N(4)	Mandatory	Valid triage problem code
Triage Referral Indicator	Numeric	N	Mandatory	0 – No
				1 – Yes
Triage Referral Purpose	Numeric	N	Mandatory	0 – Seeking assistance/referral
				1 – Information
				2 – Assessment
				3 – GP phone advice
				4 – GP liaison

Label	Data Type	Format	Requirement	Permitted Values
Triage Referral Reason	String	X[X(49)]	Conditional	Alphanumeric combination
Triage Service Event Identifier	Numeric	N(8)	Mandatory	Unique numeric identifier
Triage Start Date	Datetime	YYYY-MM-DD HH:MM	Mandatory	Valid date and time
Triage Urgency	Numeric	N(2)	Mandatory	9 – A. Immediate 10 – B. Within 2 hours 11 – C. Within 12 hours 12 – D. Within 48 hours 13 – E. Within 2 weeks 14 – F. Requires further triage contact/follow up 15 G. No further action
Triaged By HE Number	String	X[X(9)]	Mandatory	Va id HE number
	40	X[X(9)]	<i>y</i> ,	

Appendix K – Risk assessment and management plan

Label	Data Type	Format	Requirement	Permitted Values
RAMP Assessment Date	Datetime	YYYY-MM-DD HH:MM	Mandatory	Valid date and time
RAMP Assessor HE Number	String	X[X(9)]	Mandatory	Valid HE number
RAMP Consulted Date	Datetime	YYYY-MM-DD HH:MM	Conditional	Valid date and time
RAMP Consulted With HE Number	String	X[X(9)]	Conditional	Valid HE pumber
RAMP Identifier	Numeric	N(8)	Mandatory	Unique numeric identifier
RAMP Next Due	Datetime	YYYY-MM-DD HH:MM	Optional	Valid date and time
General Risk Factors – Background	d			
Major Psychiatric Illness	Numeric	N	Wandatory	0 – No
			0, 1	- Yes
Diagnosed Personality Disorder	Numeric	N	Mandatory	2 – Unknown 0 – No
Diagnosed Fersonality Disorder	Numenc	11	Manualty	1 – Yes
				2 – Unknown
Significant Alcohol / Drug Use	Numeric	N	Mandatory	0 – No
History		-01 0		1 – Yes
0 1 11 10 19		7/3 /6	N 1 1	2 – Unknown
Serious Medical Condition	Numeric		Mandatory	0 – No 1 – Yes
		V ,6		2 – Unknown
Intellectual Disability / Cognitive	Numeric		Mandatory	0 – No
Deficits		, ~		1 – Yes
				2 – Unknown
Significant Behavioural Disorder	Numeric (N	Mandatory	0 – No
				1 – Yes
				2 – Unknown
Childhood Abuse / Maladjustment	Numeric	N	Mandatory	0 – No
				1 – Yes 2 – Unknown
General Risk Factors – Background Other	String	[X(50)]	Optional	Alphanumeric combination

Label	Data Type	Format	Requirement	Permitted Values
General Risk Factors – Current				
Disorientation or Disorganisation	Numeric	N	Mandatory	0 – No
				1 – Yes
				2 – Unknown
Disinhibition / Intrusive / Impulsive	Numeric	N	Mandatory	0 – No
Behaviour				1 – Yes 2 – Unknown
Current Intoxication / Withdrawal	Numeric	N	Mandatory	0 – No
Current intoxication, withdrawai	Numerio	14	Mandatory	1 - Yes
				2 – Urkrown
Significant Physical Pain	Numeric	N	Mandatory	0 - No
				(A)
			1,0°	2 - Onknown
Emotional Distress / Agitation	Numeric	N	Mandatory	0 – No
		•	<i>'\\'</i>	- Yes
General Risk Factors – Current	String	X[X(49)]	Optional	2 – Unknown Alphanumeric combination
Other	String	\[\(\49)]	Optilodai	Alphanument combination
General Risk Factors Comments	String	[X(508)	Optional	Alphanumeric combination
Suicide Risk Factors – Background	d		\mathcal{O}_{i}	
Previous Suicide Attempts	Numeric		Mandatory	0 – No
·				1 – Yes
		OL, EO		2 – Unknown
History of Self Harm	Numeric	V N S	Mandatory	0 – No
				1 – Yes
E 7 11 (C : : 1	111		NA 1.	2 – Unknown
Family History of Suicide	Numeric	N	Mandatory	0 – No 1 – Yes
				1 = Yes 2 = Unknown
Separated / Widowed / Divorced	Numeric	N	Mandatory	0 – No
Ocparated / Widowed / Divorced	Numenc	IN	ivialidatory	1 – Yes
				2 – Unknown
Isolation / Lack of Support /	Numeric	N	Mandatory	0 – No
Supervision				1 – Yes
				2 – Unknown

Label	Data Type	Format	Requirement	Permitted Values
Suicide Risk Factors – Background Other	String	[X(50)]	Optional	Alphanumeric combination
Suicide Risk Factors – Current				
Recent Significant Life Events	Numeric	N	Mandatory	0 – No
				1 – Yes 2 – Unknown
Hopelessness / Despair	Numeric	N	Mandatory	0 – No
				1 – Yes 2 ≛ Unknown
Expressing High Levels of Distress	Numeric	N	Mandatory	10 - NO
				1 – Ye.
Expressing Suicidal Ideas	Numeric	N	Mandatory	0 - No
			111	1 – Yes
Calf harming Pahaviour	Numeric	N •	Manaltan	2 – Unknown 0 – No
Self-harming Behaviour	Numeric	IN	Mandatory	0
		, X		2 – Unknown
Current Plan / Intent	Numeric	N	Mandatory	0 – No
			$\mathbf{S}^{\mathbf{O}}$	1 – Yes
		<u>, ~9 ~1</u>		2 – Unknown
Access to Means	Numeric	O N	Mandatory	0 – No 1 – Yes
				2 – Unknown
Suicide Risk Factors – Current Other	String	[X150)]	Optional	Alphanumeric combination
Suicide Risk Factors Comments	String	(00)]	Optional	Alphanumeric combination
Violence / Aggression Risk Factors		10	· · ·	
Previous Incidents of Violence	Numeric (N	Mandatory	0 – No
)		1 – Yes
				2 – Unknown
Previous Use of Weapons	Numeric	N	Mandatory	0 – No
				1 – Yes
Forensic History	Numeric	N	Mandatory	2 – Unknown 0 – No
TOTELISIO FIISIOLY	Numenc	IN	ivialiuatury	1 – No

Label	Data Type	Format	Requirement	Permitted Values
				2 – Unknown
Previous Dangerous / Violent	Numeric	N	Mandatory	0 – No
Ideation				1 – Yes
				2 – Unknown
History of Predatory Behaviour	Numeric	N	Mandatory	0 – No
				1 – Yes
				2 – Unknown
Violence / Aggression Risk Factors –	String	[X(50)]	Optional	Alphanumeric combination
Background Other				<u>6. 7.5.</u>
Violence / Aggression Risk Factors				
Recent / Current Violence	Numeric	N	Mandatory	0 - No
				Y – Yes
				2 – Unknown
Command Hallucinations	Numeric	N	Mandatory	0 – No
		•	K (1),	- Yes
Vielenes Destroining Onder	Ni	N. C.	Manadatana	2 – Unknown
Violence Restraining Order	Numeric	N	Mandatory	0 – No 1 – Yes
				2 – Unknown
Paranoid Ideation About Others	Numeric		Mandatory	0 – No
Faianoid ideation About Others	Numeric		ivial luatory	1 – Yes
				2 – Unknown
Expressing Intent to Harm Others	Numeric	O NCOO	Mandatory	0 – No
Expressing intent to Flaim Striets	1101110110	1,60	manaator,	1 – Yes
				2 – Unknown
Anger, Frustration or Agitation	Numeric		Mandatory	0 – No
		.0		1 – Yes
				2 – Unknown
Reduced Ability to Control Behaviour	Numeric	N	Mandatory	0 – No
				1 – Yes
				2 – Unknown
Access to Available Means	Numeric	N	Mandatory	0 – No
				1 – Yes
				2 – Unknown
Contact with Vulnerable Person/s	Numeric	N	Mandatory	0 – No

Label	Data Type	Format	Requirement	Permitted Values
				1 – Yes 2 – Unknown
Violence / Aggression Risk Factors – Current Other	String	[X(50)]	Optional	Alphanumeric combination
Violence / Aggression Risk Factors Comments	String	[X(500)]	Optional	Alphanumeric combination
Family and Domestic Violence Risk	k Factors			
Afraid of Somebody	Numeric	N	Mandatory	0 – No 1 * Yes
Threat to Hurt	Numeric	N	Mandatory	0 – No 1 – Ve
Worried of Safety	Numeric	N	Mandatory	1 - No 1 - res
Requires Help	Numeric	N	Mandatory	0 – No – Yes
Other Risk Factors – Background	l l		04 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
History of Absconding	Numeric	N N	Mandatory	0 – No 1 – Yes
				2 – Unknown
History of Physical / Sexual Victimisation	Numeric	~0° ×	Mandatory	0 – No 1 – Yes
		<u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>		2 – Unknown
History of Financial Vulnerability	Numeric	, so	Mandatory	0 – No
		V (S)		1 – Yes
History of Falls or Other Assidents	Numeric		Mandatory	2 – Unknown 0 – No
History of Falls or Other Accidents	Numeri		Manualory	1 – No 1 1 – Yes
				2 – Unknown
History of Harm to Children or	Numeric -	N	Mandatory	0 – No
Dependents			,	1 – Yes
				2 – Unknown
History of Exploitation	Numeric	N	Mandatory	0 – No
				1 – Yes
				2 – Unknown

Label	Data Type	Format	Requirement	Permitted Values
History of Neglect of a Serious Medical Condition	Numeric	N	Mandatory	0 – No 1 – Yes 2 – Unknown
History of Non-adherence	Numeric	N	Mandatory	0 – No 1 – Yes 2 – Unknown
History of Family and Domestic Violence	Numeric	N	Mandatory	0 – No 1 – Yes 2 • Unknown •
History of Risk of Homelessness	Numeric	N	Mandatory	0 - No 1 - Yes 2 Daknown
History of No Fixed Permanent Address	Numeric	N	Mandatory	0 - Mo 1 - Yes } - Unknown
Other Risk Factors – Background Other	String	[X(50)]	Optional	Alphanumeric combination
Other Risk Factors – Current				
Desire / Intent to Leave Hospital	Numeric	(8)	Mandatory	0 – No 1 – Yes 2 – Unknown
Vulnerability to Sexual Exploitation / Abuse	Numeric	OL LOC	Mandatory	0 – No 1 – Yes 2 – Unknown
Current Delusional Beliefs	Numeric	Sel	Mandatory	0 – No 1 – Yes 2 – Unknown
Physical Illness	Numeric	N	Mandatory	0 - No 1 - Yes 2 - Unknown
Parental / Carer Status or Access to Children	Numeric	N	Mandatory	0 - No 1 - Yes 2 - Unknown
Self-neglect, Poor Self Care	Numeric	N	Mandatory	0 - No 1 - Yes

Label	Data Type	Format	Requirement	Permitted Values
				2 – Unknown
Non-adherence to Medications /	Numeric	N	Mandatory	0 – No
Treatment				1 – Yes
	.			2 – Unknown
Impaired Cognition / Judgement / Self-control	Numeric	N	Mandatory	0 – No 1 – Yes
Sell-control				2 – Unknown
Family and Domestic Violence	Numeric	N	Mandatory	0 – No
•				Ż Yes 2 – Urkrown
Risk of Homelessness	Numeric	N	Mandatory	0 – No
No Fixed Permanent Address	Niversonia	N	Man datanua	2 – Vonknown 0 – No
No Fixed Permanent Address	Numeric	IN	Mandatory	– No – Yes
		. (16 10.	2 – Unknown
Driving	Numeric	N	Mandatory	0 – No
_				1 – Yes
				2 – Unknown
Other Risk Factors – Current Other	String	[X(6c)]	Optional	Alphanumeric combination
Other Risk Factors Comments	String	[X(50))]	Optional	Alphanumeric combination
Overview / Impression				
Risk Highly Changeable	Numeric	N	Mandatory	0 – No
	<u> </u>	<u> </u>		1 – Yes
Uncertainty of Risk	Numeric		Mandatory	0 – No 1 – Yes
Uncertainty of Risk Comments	String	X(500)]	Optional	Alphanumeric combination
Protective Factors	String	[X(500)]	Optional	Alphanumeric combination
Overall Assessment of Risk	String	[X(500)]	Mandatory	Alphanumeric combination
Overall Comments	String	[X(500)]	Optional	Alphanumeric combination
Risk Management Plan	String	[X(4000)]	Mandatory	Alphanumeric combination
Sources of Information	String	[X(4000)]	Mandatory	Alphanumeric combination

Appendix L – Child and adolescent risk assessment and management plan

Label	Data Type	Format	Requirement	Permitted Values
Consulted With Outcome	String	[X(500)]	Optional	Alphanumeric combination
CRAMP Additional Information	String	[X(500)]	Optional	Alphanumeric combination
CRAMP Assessment Date	Datetime	YYYY-MM-DD HH:MM	Mandatory	Valid date and time
CRAMP Assessor HE Number	String	X[X(9)]	Mandatory	Valid HE number
CRAMP Consulted Date	Datetime	YYYY-MM-DD HH:MM	Optional	Valid date and time
CRAMP Consulted With HE Number	String	X[X(9)]	Conditional	Valid HE pumber
CRAMP Identifier	Numeric	N(8)	Mangany	Unique numeric identifier
CRAMP Next Due	Datetime	YYYY-MM-DD HH:MM	• Cotional	Valur date and time
CRAMP Sent to Referrer / GP	Numeric	N	Mandatory	No1 – Yes2 – Not Applicable
Current Medications / Conditions / Allergies	String	[X(500)]	Optional	Alphanumeric combination
Next Appointment Date	Datetime	YYYY MW DD	Optional	Valid date and time
Other Notified	Numeric	OLEGO	Mandatory	0 - No 1 - Yes 2 - Not Applicable
Other Notified Date	Datetime	YYYY MM-DD	Conditional	Valid date and time
Protective Factors	String	X(500)]	Optional	Alphanumeric combination
PSOLIS Alert	Numeric	S N	Mandatory	0 – No 1 – Yes 2 – Not Applicable
PSOLIS Alert Date	Datetime	YYYY-MM-DD HH:MM	Conditional	Valid date and time
Referrer Notified	Numeric	N	Mandatory	0 – No 1 – Yes 2 – Not Applicable

Label	Data Type	Format	Requirement	Permitted Values
Referrer Notified Date	Datetime	YYYY-MM-DD HH:MM	Conditional	Valid date and time
School Notified	Numeric	N	Mandatory	0 - No 1 - Yes 2 - Not Applicable
School Notified Date	Datetime	YYYY-MM-DD HH:MM	Conditional	Valid date and time
Type of Risk				
A. Risk of Suicide	Numeric	N	Mandatory	nil sucidal ideation 1 – fleeting suicidal ideation 2 – onyoing suicidal ideation 3 – ongoing ideation, plan and intent 4 – ongoing ideation, plan, intent and a recent history of attempts
A. Clinical Evidence	String	X[X(49)]	Mandatory	Alphanumeric combination
A. PSOLIS Alert	Numeric	N	Mandatory	0 – No 1 – Yes
B. Risk of Other Deliberate Self- Harm	Numeric	XIX 69	Mandatory	0 – nil ideas of self-harm 1 – fleeting self-harm ideation 2 – ongoing self-harm ideation 3 – ongoing self-harm ideation, plan and intent 4 – ongoing ideation, plan, intent and a recent history of self-harm
B. Clinical Evidence	String	X[X(46))	Mandatory	Alphanumeric combination
B. PSOLIS Alert	Numeric	O CA	Mandatory	0 – No 1 – Yes
C. Risk of Self-Neglect / Accidental Self-Harm	Numeric	SUL N	Mandatory	0 – nil evidence of above risk 1 – nil evidence or risk, may be at risk if untreated 2 – recent evidence of self-neglect or accidental self-harm 3 – ongoing evidence of self-neglect or accidental self-harm 4 – as per 3 with major impact on client's physical and mental health
C. Clinical Evidence	String	X[X(49)]	Mandatory	Alphanumeric combination

Label	Data Type	Format	Requirement	Permitted Values
C. PSOLIS Alert	Numeric	N	Mandatory	0 – No 1 – Yes
D. Risk of Violence / Harm to Others	Numeric	N	Mandatory	 0 – nil ideas of harm to others 1 – fleeting ideation to harm others 2 – ongoing ideation 3 – ongoing ideation, plan and intent 4 – ongoing ideation, plan and intent and a recent history of violence
D. Clinical Evidence	String	X[X(49)]		Alphanument combination
D. PSOLIS Alert	Numeric	N	Mandatory	0 – Nd 1 – Yes
E. Risk of Vulnerability / Harm from Caregivers	Numeric	N	Mandatory	1 - ni-evidence of above risk 1 - nil evidence or risk, may be at risk if untreated 2 - recent evidence of vulnerability / harm from aregivers 3 - ongoing evidence of vulnerability / harm from caregivers 4 - as per 3 with major impact on client's physical and mental health
E. Involve Protective Services	Numeric	200	Optional	0 – No 1 – Yes
E. Clinical Evidence	String	X[X(49)]	Mandatory	Alphanumeric combination
E. PSOLIS Alert	Numeric	N _C O	Mandatory	0 – No 1 – Yes
F. Risk of Absconding / Non-compliance With Intervention	Numeric	upen	Mandatory	 0 – nil evidence of above risk 1 – ambivalent, however willing to accept treatment 2 – nil insight, however reluctantly accepts treatment 3 – nil insight, refusing treatment 4 – nil insight, with plans and intent to abscond
F. Clinical Evidence	String	X[X(49)]	Mandatory	Alphanumeric combination
F. PSOLIS Alert	Numeric	N	Mandatory	0 – No 1 – Yes
G. Risk of Impulsivity and Agitation	Numeric	N	Mandatory	0 – nil evidence of above risk 1 – mildly distressed, aware of symptoms and able to control impulsiveness

Label	Data Type	Format	Requirement	Permitted Values
				2 – moderately distressed, limited capacity to control impulsiveness 3 – acutely distressed, limited capacity to control impulsiveness 4 – extremely disturbed, limited capacity to control impulsiveness
G. Clinical Evidence	String	X[X(49)]	Mandatory	Alphanumeric combination
G. PSOLIS Alert	Numeric	N	Mandatory	0 – No
H. Influence of Drugs and Alcohol	Numeric	N	Mandatory	0 – nillevidence of above risk 1 – devices recent use, has a history of use 1 – corrently intoxicated, however alert, orientated and hill behavioural disturbance 3 – currently intoxicated, however alert, orientated and with moderate behavioural disturbance (loud / irritable) 4 – as above with extreme behavioural disturbance
H. Clinical Evidence	String	X[X(49)]	Mandatory	Alphanumeric combination
H. PSOLIS Alert	Numeric	NO	Mandatory	0 – No 1 – Yes
Risk Factors - Risk to Self / Others	,	~ \(\(\lambda \) \(\lambda \))	
Ideation Harm to Self	Numeric	ON	Mandatory	0 – No 1 – Yes
Ideation Harm to Others	Numeric	V 42	Mandatory	0 – No 1 – Yes
Recent Episodes – Self-harm	Numeric	100Vi	Mandatory	0 – No 1 – Yes
Recent Episodes – Harm to Others	Numeric	N	Mandatory	0 – No 1 – Yes
Intent to Self-harm	Numeric	N	Mandatory	0 – No 1 – Yes
Intent to Harm Others	Numeric	N	Mandatory	0 – No 1 – Yes
Access to Means of Self-harm and Lethality	Numeric	N	Mandatory	0 – No 1 – Yes

Label	Data Type	Format	Requirement	Permitted Values
Plans for Safety Lack Feasibility	Numeric	N	Mandatory	0 – No
,				1 – Yes
Past History of Suicide / Self-harm	Numeric	N	Mandatory	0 – No
•				1 – Yes
Psychiatric History / Current	Numeric	N	Mandatory	0 – No
Diagnosis				1 – Yes
Hopelessness	Numeric	N	Mandatory	0 – No
				1 – Yes
Relationship Breakdown or	Numeric	N	Mandatory (0 * No *
Rejection				1 – Yels
Placement / Accommodation	Numeric	N	Mandatery	0-No
Instability			()·	<u>A</u>
Lack of Alternative Support	Numeric	N	Mandatory	0 - Mo
				1 – Yes
Friend or Family Member Suicided	Numeric	N	Mandatory) – No
				1 – Yes
Upcoming Events / Anniversary	Numeric	N	Mandat ry	0 – No
				1 – Yes
Current Suicide Ideation	Numeric	N	Mandatory	0 – No
		AU	\bigcirc	1 – Yes
Current Intent – Suicide	Numeric		Mandatory	0 – No
		1130		1 – Yes
Disengagement from School / Work	Numeric	O'N	Mandatory	0 – No
				1 – Yes
Stressors that are Likely to Increase	Numeric		Mandatory	0 – No
Risk	V			1 – Yes
Currently Psychotic	Nun enc	N	Mandatory	0 – No
				1 – Yes
Currently Agitated	Numeric (N	Mandatory	0 – No
	4			1 – Yes
History of Violence Victim	Numeric	N	Mandatory	0 – No
				1 – Yes
History of Violence Perpetrator	Numeric	N	Mandatory	0 – No
				1 – Yes
Impulse / Self-control	Numeric	N	Mandatory	0 – No

	Data Type	Format	Requirement	Permitted Values
				1 – Yes
Sexualised Behaviour	Numeric	N	Mandatory	0 – No
Current Use of Drugs / Alcohol	Numeric	N	Mandatory	1 – Yes 0 – No
			·	1 – Yes
ack of Insight	Numeric	N	Mandatory	0 – No 1 – Yes
Negative Attitudes to Support Services	Numeric	N	Mandatory	0 – No 1 ∸ Yes
/ulnerability in Terms of Personality	Numeric	N	Mandatory	0 – No 1 – Yes
Displaying Antisocial Behaviour	Numeric	N	Mandatory	1 - No 1 - Yes
Non-compliance or Non- engagement with Treatment	Numeric	N	Mandatory	0 – No – Yes
Non-compliance or Non- engagement with Safety Planning	Numeric	N	Mandatory	0 – No 1 – Yes
	Numeric	N	Mandatory	0 – No 1 – Yes
History of Family and Domestic /iolence Perpetrator	Numeric	John John John John John John John John	Mandatory	0 – No 1 – Yes

Appendix M – Summary of revisions

Date Released	Author	Approval	Amendment
1 July 2021	David Oats	Rob Anderson, Assistant Director General, Purchasing and System Performance	Document created.
1 July 2022	David Oats	Rob Anderson, Assistant Director General, Purchasing and System Performance	Dates updated. New SSCD data elements added: Triage (Appendix J) Risk Assessment and Management Plan (Appendix K) Child and Adolescent Risk Assessment and Management Plan (Appendix L) Previously obsitted data elements included: Lengting Stay Alert Duration Includent Duration Expiry Date Order Obsallon Corrected errors in data elements: AV Exam Leave Days Incident Recurrence Risk Incident Severity
	40	onder jed	



Produced by: Information and Performance Governance Information and System Performance Directorate Purchasing and System Performance Division The Department of Health Western Australia

Ref: F-AA-74148

Mandatory Policy: MP 0164/21

This document can be made available in alternative formats on request for a person with disability

© Department of Health, State of Western Australia (2022).

Copyright to this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the Copyright Act 1968, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.