



## Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview 2019 - Swan and Canning Rivers

Local Government Authority District/ Managing Authority	Water Body	Site Code	Site Name	GPS Deci-Degrees	Monitoring Category	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sample Analysis Period	Sanitary Assess Category (SAC)	Beach Grade Website Icon	LGA/ MA Sanitary Inspection Report (SIR) Status Actions	Min No. Samples Rqrd 2019-2020
City of Bayswater/ Water Corporation	Drain	BY3/003	Inglewood Main Drain	-31.936924, 115.891142	1. New	2017-2019	13	4400	D	65010	5796	All year	Not Avail		SIR Required – Liaise w/ DoH	5
City of Bayswater/ Water Corporation	Drain	BY3/004	Bayswater Main Drain	-31.931281, 115.925952	1. New	2017-2019	15	7100	D	66871	7934	All year	Not Avail		SIR Required – Liaise w/ DoH	5
City of Bayswater/ DBCA	River	BY3/001	East St Maylands Yacht Club	-31.93723, 115.89096	1. Program	2014-2019	88	175	B	6601	121	Nov - May	Moderate		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	13
City of Bayswater/ DBCA	River	BY3/002	Hind Reserve (Garratt Road-Jetty)	-31.93125, 115.91724	1. Program	2014-2019	87	120	B	213	61	Nov - May	Moderate		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	13
City of Bayswater	River	BY3/005	Riverside Gardens - Beach Embayment	-31.931003, 115.922693	1. Proposed	2018	4					All year	Not Avail		SIR Required – Liaise w/ DoH	13
City of Belmont/ DBCA	River	EV3/517	Garvey Park (Fauntleroy Ave)	-31.921227, 115.942961	1. Program	2014-2019	66	310	C	213	94	Nov - May	Very High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Belmont/ DBCA	River	EV3/538	Belmont Park Beach	-31.953606, 115.898802	1. Program	2014-2019	66	95	B	160	53	Nov - May	Very High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Belmont/ DBCA	River	EV3/539	Cracknell Park (Riversdale Rd)	-31.95382, 115.903299	1. Program	2014-2019	66	60	B	107	41	Nov - May	Very High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Canning	River	CA3/009	Kent St Weir - US	-32.021215, 115.920948	1. Program	2016-2019	49	300	C	228	95	Nov - May	Not Avail		Provide DoH SIR	13
City of Canning	River	CA3/010	Kent St Weir - DS	-32.021094, 115.92074	1. Program	2016-2019	49	310	C	275	102	Nov - May	Not Avail		Provide DoH SIR	13
City of Canning/ DBCA	River	EV3/542	Shelley Beach Jetty	-32.02758, 115.882444	1. Program	2014-2019	69	310	C	1210	220	Nov - May	High		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	13
City of Canning	Drain	CA3/013	Riverton Dr E - Drain S Boat-Ramp	-32.028483, 115.901044	3. Inactive (Non-core)	2016-2017	16	4700	D	3469	915		Not Avail			0
City of Canning	Drain	CA3/020	Bullcreek Rd Rossmoyne - Drain	-32.045359, 115.861775	3. Inactive (Non-core)	2016-2017	15	470	C	320	124		Not Avail			0
City of Canning	Drain	CA3/021	Central Rd Rossmoyne - Drain	-32.038491, 115.86064	3. Inactive (Non-core)	2016-2017	16	75	B	138	46		Not Avail			0



## Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview 2019 - Swan and Canning Rivers

Local Government Authority District/ Managing Authority	Water Body	Site Code	Site Name	GPS Deci-Degrees	Monitoring Category	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sample Analysis Period	Sanitary Assess Category (SAC)	Beach Grade Website Icon	LGA/ MA Sanitary Inspection Report (SIR) Status Actions	Min No. Samples Rqrd 2019-2020
City of Canning	Drain	CA3/022	First Ave Rossmoyne - Drain	-32.03651, 115.863844	3.Inactive (Non-core)	2016-2017	16	90	B	133	51		Not Avail			0
City of Canning	Drain	CA3/027	Second Ave Rossmoyne - Drain	-32.03651, 115.863844	3.Inactive (Non-core)	2016-2017	16	2	A	22	14		Not Avail			0
City of Canning/ DBCA	River	EV3/547	Clontarf Bay (Cadets)	-32.020882, 115.898649	4. Review	2014-2019	70	660	D	601	183	Nov - May	Moderate		Erect permanent warning sign	5
City of Melville/ DBCA	River	EV3/505	Bicton Baths	-32.027662, 115.778125	1. Program	2014-2019	76	32	A	117	17	Nov - May	Moderate		Collect 5-10 SW drain samples.	13
City of Melville/ DBCA	River	EV3/507	Cunningham St (Applecross)	-32.02252, 115.82608	1. Program	2014-2019	76	34	A	110	20	Nov - May	Moderate		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Melville/ DBCA	River	EV3/532	Point Walter (Kiosk)	-32.011954, 115.78806	1. Program	2014-2019	76	10	A	41	17	Nov - May	Low		Annual SIR Review	5
City of Melville/ DBCA	River	EV3/533	Point Walter (Boat Ramps)	-32.012966, 115.790969	1. Program	2014-2019	76	32	A	96	22	Nov - May	Moderate		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Melville/ DBCA	River	EV3/534	Waylen Bay (Scout Hall)	-32.004459, 115.840569	1. Program	2014-2019	76	4	A	29	14	Nov - May	Low		Annual SIR Review	5
City of Melville/ DBCA	River	EV3/540	Deep Water Point (Near Jetty)	-32.022998, 115.854436	1. Program	2014-2019	77	9	A	41	18	Nov - May	Moderate		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Perth/ DBCA	River	EV3/528	Hackett Drive Crawley (Kiosk, Jetties)	-31.982554, 115.821613	1. Program	2014-2019	38	300	C	1054	153	Nov - May	High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Perth/ DBCA	River	EV3/530	Hackett Drive Crawley (Tree)	-31.980422, 115.821157	1. Program	2014-2019	38	155	B	284	74	Nov - May	Moderate		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	13
City of Perth/ DBCA	River	EV3/543	Abrahams Reserve Beach	-31.987515, 115.819773	1. Program	2014-2019	39	280	C	938	139	Nov - May	Moderate		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	13
City of Perth/ DBCA	River	PR3/022	Claisebrook	-31.949898, 115.882219	1. Program	2014-2019	58	26	A	65	27	Nov - May	Not Avail		Provide DoH SIR	13
City of Perth/ DBCA	River	PR3/023	Trinity	-31.959003, 115.884506	1. Program	2014-2019	58	450	C	2146	255	Nov - May	Not Avail		Provide DoH SIR	13



## Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview 2019 - Swan and Canning Rivers

Local Government Authority District/ Managing Authority	Water Body	Site Code	Site Name	GPS Deci-Degrees	Monitoring Category	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sample Analysis Period	Sanitary Assess Category (SAC)	Beach Grade Website Icon	LGA/ MA Sanitary Inspection Report (SIR) Status Actions	Min No. Samples Rqrd 2019-2020
City of Perth	River	PR3/024	Point Fraser	-31.964465, 115.880073	1. Program	2014-2019	58	360	C	630	143	Nov - May	Not Avail		Provide DoH SIR	13
City of Perth	River	PR3/025	Barrack Jetty	-31.960057, 115.858925	1. Program	2014-2019	58	38	A	85	31	Nov - May	Not Avail		Provide DoH SIR	13
City of Perth/ DBCA	River	PR3/026	Mounts Bay Road	-31.976211, 115.822666	1. Program	2014-2019	58	640	D	1424	265	Nov - May	Not Avail		Provide DoH SIR	13
City of Perth/ MRA	River	PR3/027	Elizabeth Quay	-31.957467, 115.856181	2. Active (Non-core)	2016-2017	4						Not Avail			0
City of South Perth/ DBCA	River	EV3/511	Como Beach Jetty	-31.993709, 115.852854	1. Program	2013-2019	67	12	A	46	15	Nov - May	Moderate		Collect 5-10 SW drain samples.	13
City of South Perth/ DBCA	River	EV3/512	Narrows Bridge	-31.964485, 115.847797	1. Program	2014-2019	62	380	C	19689	483	Nov - May	High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of South Perth/ DBCA	River	EV3/513	Coode St South Perth	-31.974516, 115.863831	1. Program	2014-2019	63	540	D	16016	643	Nov - May	Very High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of South Perth/ DBCA	River	EV3/536	Como Beach South	-31.994324, 115.854664	1. Program	2014-2019	62	195	B	19038	163	Nov - May	Very High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of South Perth/ DBCA	River	EV3/537	Como Beach North	-31.99251, 115.854349	1. Program	2014-2019	63	370	C	52495	652	Nov - May	Very High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of South Perth/ DBCA	River	EV3/546	South Perth (Esplanade Beach)	-31.9732, 115.85821	1. Program	2014-2019	63	310	C	13240	323	Nov - May	High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Swan/ DBCA	River	EV3/519	Ray Marshall Park (First Ave)	-31.887731, 115.990672	1. Program	2014-2019	44	200	B	156	74	Nov - May	Very High		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
City of Swan/ DBCA	River	EV3/520	Middle Swan Reserve	-31.863593, 116.007308	1. Program	2012-2019	68	230	C	185	81	Nov - May	Very High		Annual SIR Review	5
City of Swan/ DBCA	River	SW3/001	Fish Market Reserve – Boat Ramp	-31.898113, 115.959394	1. Proposed								Moderate		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	13
City of Swan/ DBCA	River	SW3/002	Fish Market Reserve – St Vincents Beach	-31.895142, 115.959844	4. Review								Moderate			0



## Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview 2019 - Swan and Canning Rivers

Local Government Authority District/ Managing Authority	Water Body	Site Code	Site Name	GPS Deci-Degrees	Monitoring Category	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sample Analysis Period	Sanitary Assess Category (SAC)	Beach Grade Website Icon	LGA/ MA Sanitary Inspection Report (SIR) Status Actions	Min No. Samples Rqd 2019-2020
Shire of Peppermint Grove	River	EV3/503	Keane St Beach (50M S Irvine St)	-32.000365, 115.771182	1. Program	2012-2017	68	350	C	864	267	Nov - May	Not Avail		SIR Required – Liaise w/ DoH	13
Town of Bassendean/ DBCA	River	EV3/521	Success Hill Reserve	-31.89658, 115.957593	1. New	2017-2019	29	160	B	130	64	Nov - May	High		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	13
Town of Bassendean/ DBCA	River	EV3/522	Sandy Beach Reserve	-31.922066, 115.951273	1. Program	2014-2019	65	680	D	591	184	Nov - May	Moderate		Collect 5-10 samples w/in 24-48 hrs of rainfall.	13
Town of Bassendean	River	EV3/548	Point Reserve (Nth Jetty)	-31.9041, 115.962751	1. Program	2013-2019	77	840	D	541	188	Nov - May	High		Annual SIR Review	5
Town of Claremont	River	CL3/001	Swan River - Jetty Rd Jetty	-31.989639, 115.781282	1. Program	2016-2019	35	95	B	131	53	Nov - May	Not Avail		Provide DoH SIR	13
Town of Claremont	River	CL3/002	Swan River - Mrs Herberts Park	-31.991336, 115.786449	1. Program	2016-2019	35	105	B	246	54	Nov - May	Not Avail		Provide DoH SIR	13
Town of Claremont	River	CL3/003	Swan River - Claremont Yacht Club	-31.989, 115.779488	2. Active (Non-core)	2016-2019	30	220	C	343	94	Nov - May	Not Avail			5
Town of East Fremantle	River	EF3/012	Fremantle Rowing Club	-32.026477, 115.763933	1. New	2017-2019	10	165	B	314	78	Nov - May	Not Avail		Provide DoH SIR	13
Town of East Fremantle	River	EV3/545	Preston Point - John Tonkin Park	-32.02903, 115.76196	1. Program	2014-2019	36	95	B	161	53	Nov - May	Moderate		Collect 5-10 SW drain samples.	13
Town of East Fremantle/ Main Roads WA	Drain	EF3/009	Main Drain	-32.040772, 115.759911	2. Active (Non-core)	2016-2019	29	145	B	268	69	All year	Not Avail			0
Town of East Fremantle	River	EF3/010	Jetty South	-32.038981, 115.761166	2. Active (Non-core)	2015-2019	16	115	B	219	60	All year	Not Avail			0
Town of East Fremantle	River	EF3/011	Jetty North	-32.038312, 115.761254	2. Active (Non-core)	2015-2019	20	20	A	64	17	All year	Not Avail			0
Town of East Fremantle	Drain	EF3/002	Eastside Angling Club Pier - Stormwater outlet	-32.037196, 115.761962	3. Inactive (Non-core)	2017	1						Not Avail			
Town of Mosman Park/ DBCA	River	EV3/544	Johnston Street - Hill Tce Beach	-32.003851, 115.772397	1. Program	2012-2019	57	4	A	31	18	Nov - May	Moderate		Collect 5-10 site & SW samples w/in 24-48 hrs of rainfall.	5